



RULEXX[®]
LUBRICANTS & GREASE IND. LLC

Performance
Reliability
Value



Lubricating the World

Our Mission

Rulexx Lubricants wants to be recognized as a great company that is committed to excel in delivering value to customers as an innovative and dynamic lubricants company.

Our Vision

We are committed to leadership in lubricants market by providing highest quality Lubricants through continues innovation. We have a fundamental belief that we can make a difference in the world.

Introduction

We would like to take the opportunity to introduce as one of the established lubricant company in the Region. Our facility is located in Emirates of Ajman UAE and we are manufacturing both Automotive and Industrial lubricants of all Grades. We have installed blending capacity of 50,000M.Tons per annum.

For decade, we have been supplying leading edge performance lubricants in the Global market. Our product range includes;

- Engine Oil (Synthetic, semi-synthetic & mineral base)
- Gear oil
- Automatic Transmission Fluid (ATF)
- Soluble Cutting oil
- Turbine oil
- Break Fluids
- Spindle oil
- Calibration oil
- All types of Greases
- Hydraulic oil
- Heat Transfer oil
- Transformer oil
- Quenching oil
- Clutch oil
- Refrigeration Compressor oil
- Marine oil

We are continuously growing with the vision of global expansion to deliver excellence across the globe in the lubricants market. We are having our footprint in more than thirty countries as mentioned below;

- Africa
- Algeria
- Afghanistan
- Bahrain
- Barma
- Bangladesh
- China
- Egypt
- Germany
- India
- Iran
- Iraq
- Jordan
- Ksa
- Kuwait
- Kyrgyzstan
- London
- Lebanon
- Libya
- Malaysia
- Marocco
- Muritania
- Oman
- Pakistan
- Russia Cis
- South America
- Sudan
- Turkmenistan
- Tajikistan
- Uae
- Yemen

Our blending station is equipped with the advanced blending kettles and we have eight nozzles fully automated Taiwan make filling lines with the filling capacity from 500 ml bottle to 210 Liters barrel and Flexi bags up to 18,000 Liters of packaging.

Our state of the art testing Laboratory is equipped with latest automatic machines to ensure that the finished lube meets the International Standards.

In line with our Quality Policy to provide best quality Lubricants we are using 100% virgin Base Oil Stocks and top of line Additives in the market. The quality control is maintained by our team at each stage of production.

We have approved OEM's certificates from most of the Original Engine Manufactures like;

- Mercedes Benz
- VOLVO
- Mack & Renault
- Volkswagen

Our company is duly certified from the following International Bodies;

- American Petroleum Institutes (API)
- Certificate of Conformity for commodity from Kingdom of Saudi Arabia.
- License from Oil & Gas Regulatory Authority (OGRA)
- Emirates Authority For Standardization & Metrology
- ISO – 9001, 2015
- Registration with European Union (EU)

With our stringent Quality Policy and focus on our client's satisfaction, we have become a default choice of our customers for trust and repeat business.

For further information please visit our website: www.rulexx.com

OUR PRODUCTS



Benefits

Rulexx Plus Super Petrol Engine Oil (Fully Synthetic)
Rulexx Plus motor oil is fully-synthetic lubricant for ultimate engine protection performance. It is a multi grade motor oil specially formulated with selected synthetic base fluids and race proven additive technology for use in passenger cars and light truck gasoline engines and diesel engines under all operating conditions.

Specifications

Rulexx Plus SAE 20W50 is suitable for use in automotive gasoline engines where the manufacturer recommends an API SL, ILSAC GF-5 or earlier specification 20W50 lubricant.



Benefits

Rulexx Plus Super Petrol Engine Oil (Semi Synthetic)
Rulexx Plus is an advanced technology semi-synthetic motor oil providing excellent performance in passenger car engines. It is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.

Specifications

SAE 10W-30; API SM; ACEA C3,C4; BMW LONGLIFE-04; MB-FREIGABLE 229.31; VW 502 00/ 505 00; DEXOS2® GM DEXOS2® ERSETZT G-LL-AL025/ GM-LL-B-025 : GB2D0109082



Benefits

Rulexx Plus Motor Oil (Fully Synthetic)
Rulexx Plus motor oil is fully-synthetic lubricant for ultimate engine protection performance. It is a multi grade motor oil specially formulated with selected synthetic base fluids and race proven additive technology for use in passenger cars and light truck gasoline engines and diesel engines under all operating conditions.

Specifications

Rulexx Plus GF 0W-20 is suitable for use in automotive gasoline engines where the manufacturer recommends an API SN/CF, ILSAC GF-5 or earlier specification 0W-20 lubricant.



Benefits

Rulexx Plus Motor Oil (Semi Synthetic)
Rulexx Plus is an advanced technology semi-synthetic motor oil providing excellent performance in passenger car engines. It is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.

Specifications

SAE 10W-30; API SN/CF; ACEA C3,C4; BMW LONGLIFE-04; MB-FREIGABLE 229.31; VW 502 00/ 505 00; DEXOS2® GM DEXOS2® ERSETZT G-LL-AL025/ GM-LL-B-025 : GB2D0109082

OUR PRODUCTS



Benefits

Rulexx Plus Motor Oil (Semi Synthetic)

Rulexx Plus motor oil is semi-synthetic lubricant for ultimate engine protection performance. It is a multi grade motor oil specially formulated with selected synthetic base fluids and race proven additive technology for use in passenger cars and light truck gasoline engines and diesel engines under all operating conditions.

Specifications

API SN/CF/SM/CF, ACEA C3, MB 229.31/226.5, VW 502.00/505.01, BMW Longlife-04, PORSCHE A40, FORD WSS-M2C917A, GM dexos 2, RENAULT RN0700/RN0710



Benefits

Rulexx Plus Motor Oil (Semi Synthetic)

Rulexx Plus is an advanced technology semi-synthetic motor oil providing excellent performance in passenger car engines. It is formulated to ensure excellent viscosity retention and superior engine protection under all driving conditions.

Specifications

10W-40 is a part synthetic engine oil formulated to suit a wide range of petrol engines, direct and indirect injection diesel engines, LPG and CNG cars, light commercial vehicles and 4WDs.



Benefits

Rulexx Plus Diesel Oil (Mineral)

Advanced additive technology provides wear protection and longer oil life. Improved engine cleanliness and protection against piston deposits. Excellent performance in heavy duty operation. Superior oxidation resistance, soot control, thermal stability. Easy cold starting and longer drain interval.

Specifications

SAE 15W40 API CI4/CH4/CF4/CG4/CF/ SL/SJ/Mercedes benz 228.3/229.1, Allison C-4, ACEA E7/A3/B4 JASO DH-1 Global DHD-1, Cummins CES 20078, CES 20077, CES 20076, Man 3275, ValVO VDS3, MTU-Type 2, CAT ECF1.



Benefits

Rulexx Plus Motor Oil (Mineral)

Fuel economy and better cold starting. Excellent engine protection in severe weather conditions. Thermal stable. Anti wear, anti oxidant and long drain interval. Low oil consumption and turbo proven stability. Oxidation resistant, good high temperature stability. Longer drain interval. Low oil consumption.

Specifications

API SL/CF and can be used in all types of cars and light duty trucks. The product also meets ACEA E2-96 issue 3, ACEA A3-98/B3-98 issue 2/B4-02, MB 229.1, MAN 270/271, VOLVO VDS, MACK EO-L, MTU/DDU TYPE-1, ALLISION-C4.

OUR PRODUCTS



Benefits

Rulexx Plus (Dexron III)

Rulexx Plus Motor Oil blended with highly refined synthetic base oil and selective additives for use in heavy duty operations are used in commercial fleet, Automatic transmission, axles and final drives. Protects from rust & corrosion and low temperature properties, gives good start in cold weather.

Specifications

DEXRON III MEETS AND EXCEEDS GENERAL MOTORS GM DEXRON III SPECS, FORD M2C 138CJ/166H, ALLISON C4 SPECS, CAT T02



Benefits

Rulexx Plus Gear Oil

Rulexx Plus Gear Oil blended with highly refined synthetic base oil and selective additives for use in heavy duty operations are used in commercial fleet, manual transmission, axles and final drives. Protects from rust & corrosion and low temperature properties, gives good start in cold weather.

Specifications

GL5 SAE 85W140, Zopec EP GEAR LUBE MEETS API SERVICE CATEGORY GL-5 AND US MILITARY SPECS MIL-L2105D



Benefits

Rulexx Plus Coolant

Protect against rust and corrosion. Provide excellent heat transfer characteristics. Compatible with all rubber hoses used in cooling systems. Good solubility and stability in both soft and hard water. Suitable for use in all cars.

Specifications

Coolant are normally available in concentration ratio of 1:2 or 1:1 (coolant : water) and are suitable for all type of passenger cars.



Benefits

Rulexx Plus Amber 4T

Engine protection against wear and sludge. Engine cleanliness and low combustion residue. Fuel economy and better cold starting. Oxidation resistant, good high temperature stability. Longer drain interval. Low oil consumption.

AMBER 4T meets and exceeds the requirements of API SL/CF and can be used in all types of Motorcycle of gasoline engines. The product also meets ACEA A3/B3, MB 229.1, VW 500/505, Porsche and BMW.

OUR PRODUCTS



Benefits

Rulexx Plus HYD 68

Excellent Thermal and Oxidation stability. Excellent corrosion protection. Excellent Oil/Water separation properties. Good air release characteristics.

HYDRA TURBINE R & O Turbine Oils meets BS 489 : 1983 (ISO 32 TO ISO 68), US Military MILL-17672D, Cincinnati Milacron P-38, P-55, P-54 (ISO 32, 46, 68) respectively. DIN 51515 part I, Brown Boveri HT GD 90 117E, Alsthoun Atlantique NBA P50001. General Electric GEK – 46506B, GEK 21843A, GEK – 141003H, US Steel 120 and 125 (Bench Test) GECB 207001 (Mineral Turbine Oils, Table 6.2).



Benefits

Rulexx Plus Brake & Clutch Fluid

Rulexx Plus Heavy Duty Brake & clutch fluid DOT-3/4 is a premium glycol type quality automotive Brake fluid meeting the specifications of DOT-3, SAE J 1704, ISO 4925 and FMVSS No. 116.



Benefits

Good detergent – dispersant properties. Excellent anti-wear, anti-rust and anti-corrosion properties. Ensures longer engine life. Excellent engine cleanliness. Low cylinder and piston ring wear.

LEON severe duty Marine engine oils meet the API specification of CD, MIL-L-2104C, CCMC D1/D2.



Benefits

Rulexx Plus NLGI 2 & 3

Rulexx Plus General Purpose Greases are made from refined mineral base oil thickened with calcium soap and balanced additive package. Automotive applications such as wheel bearings, chassis points, universal joints. Suitable for general applications where speed and load are moderate and operating temperature is less than 100°C.



RULEXX[®]
LUBRICANTS & GREASE IND. LLC




**RULEXX
MEANS
RELIABLE**



Tel: +971 6 7489690, Fax: +971 6 7489698

P.O. Box: 23290, Ajman - U.A.E.

Email: Info@rulexx.com, Website : www.rulexx.com



LUBRICATING THE WORLD