

# هـوتـلايـن جحارة الحديد ش.ذ.م.م.

# HOTLINE STEEL TRADING L.L.C

Tel: +971 4 2582147







P.O. Box 233084, UAE. Tel: +971-4-2582147

Web: www.hotlinesteel.com, Email:-manuel@hotlinesteel.com

### **Company Profile**

Hotline Steel Trading company based in Dubai, United Arab Emirates is a specialized stockiest importer and exporter of SEAMLESS-PIPE, ERW Pipes, GI Pipes, flanges, valves, gaskets and pipe fittings. We specialize in carbon steel, galvanized iron, ductile iron malleable iron and grooved fittings to various standard like ASTM, ANSI, APT, JIS and BS Standard from our stock in Dubai.

We can supply all over UAE, GCC countries and other African markets. Our dedicated staff with wide experience has competence to procure precision products from reliable manufacturer all over the world .Our experienced young team helps client professionally to attain total satisfaction.

Our product of services is mainly used in oilfields services, HVAC industry, Marine industry and with other piping contractors. We stock wide range of products with diversified branch and act as a single source of supply. Based on order we can arrange delivery to client site even at short notice. We have regular consolidated shipment from major American and European destination, thus able to provide economical pricing.

We have a separate team of professionals looking after the MEP (Mechanical Electrical and piping), Firefighting and district cooling industries.

#### **MISSION**

Our Business Ideas supports the vision by offering a wide range of Steel Products at one place and value for the money.

#### **VISION**

To be the company that best understands and provide outstanding Products and unsurpassed service that, together, deliver premium value to the customers. We are personally accountable for delivering on our commitments.

# **Steel Pipes**

### **□** ERW PIPE (Electric Resistance Welded)

- Fixed Lengths 6 mtr & 12 mtr (with tolerances)
- Outside Diameter 1/2" 24"
- Wall Thickness 1.6 mm Up to 14.2 mm
- Production Standards
- API 5L GR.A, B, X-42, X-46, X-52, X-60, X-65, X-70
- ASTM A53 GR. A, B
- DIN 1626/2458 ST 37.0,44.0,52.0
- DIN 2440,2441 ST 33
- DIN 1628 ST 37.4
- DIN 17100 ST 44.2
- DIN 17172 ST E 210.7, 240.7, 290.7, 320.7
- BS 1387 Light, Medium, Heavy
- CASING/TUBING
- BS 3601 GR. 430, GR.360
- API 5CT GR. H 40, J/K 55, N 80
- Material
- GI,MS,SS,DI

### **□** Seamless Pipe

- Sizes range from 0.5" or 1/2" of various schedules. (SCH- 40, 80, XS, STD)
- Single Random Length (SRL) or Double Random Length (DRL).
- Production Standards
- Line Pipes: API 5L GR. A, B, X-42, X-46, X-52, X-60, X-65, X-70
- ASTM A-106 GR. A,B, ASTM A-53 GR. A,B
- DIN 1629/2448 ST 37.0, 44.0, 52.0
- DIN 2440, 2441 ST 33
- DIN 2391 ST 35.0, 45.0, 52.0
- DIN 17171/2448 ST 37.3, 44.2, 44.3, 52.3

- DIN 17172/2448 ST E 210.7, 240.7, 290.7, 320.7
- JIS G 3444 ST K 290, 400, 500 LOW
- ASTM A 179 ASTM A192
- ASTM A210 GR. A1, C
- ASTM A213 GR. T-11, T-12, T-22
- ASTM A335 GR. P-11, P-12, P-22
- DIN 17175 ST 35.8, 45.8, 15 MO 3, 13 CRMO44, 10 CRMO910
- JIS G 3461 STB 340, 410
- JIS G 3462 STBA 22,23,24

# **Brands**:













# **Pipe Fittings**

## **□** Butt weld Fittings

- Carbon Steel(Seamless)
- A234,A420,WPB,WPL6
- Wall Thickness STD,XS,S40,S80
- Dai meter ½" to 24",
- ANSI B16.9,ASME B16.9/B16.11/B16.25
- JIS B2311,B2312,B2313
- EN 10204 3.1
- Stainless Steel(Seamless welded)
- A403,WP304/304L
- WP316/316L
- Wall Thickness S10S,S20S



SS Welded fittings





MS Welded fittings

## **IFLANGES**

- CARBON STEEL FORGED
- SLIP ON, WELD NECK, BLIND, THREADED
- CLASS 150,300,600
- PN16,25,40
- ASME,DIN,JIS STD,SCH40,SCH80
- ASTM A234,JISG3452,DIN17175
- Size  $-\frac{1}{2}$ " to 24"
- Material SS316,304,Carbon Steel,





MS Flanges

SS Flanges

# **Brands:**

















# **□**Threaded Pipe Fittings

- MI/GI Fittings
- ANSI/ASME B-16.3,B16.14,B16.39
- ASTM A-197
- Carbon steel/Stainless Steel (Forged)
- A105,A266C11,A182/A336F1F5
- ANSI/ASME B-16.3,B16.14,B16.39
- 1000,2000,3000,NPT,BSP threads
- Threaded and Socket weld



MI/GI Fittings



Carbon steel/Stainless Steel (Forged)

# **Brands:**

















# ☐ Grooved fittings

- Ductile cast iron in accordance with ASTM A-536
- Grade 65-45-12



Grooved fittings

# **Brands:**







# **Other Products**

- ★ Gasket ★ Valves ★ Pipe Supports ★ GI/SS Threaded Rods
- ★ GI/SS/MS Sheets ★ Flat Bars ★ GI/MS/SS Angles & Tubes