



Automotive | Industrial | Marine | Aviation | Greases
Specialty | Engine Care & Fuel Additives



DITROL[®]
Lubricants

DITROL LUBRICANTS FZE
www.ditrol.net

PRODUCT CATALOGUE



DITROL[®]
Lubricants





DITROL[®]
Lubricants



COMPANY PROFILE

Ditrol Lubricant FZE is a freezone establishment company in UAE. It is engaged in the manufacture, supply and marketing of automotive and industrial lubricants and various other speciality products under the "Ditrol" brand. The company is a leading supplier of quality range of automotive and industrial lubricants to its local and international customer base.

MANUFACTURING FACILITIES

The company uses state of the art manufacturing facilities with high tech laboratory equipped with advanced testing facilities to ensure quality standards as well as specifications during various stages of production. Our manufacturing facility is equipped with the latest technology with production capacity to meet the appropriate demand. Fully automotive process controls guarantees accurate and precise blending and packing of a range of lubricants and greases.

QUALITY

We are committed to providing consistent high quality automotive and industrial products that will continue to meet and exceed customer expectations. Quality virgin base oils and carefully selected lubricant additive are used to blend a range of lubricants. Our lubricants are formulated to the highest international specifications set by specialized international institutes such as the American Petroleum Institute (API) and the Society of Automotive Engineers (SAE).

PRODUCTS

Our product range includes Motor Engine Oils, Diesel Engine Oils, Industrial Oils and Hydraulic Oil, as well as other specialized oils and Lithium Greases and are marketed to both the Local as well as the international market. Products are packaged in all sizes from small 1 Litre bottles through to 208 Litres drums.



DITROL[®]
Lubricants



MISSION

Our focus is on quality control standards that ensures each shipment is continuously monitored that guarantee the integrity of our products. Our relationship with customers and suppliers is based on our ethics and manners and is conducted with integrity that reflects our commitment to excellence.

We are committed to environmental, health, safety, and quality policies. EHSQ compliance is an inherent part of our business planning, and strategic objectives. Implementation of EHSQ management systems is strictly adhered and promoted in cooperation with our employees.

VISION

Keeping in mind our mission, our aim is to transport quality products to our local and overseas customers in the best condition, on time and the most reasonable cost to turn the new customers into repeat loyal customers that makes us unique in the field of lubricants and greases.

VALUES

We believe in building long term relationship with our customers and in career growth for our staff.

We offer competitively priced products that meet the highest quality standards and incorporate the latest technological innovations. It is this combination that gives the Ditrol brand a unique competitive status, which provides our clients with the opportunity to compete in all segments of the market, including with well-established premium brands.



DITROL[®]
Lubricants

AUTOMOTIVE OILS



Premium Motor Oil (GASOLINA)
Diesel Motor Oil (GASOLEO)
Gear Oil (OLEO VAVOLINA)
Automotive Transmission Fluid

FULLY SYNTHETIC & SEMI SYNTHETIC OILS

Fully-Synthetic Engine Oil
Semi-Synthetic Engine Oil



SPECIALITY OILS



2 Stroke Oil (OLEO DOIS TEMPOS)
4 Stroke Oil (OLEO DOIS TEMPOS)
Universal Tractor Oil
Brake Fluids

INDUSTRIAL OILS

Coolant	Industrial Gear Oil
Therm Oil	Compressor Oil
Rock Drill Oil	Hydraulic Oil
Spindle Oil	Marine Oil
Cutting Oil	Sewing Machine Oil
Transformer Oil	Pneumatic Oil



GREASES



Multi Purpose Calcium Grease
Multi Purpose Lithium Grease
Multi Purpose EP Grease
Multi Purpose Lithium Complex Grease



DITROL[®]
Lubricants

DIESEL ENGINE OIL

DITROL Diesel Engine Oil SAE 15W-40 API CK-4 is a high performance fully synthetic that provides excellent lubrication to diesel engines. It maximizes performance in the latest US, European and Japanese heavy duty diesel engines including severe applications such as high loads and multi trailer applications. It exhibits outstanding detergent, dispersant and anti-wear properties to keep the engine clean and enable efficient control of soot, sludge and piston deposits.

- Longer oil change interval
- Reduction of engine Wear & Tear
- Increased Mileage

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DIESEL ENGINE OIL

DITROL Diesel Engine Oil SAE 15W-40 API CI-4 is a high performance fully synthetic that provides excellent lubrication to diesel engines. It maximizes performance in the latest US, European and Japanese heavy duty diesel engines including severe applications such as high loads and multi trailer applications. It exhibits outstanding detergent, dispersant and anti-wear properties to keep the engine clean and enable efficient control of soot, sludge and piston deposits.

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation
- Longer oil change interval
- Reduction of engine Wear & Tear
- Increased Mileage

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr





DITROL[®]
Lubricants



DIESEL ENGINE OIL

DITROL Heavy Duty Multigrade Diesel Engine Oil SAE 20W-50 API CH-4 is blended with highly refined solvent extracted hydrofinished paraffinic oils and performance package additives to meet the lubrication requirements of engines using high sulphur fuel.

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr

DIESEL ENGINE OIL

DITROL Diesel Engine Oil SAE 50 API CH-4 is a high performance fully synthetic that provides excellent lubrication to diesel engines. It maximizes performance in the latest US, European and Japanese heavy duty diesel engines including severe applications such as high loads and multi trailer applications. It exhibits outstanding detergent, dispersant and anti-wear properties to keep the engine clean and enable efficient control of soot, sludge and piston deposits.

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr





DITROL[®]
Lubricants

PETROL ENGINE OIL

DITROL Motor Engine Oil SAE 0W-20 API SN is a fully synthetic engine oil comes with the capacity to provide extraordinary performance to the engine. It maintains top-notch engine cleanliness, protecting it from rust and corrosion, giving it shear stability for you to experience the best performance from your vehicle. It also provides resistance against exceeding thermal load due to the high quality of base stocks used in the formulation of the lubricant.

Benefits & Advantages

- Premium grade detergent and dispersant oil bringing economy and quality together.
- Does not form sludge and deposits, do not foam and oil loss is minimum.
- Effectively controls all kind of rusting and corrosion of engine parts.
- Selection of viscosity grade as per manufacturers recommendation is enough.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



PETROL ENGINE OIL

DITROL Motor Engine Oil SAE 5W-30 API SN is a fully synthetic engine oil comes with the capacity to provide extraordinary performance to the engine. It maintains top-notch engine cleanliness, protecting it from rust and corrosion, giving it shear stability for you to experience the best performance from your vehicle. It also provides resistance against exceeding thermal load due to the high quality of base stocks used in the formulation of the lubricant.

Benefits & Advantages

- Premium grade detergent and dispersant oil bringing economy and quality together.
- Does not form sludge and deposits, do not foam and oil loss is minimum.
- Effectively controls all kind of rusting and corrosion of engine parts.
- Selection of viscosity grade as per manufacturers recommendation is enough.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr





DITROL[®]
Lubricants



PETROL ENGINE OIL

DITROL Motor Engine Oil SAE 10W-40 API SN is a fully synthetic engine oil comes with the capacity to provide extraordinary performance to the engine. It maintains top-notch engine cleanliness, protecting it from rust and corrosion, giving it shear stability for you to experience the best performance from your vehicle. It also provides resistance against exceeding thermal load due to the high quality of base stocks used in the formulation of the lubricant.

Benefits & Advantages

- Premium grade detergent and dispersant oil bringing economy and quality together.
- Does not form sludge and deposits, do not foam and oil loss is minimum.
- Effectively controls all kind of rusting and corrosion of engine parts.
- Selection of viscosity grade as per manufacturers recommendation is enough.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr

PETROL ENGINE OIL

DITROL Motor Engine Oil SAE 20W-50 API SL is a Multigrade Engine Oil comes with the capacity to provide extraordinary performance to the engine. It maintains top-notch engine cleanliness, protecting it from rust and corrosion, giving it shear stability for you to experience the best performance from your vehicle. It also provides resistance against exceeding thermal load due to the high quality of base stocks used in the formulation of the lubricant.

Benefits & Advantages

- Premium grade detergent and dispersant oil bringing economy and quality together.
- Does not form sludge and deposits, do not foam and oil loss is minimum.
- Effectively controls all kind of rusting and corrosion of engine parts.
- Selection of viscosity grade as per manufacturers recommendation is enough.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr





DITROL[®]
Lubricants

CVT MULTI TRANSMISSION FLUID

DITROL CVTF Multi Oil is a fully synthetic premium multi-vehicle transmission fluid for passenger cars and vans. A well-balanced fluid that provides exceptional metal-to-metal frictional properties to help prevent belt and chain slipping and help extend transmission life. It provides superior wet-clutch performance for outstanding anti-shudder durability and reduced noise, vibration and harshness.

- Good oxidation and thermal stability.
- Provides good deposition formation
- Provides good antiwear protection to critical parts
- Enhances low temperature fluidity and assists in good cold start performance.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



Benefits & Advantages



AUTOMATIC TRANSMISSION FLUID

DITROL ATF TYPE III(H) is a fully synthetic automatic transmission fluid formulated with premium, severely hydro processed base stocks and additives that helps provide oxidation and thermal stability, friction control, load-carrying ability, corrosion and wear protection. It helps protect against the formation of deposits, sludge, varnish, foam and provide outstanding durability.

Benefits & Advantages

- Good oxidation and thermal stability.
- Provides good deposition formation
- Provides good antiwear protection to critical parts
- Enhances low temperature fluidity and assists in good cold start performance.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DITROL[®]
Lubricants



GEAR OIL SAE 85W-140 API GL-5

Ditrol Gear Oil (OLEO VAVOLINA) SAE 85W-140 API GL-5 made specifically for transmissions, transfer cases and differentials in automobiles, trucks and other machinery. The high viscosity ensures transfer of lubricant throughout the gear train. This is necessary since the devices needing this heavy oil do not have pumps for transferring the oil with only a portion of the lower most gears bathed in an oil stump.

- Excellent film strength at higher operating temperature
- Protection in extreme pressure environments
- Excellent heat transfer properties to keep gear sets cool
- Outstanding resistance to foaming
- Prevention of copper and brass corrosion

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr

GEAR OIL SAE 85W-90 API GL-5

Ditrol Gear Oil (OLEO VAVOLINA) SAE 85W-90 API GL-5 made specifically for transmissions, transfer cases and differentials in automobiles, trucks and other machinery. The high viscosity ensures transfer of lubricant throughout the gear train. This is necessary since the devices needing this heavy oil do not have pumps for transferring the oil with only a portion of the lower most gears bathed in an oil stump.

Benefits & Advantages

- Excellent film strength at higher operating temperature
- Protection in extreme pressure environments
- Excellent heat transfer properties to keep gear sets cool
- Outstanding resistance to foaming
- Prevention of copper and brass corrosion

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr

Benefits & Advantages





DITROL[®]
Lubricants

HYDRAULIC OIL 68

Ditrol Hydraulic Oil 68 are premium quality, high performance hydraulic oils developed to meet the demand for environmentally acceptable hydraulic fluids. The products are based on synthetic, readily biodegradable esters. A high-performance, carefully selected additive package provides excellent anti-wear and extreme pressure (EP) properties as well as good thermal stability and corrosion protection. Inherently strong oxidation resistance helps to prevent gumming and deposit formation even at high temperatures. Because of the high natural VI of the base fluid and low pour point, the viscosity-temperature behavior allows for a very wide operating temperature range. Ditrol Hydraulic Oil 68 provide excellent wide temperature range performance. Their exceptional anti-wear, lubricity and film strength characteristics assure performance in hydraulic and circulation systems operating under moderate to severe conditions. The ready biodegradability and virtually non-toxic nature of these products make them an excellent choice where leakage or spillage could enter environmentally sensitive areas. The inadvertent leakage or spillage of this product in environmentally sensitive areas could result in easier clean-up and lower remediation costs.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



HYDRAULIC OIL 32

Ditrol Hydraulic Oil 32 are premium quality, high performance hydraulic oils developed to meet the demand for environmentally acceptable hydraulic fluids. The products are based on synthetic, readily biodegradable esters. A high-performance, carefully selected additive package provides excellent anti-wear and extreme pressure (EP) properties as well as good thermal stability and corrosion protection. Inherently strong oxidation resistance helps to prevent gumming and deposit formation even at high temperatures. Because of the high natural VI of the base fluid and low pour point, the viscosity-temperature behavior allows for a very wide operating temperature range. Ditrol Hydraulic Oil 32 provide excellent wide temperature range performance. Their exceptional anti-wear, lubricity and film strength characteristics assure performance in hydraulic and circulation systems operating under moderate to severe conditions. The ready biodegradability and virtually non-toxic nature of these products make them an excellent choice where leakage or spillage could enter environmentally sensitive areas. The inadvertent leakage or spillage of this product in environmentally sensitive areas could result in easier clean-up and lower remediation costs.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DITROL[®]
Lubricants

LITHIUM GREASE EP2/EP3

Ditrol Lithium Grease EP2/EP3 is premium quality lithium soap multi-functional grease processed from premium base oil and chemicals. It also has high water resistance properties. Lithium grease contains special chemical additives which enhanced oxidation resistance and special type of polymer to with stand oil separation.

Benefits & Advantages

- Reduces friction
- Extend bearing life
- More energy efficiency
- Water resistance
- Prevent Seizur

Available in: 500Gms 1Kg 15Kg 180Kg



CALCIUM GREASE MP2/ MP3

Ditrol Calcium Grease MP2/MP3 is recommended for the lubrication of automotive chassis components, wheel bearings, clutch bearings, universal joints and ball joints of steering and suspension systems. Ditrol Calcium Grease MP3 is a high quality, lithium hydroxyl stearate grease based on VG150 mineral oil. It is designed for the lubrication of various applications in all types of operating conditions.

Benefits & Advantages

- Wide operating temperature range
- Good resistance to water washout
- Good pump ability in centralized system
- Excellent structural stability.

Available in: 500Gms 1Kg 15Kg 180Kg





DITROL[®]
Lubricants

2 STROKE API TCW

Ditrol 2 Stroke (OLEO DOIS TEMPOS) API TCW Engine Oil is for the bike riders of high powered performance bikes who push their bikes to the limit and who demand top performance and need the ultimate protection and cleanliness of engine. It is synthetic based premium oil with international specifications with motorcycles manufacturer's requirements.

Benefits & Advantages

- Provides correct friction properties required uniquely by the 2T Motor Cycle
- Retards harmful deposit formation on vital engine parts
- Protects against rust and corrosion

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



4 STROKE SAE 10W-40 API SM

DITROL 4T is a high quality engine oil designed for 4-stroke motorcycles. The unique synthetic blend of 4T motorcycle formulation enables it to offer advantages beyond conventional motorcycle oils of similar viscosities. It offers excellent flow characteristics at low temperatures to help reduce engine wear at start-up, and provide outstanding resistance to oxidation and volatilisation at high temperatures, both of which degrade the oil. Race 4T protects the engine, clutch, gears and allows the best functionality of these three critical areas of the motorcycle.

Benefits & Advantages

- Provides correct friction properties required uniquely by the 4T Motor Cycle
- Retards harmful deposit formation on vital engine parts
- Protects against rust and corrosion

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DITROL[®]
Lubricants



BRAKE FLUID DOT 4

DOT 4 is high quality synthetic brake and clutch fluid conforming to the DOT4 specifications and is based on polyglycol type fluids that is a general standard used in worldwide automotive brake equipment. The product is blended with special additives that prevent fluid oxidation, rust and the swelling of the piston seals used in conventional brake systems.

Benefits & Advantages

- FMVSS 116 DOT 4
- ISO 4925 (CLASSES 4)
- SAE J 1704
- JIS K 2233

Available in: 250cc 500cc

BRAKE FLUID DOT 3

DOT 3 is high quality synthetic brake and clutch fluid conforming to the DOT3 specifications and is based on polyglycol type fluids that is a general standard used in worldwide automotive brake equipment. The product is blended with special additives that prevent fluid oxidation, rust and the swelling of the piston seals used in conventional brake systems.

Benefits & Advantages

- FMVSS 116 DOT 3
- ISO 4925 (CLASSES 4)
- SAE J 1704
- JIS K 2233

Available in: 250cc 500cc



COOLANT

DITROL Coolant / Antifreeze is a ready-to-use, phosphate-free, silicate-free, nitrite-free and borate-free, ethylene glycol-based coolant that is designed to provide exceptional wet sleeve liner cavitation and corrosion protection of all cooling system metals. Avalanche Coolant / Antifreeze is formulated with organic corrosion inhibitors to provide total cooling system protection for onroad and off-road use.

Benefits & Advantages

- BS 6580
- ASTM D3306
- SAE J1034, J1038
- Cummins 90T4-8
- CAT ELC (EC-1)
- Detroit Diesel 7SE298
- GM 1899 ,1825M, 6277M
- TMC RP329
- Freightliner 22880-48

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DIESEL ENGINE OIL

DITROL Diesel Engine Oil SAE 50 API CH-4 is a high performance fully synthetic that provides excellent lubrication to diesel engines. It maximizes performance in the latest US, European and Japanese heavy duty diesel engines including severe applications such as high loads and multi trailer applications. It exhibits outstanding detergent, dispersant and anti-wear properties to keep the engine clean and enable efficient control of soot, sludge and piston deposits.

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr



DITROL[®]
Lubricants



DIESEL ENGINE OIL

DITROL Diesel Engine Oil SAE 15W-40 API CK-4 is a high performance fully synthetic that provides excellent lubrication to diesel engines. It maximizes performance in the latest US, European and Japanese heavy duty diesel engines including severe applications such as high loads and multi trailer applications. It exhibits outstanding detergent, dispersant and anti-wear properties to keep the engine clean and enable efficient control of soot, sludge and piston deposits.

Benefits & Advantages

- Reliable Engine protection
- Better alkalinity (TBN) retention and detergency
- Maintain optimum viscosity at different temperature
- Improved resistance to oil thick and oxidation
- Longer oil change interval
- Reduction of engine Wear & Tear
- Increased Mileage

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr

PETROL ENGINE OIL

DITROL Motor Engine Oil SAE 5W-30 API SN is a fully synthetic engine oil comes with the capacity to provide extraordinary performance to the engine. It maintains top-notch engine cleanliness, protecting it from rust and corrosion, giving it shear stability for you to experience the best performance from your vehicle. It also provides resistance against exceeding thermal load due to the high quality of base stocks used in the formulation of the lubricant.

Benefits & Advantages

- Premium grade detergent and dispersant oil bringing economy and quality together.
- Does not form sludge and deposits, do not foam and oil loss is minimum.
- Effectively controls all kind of rusting and corrosion of engine parts.
- Selection of viscosity grade as per manufacturers recommendation is enough.

Available in: 1Ltr 4Ltr 5Ltr 20Ltr 25Ltr 30Ltr 208Ltr





DITROL[®]
Lubricants





DITROL[®]
Lubricants



Contact Us

-  P.O. Box: # 53965, Sharjah, U.A.E
-  +971 54 4 900 300, +971 56 7 063 068
-  E-mail: ditrolfzc@gmail.com
-  Web: www.ditrol.net

