



BUILDING A LEGACY
OF TRUST SINCE 1970

BUILDING **YOUR FUTURE** ON THE STRENGTH OF OUR PAST

Our vision is to provide high quality and value added services to the Oil & Gas, Marine & Offshore, various onshore infrastructures and manufacturing industries. We are committed to invest in technologically advanced solutions and we aim to take forward our heritage of quality and trust to enrich lives and the construction industry.



Rupchand Shewakramani




Found by the late Udharam Shewakramani and current Chairman, Mr. Rupchand Shewakramani in the year 1970, shortly before the formation of the UAE, DBMSC is a name that has progressed with the nation.

Our steel products are world-class, meeting the highest international standards. Our extensive marketing network ensures the highest levels of customer satisfaction. With focus on procurement, project management, on-time delivery, and an outstanding distribution network, we serve excellence for some of the big corporate houses in the region. Our long-standing mill support enables us to supply fully certified steel products at the most comprehensive prices. Our commitment and technological innovation are backed by our experience, knowledge, and expertise, which enables us to deliver value at every stage of a project, from the initial idea through specification, design, progress, and delivery.



Our core values define who we are and what we achieve together as a team. All our actions bear the seal of our values, and that's the reason why all our stakeholders put their trust in us.

COMMITMENT
INTEGRITY
TRUST
RESPONSIBILITY
MUTUAL RESPECT






Our growth has been undoubtedly due to the ongoing patronage of our clientele and business partners and, above all, to the passionate and tireless hard work of our people, the backbone of our organisation. Without these qualities in our human capital, we wouldn't have enjoyed the steady growth DBMSC STEEL enjoys today.

We pride ourselves on being a company that prioritizes our clients' needs with best-in-class service and care. We stick to the commitment given.


We think of our clients as partners.






LARGEST STOCKHOLDERS OF STRUCTURAL, STAINLESS, & VALUE ADDED STEEL PRODUCTS

When it comes to stocks, from the common specifications to the hard-to-find ones, we are a hard act to follow. DBMSC has provided solutions to the region's industry for well over 5 decades, from supplying pipes for some of the earliest pipelines in the region to developing specialty steels and tools vital to today's transforming infrastructural and real estate advancements. Today, we offer a broad array of products meticulously designed to meet a new generation of challenges and have established enduring buying relationships with leading steel manufacturers worldwide.






LONGS

Long products include sections, channels, beams, angles, merchant bars, wire rod, special quality bars, rebar, rails, sheet piles, special sections, billets, and blooms.

We are one of the major suppliers of specialty long steel in the region.

We focus on long steel and special steel products, including beams and piling, merchant bar quality, rebar, special bar quality, and wire rod products. We supply the widest range from small to jumbo beams in sections and a large spectrum of wire rod qualities covering the full range of applications.







FLATS

A tightly meshed sales network supplies customers throughout the region with high-quality strip steel tailored to their exact specifications.

We supply hot rolled coils, cold rolled coils, coated products, tinplate, plate, alloys, hot dip galvanised products, and enamelled and electrical steels.

We sell to a wide range of industries, including packaging, civil engineering, construction, domestic appliances, oil & gas, renewable energies, etc.






TUBULARS

We provide a diversified range of pipes and tubes, servicing diverse markets including energy, construction and engineering. We have supplied many complex deliveries, including structural tubes and piping systems, across the region, including the oil and gas industry.

Our highly efficient operations make us the ideal partner for both large and small pipeline projects in the energy sector. We also supply pipes for piling and structural applications.

We are structural tubular specialists and hold an extensive range of stock in the widest range of sizes, all from quality assured sources.





DRIVEN BY QUALITY

Our Management System policies are shaped by our vision. We constantly endeavor to redefine our Quality Management System benchmarks by stretching our limits and going beyond the ordinary. Where, Environmental, Occupational Health & Safety Management System compliance is integrated. Our quality policy extends to the relationship we maintain with our employees, clients and supply chain. We focus on safe work environment that inspires our employees to enhance their skills and we encourage them to follow strict quality guidelines for a quality system, which is directly linked to our success.

At DBMSC, we try and meet the highest international quality standards and comply with the legal requirements and other requirements related to our products and services.



END TO END SOLUTIONS IN STRUCTURAL ENGINEERING

At DBMSC, our solutions are designed to cater to the needs of the Construction
& Onshore, Marine & Offshore, Oil & Gas and Manufacturing Industries.



CONSTRUCTION & ONSHORE

- PETROCHEMICAL COMPLEXES • STEEL, POWER & ALUMINIUM PLANTS • OIL REFINERIES
- AIRPORT TERMINALS & HANGARS • BRIDGES & TUNNELS
 - RAILWAY/METRO STATIONS • HIGH-RISE TOWERS • MANUFACTURING INDUSTRIES



We deliver the widest range of structural, stainless, and value added steel products to various infrastructure industries and provide an extended range of products and solutions.

MARINE

- SHIPBUILDING & REPAIRS • FPSO CONVERSION

DBMSC continuously strives to exceed the high quality and service expectations of our customers in a very competitive sector like the shipbuilding market. We are associated with a lot of renowned shipbuilders.



OFFSHORE

- FIXED PLATFORMS • JACK UP RIGS • TENSION LEG PLATFORMS
- SEMI-SUBMERSIBLES

When you consider that one offshore platform requires 18,000 tons of steel, our broad and deep product offerings is crucial. We supply steel for everything from pumps sucker rods and storage tanks to drilling rig equipment, refineries and offshore platforms.





| LONG PRODUCTS | SIZE | GRADE |
|--|---|--|
| UNIVERSAL BEAM (UB) | UB127 x 76 to UB1016 x 419mm | EN 10025 S275JR / S355JR / J0 / J2 / K2 |
| UNIVERSAL COLUMNS (UC) | UC152 x 152 to UC356 x 406mm | ASTM A36 / A572 GR.50 / A992 |
| AMERICAN WIDE FLANGE BEAMS (W-SECTIONS) | W4 x 4 to W44 x 16 | EN 10025 S275JR / S355JR / J0 / J2 / K2 ASTM A36 / A572 GR.50 / A992 |
| JAPANESE H BEAMS (JIS) | H100 x 100 to H400 x 400mm I100 x 50 to I900 x 300mm | EN 10025 S275JR / S355JR / J0 / J2 / K2 JIS G3101 S5400 / S5490 / A572 GR.50 / A992 |
| EUROPEAN BEAMS (HE SECTIONS) (IPE SECTION) | 100 to 1000mm IPE80 to IPE750mm | EN 10025 S275JR / S355JR / J0 / J2 / K2 ASTM A36 / A572 GR.50 / A992 |
| BRITISH CHANNELS (PFC) | PFC100 x 50 to PFC430 x 100mm | EN 10025 S275JR / S355JR / J0 / J2 / A572 GR.50 / A36 |
| EUROPEAN CHANNELS (UPN) | UPN 80 to UPN 400mm | EN 10025 S275JR / S355JR / J0 / J2 / A572 GR.50 / A36 |
| JAPANESE CHANNELS (JIS) | CH75 x 40 to CH380 x 100mm | JIS G3101 S5400 / A36 / S275JK |
| EQUAL ANGLES | L25 x 25 to L250 x 250mm | S275JR / S355JR / A36 / S5400 / A572 GR.50 |
| UNEQUAL ANGLES | L75 x 50 to L200 x 100mm | S275JR / S355JR / A36 / S5400 / A572 GR.50 |
| FLAT BARS | FB25 x 3 to FB250 x 20mm Thickness: 3 to 20mm | S275JR / B54360 GR.43A JIS G3101 S5400 / A36 |
| SQUARE BARS | 8 to 60mm | EN 10025 S275JR / A36 / ST37.2 |
| SHAFTING / ROUND BARS | 6 to 200mm | EN 10025 S275JR / A36 B5 4360 GR.43A / ST37.2 / S5400 |
| WIRE ROD | 5.50/6.50/7/8/9/11 | SAE 1006 / SAE 100 8 / SAE 1012 / SAE 1018 |
| DEFORMED / REINFORCEMENT BARS | 8 to 40mm | B5 4449-2005 GRADE B500B |
| STEEL T BAR | 40 x 40 x 5 to 50 x 50 x 6mm | S275JR / ST37.2 / A36 |
| BULB BARS/ HOLLAND PROFILES | 100 x 6 - 430 x 20 | GR A / AH36 / DH36 - 3.2 BY IACS TPIA |
| INVERTED ANGLES | 200 x 90 - 450 x 125 | GR A / AH36 / DH36 - 3.2 BY IACS TPIA |

| FLAT PRODUCTS | SIZE | GRADE |
|---|---|---|
| HOT ROLLED STEEL PLATES / SHEETS | 1.2m x 2.4m, 1.5m x 6m, 1.8m x 6m, 2m x 6m 2.5m x 8m, 2.5m x 12m 3.05m x 12m Thickness: 2 to 200mm | S275JR / ASTM A36 JIS G3101 S5400 / ST37.2 WITH & W/O TPI & 3.2 CERTIFICATION |
| HOT ROLLED CHEQUERED PLATES | 1.2m x 2.4m, 1.5m x 6m Thickness: 2 to 12mm | ASTM A36 / ST37.2 / S275JR |
| HOT ROLLED COILS | 0.80 to 16mm x 1219/1500/2000mm | S235JR / S355JR / A36 / SPHC / SPHT1 |
| COLD ROLLED COILS | 0.35 to 2mm x 1219mm | SPCC SD |
| STEEL PLATES: HIGH TENSILE & OFFSHORE QUALITY | 1.5m - 2m x 6m, 2.5mx 8m, 2.5mx 10m, 2.5m x 12m 3.05mx 8m, 3.05m x 10m, 3.05m x 12m Thickness: 4 to 100mm | API 2H GR.50 / API 2W GR.50 / S355 NL/ML S355 K2+N / S355J2+N / S355J0+N S355JR / A572GR.50 / S5490 WITH & W/O TPI & 3.2 CERTIFICATION |
| STEEL PLATES: MARINE QUALITY | 2m x 6m, 2.5m x 8m, 2.5m x 12m, 3.05m x 12m Thickness: 6 to 100mm | GR.A / B / D, GR.AH36 / DH36 / EH36 WITH (IACS TPIA) 3.2 CERTIFICATION |
| STEEL PRESSURE VESSEL PLATE | 2m x 6m, 2.5m x 8m, 2.5m x 12m, 3.05m x 12m Thickness: 6 to 100mm | ASTM / ASME-SA516 GR.60 / 65 / 70 N NORMALIZED, NACE MR0175, VACCUUM DEGASSSED WITH TPI & 3.2 CERTIFICATION HIC TESTED DICREST 5 / DICREST 10 / DICREST 15 BS EN10028 P265GH / P355GH |
| HIGH TEMP. CHROME MOLYBDENUM | 2mx6m, 2.5m x 12m, 3.05m x 12m Thickness: 6mm to 60mm | BS EN10028 16 Mo3 ASME SA387 Gr. 5, 9, 11, 12, 22, 91 CL 1 - CL 2 |

FLAT PRODUCTS

ABRASION RESISTANT
& HIGH TENSILE STEEL PLATE

2m x 6m, 2.5m x 12m, 3.05m x 12m
Thickness: 6mm to 100mm

HARDOX 300 / XAR 300
HARDOX 400 OR XAR 400 OR RAEX 400
/ FORA 400
HARDOX 500 / XAR 500 / DILLIDUR 500
S690QL
RAEX 700MC
S960QL

COLD ROLLED SHEETS

1.2 x 2.4m - 0.7 to 1.5mm

GOST 1050-88 / 08KP / JIS G3141 SPCC

GALVANIZED SHEETS & COILS

1.2 - 1.5m - 0.4 to 4mm

JIS G3302 / ASTM A653

ALUMINIUM SHEETS

1.2 x 2.4m - 0.5 to 10mm

AA1100

ALUMINIUM CHEQUERED SHEETS

1.2 x 2.4m - 2 to 6mm

AA3105

ALUMINIUM CORRUGATED SHEETS

8ft x 0.4mm to 12ft x 0.4mm

AA3003

STAINLESS STEEL SHEETS

1.2 x 2.4m / 1.5 x 3m x 1.5 x 6m /
2 x 6m - 0.5 to 50mm

ASTM A240 304 / 304L
ASME SA240 304 & 316L

ASTM A240 S310 S / S410
SS 904L DUPLEX & SUPER DUPLEX

ASTM UNS 32304, UNS 31803,
UNS 32760, UNS 32750

| FLAT PRODUCTS | SIZE | GRADE |
|---------------------------------|--|--|
| GRATINGS BLACK & GALVANIZED | 3' x 20', 1m x 6m (Plain & Serrated) | EN 10025 S275JR / A36 |
| | 3' x 20', 1m x 6m (Tailor-made) | GALV. B5729 / ASTM A123 |
| MILD STEEL EXPANDED METAL | 1.2 x 2.4m - 2.3 to 6mm | JIS G3351 |
| | 1.2 x 2.4m - 0.4 to 4mm | ASTM A792 |
| ALU ZINC SHEETS/COILS | 1.2 x 2.4m - 0.4 to 4mm | JIS G3313 |
| ELECTRO GALVANIZED SHEETS/COILS | Thickness: 0.28 - 0.68mm Width: 1040/1070/1090/1219mm | JIS G3312 / A653 |
| PPGI COILS | 2m x 6m, 2m x 12m, 2.5m x 12m | 201 UNS N02201 / 200 UNS N02200 |
| NICKEL ALLOY | 3m x 12m | 400 UNS N04400 / K-500 UNS N05500 |
| MONEL ALLOY | 2 x 6, 2 x 12, 2.5 x 12 Thickness: 3mm to 50mm | 625 UNS N06625 / 601 UNS N06601 / 600 UNS N06600 |
| INCONEL ALLOY | | 718 UNS N07718 / 725 UNS N07725 |
| INCOLOY ALLOYS | | 825 UNS N08825 / 925 UNS N09925 / 803 UNS S35045 |
| TITANIUM ALLOYS | | ASME SB 265-2 / 265-1 / SB 348-2 / SB 861-2 / 363-WPT2W |
| WEATHERING STEEL PLATE | 5mm to 125mm | EN 10025-5:2004 |
| CORTEN A | 2m x 6m, 2m x 12m, 2.5m x 12m | S355J0WP |
| CORTEN B | 3m x 12m | S355J0W / S355J2W |

| TUBULARS PRODUCTS | SIZE | GRADE |
|---------------------------------|---|---|
| MS ERW PIPES BLACK & GALVANIZED | Dia. 0.50" to 20" - Sch. 40 & 80 & Class A/B/C Thickness: 1,2 to 20mm | B51387 / API 5L / A53 ASTM A 120 / Gal.B5729 |
| | Dia. 0.50" to 20" - Sch 40, 80, 120 & 160 | ASTM A53 Gr.B / API 5L x 52 / ASTM A106 Gr.B X42 / X52 / X60 / X65 - PSL1 PSL2 |
| SEAMLESS PIPE | 1/4" - 24" | A333 GR6 / A333 GR3 |
| CARBON STEEL LOW TEMP SEAMLESS | 20" - 48" | A671 CC60 / A671 CC65 |
| CARBON STEEL LOW TEMP WELDED | 1/2" - 48" | ERW / HFW / SAW / DSAW A53 GRB / API 5L |
| CARBON STEEL WELDED | | GRB / X42 / X52 / X60 / X65 |
| SQUARE HOLLOW SECTIONS | 16 x 16 to 400 x 400mm (Various Thicknesses) | JIS G3466 STKR400 / STKR490 S275J2H / S355J2H / ASTM 500 Gr.A / B / C |
| RECTANGULAR HOLLOW SECTIONS | 40 x 20 to 500 x 300mm (Various Thicknesses) | JIS G3466 STKR400 / STKR490 S275J2H / S355J2H / ASTM 500 Gr.A / B / C |

| FITTINGS | SIZE | GRADE |
|---------------------|-------------|-------------------------------|
| CARBON STEEL | 1/4" - 48" | A234 WPB / A420 WPL6 / WPHY52 |
| CARBON STEEL FORGED | 1/4" - 6" A | 105 / A350 LF2 |

SS & EXOTIC GRADES

| | SIZE | GRADE |
|-------------------------|---|---|
| COILS | Width 1219mm, 1500mm ; Thickness: 0.35 to 3.0mm | 201,304/304L, 316/316L |
| PLATES/SHEETS | 1219 x 2438, 1219 x 3050, 1500 x 3050, 2m x 6m 3mm to 50mm | 201,304/316L/S31803/S32750/S32760/310S/625/825 |
| | | SS 904L DUPLEX & SUPER DUPLEX |
| | | ASTM UNS 32304, UNS 31803, UNS 32760, UNS 32750 |
| SHS | 25 x 25mm to 100 x 100mm. Thickness: 1.2mm to 3mm | 304 & 316 |
| ROUND BARS | Dia 6.0mm to 100mm | 304/316L/S31803/S32750/S32760/310S/625/825/17-4PH |
| DECORATIVE PIPES | Dia 1/2" to 2" | 304 & 316 |
| FLAT BARS | Width upto 100mm; Thickness: upto 12mm | 304 & 316L |
| EQUAL ANGLES | Max 150mm x 150mm; Thickness: upto 12mm | 304/316L |
| SEAMLESS & WELDED PIPE | 1/2" 24" SCH 10S,40s, 80s, 160s | 304/316L/S31803/S32750/S32760/310S/625/825 |
| THREADED BAR | 5mm to 24mm | 304/316L/ CLASS A470/A480 |
| ANCHOR BOLT / STUD BOLT | 1/2" - M42 as per drawing | 304/316L/S31803/S32750/S32760/310S/625/825 |
| FITTINGS & FLANGES | 1/2" to 24" SCH 10S,40s,80s,160s/WNRF/BLRF SWRF | 304/316L/S31803/S32750/S32760/310S/625/825 |
| SS BW FITTINGS | 1/2" to 24" SCH 10, SCH40, SCH STD, SCH 80 | A403 WP304/304L/WP316/316L |
| SS FORGED FITTINGS | 1/4" to 4" #3000, #6000 | A182 F316/316L/F304/304L |
| REBARS | 8mm to 40mm | 304L/316L/316LN/316S33/318S13/S32304 |
| WIRE ROD | 0.5mm to 6mm | 304L/316L/316LN/316S33/318S13/S32304 |

VALUE ADDED STEEL PRODUCTS

| | SIZE | GRADE |
|-----------------------------|---------------------------|--------------------------|
| DECKING SHEETS | Thickness: 0.7 to 1.5mm | A653, S5340, GR.50, Z275 |
| PURLINS (ZXC) | Thickness: 1.2 to 3mm | A653, S5340, GR.50, Z275 |
| SINGLE SKIN PROFILED SHEETS | Thickness: 0.28 to 0.90mm | A653 / A792 / AA3105 |

COMPLETE PROJECT PACKAGE SUPPLIERS TO STORAGE FARMS
FOR STORING LPG, PETROLEUM PRODUCTS AND PALM OIL STORAGE



BUILDING A LEGACY OF TRUST SINCE 1970

DBMSC-STEEL FZCO, Plot No. S-10825, JAFZA South, PO Box 2629, Dubai. UAE
Tel: +9714 810 1111. Email: sales@dbmscsteel.ae

UAE BAHRAIN INDIAN • OMAN QATAR KSA

DBMSC/QMP07/R5 Edition: JUNE 2023

