



B.F. PACK

BALLAITH FILLING & PACKAGING MATERIAL TRD. L.L.C.

MANUAL SEALLESS STEEL STRAPPING TOOL

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
A333	FROMM	STEEL	SEAL LESS	12-19	0.38-0.58
A337	FROMM	STEEL	SEAL LESS	16-19	0.38-0.63
DYNAMIC 2000	FROMM	STEEL	SEAL LESS	12-19	0.38-0.58



A333



DYNAMIC 2000



A337

BATTERY POWERED STRAPPING TOOL

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
P326	FROMM	POLYESTER / PP	FRICTION	12-16	0.60-1.05
P327	FROMM	POLYESTER / PP	FRICTION	16-19	0.60-1.35
P331	FROMM	POLYESTER	FRICTION	19-32	0.60-1.53
DYNAMIC 2100	FROMM	POLYESTER / PP	FRICTION	16-19	0.60-1.35



P326



P331



DYNAMIC 2100

OTHER PACKAGING MATERIALS

PRODUCT	VARIANCE	SPECIFICATIONS	ORIGIN
EDGE PROTECTOR	CORRUGATED CORNERS	55CM x 55CM x 5-10CM	INDIA
	CORRUGATED CORNERS	30CM x 30CM x3-5CM	INDIA
	PLASTIC	32 MM	INDIA
	PLASTIC	19 MM	INDIA
DUNNAGE AIR BAG	KRAFT PAPER - 1 PLY / 2 PLY / 4 PLY / 6 PLY	60X60CM. 90X180cm & MORE	EUROPE & FAR EAST
	P.P. WOVEN FABRIC	60X60CM. 90X180cm & MORE	EUROPE & FAR EAST
SILICA GEL	DESICCANT	50 GMS & 100 GMS	EUROPE & FAR EAST
BUBBLE ROLL	PLASTIC	AS PER REQUIREMENT	U.A.E
WOOLEN FELT	12 MM THICK	220MM x 2120MM	INDIA
	12 MM THICK	550MM x 1700MM	INDIA



EDGE BOARD
CORRUGATED



PLASTIC CORNER



SILICA GEL



DUNNAGE BAG - PP



DUNNAGE BAG AIR GUN



DUNNAGE BAG PAPER

PNEUMATIC STRAPPING TOOL

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
P355	FROMM	PLASTIC	FRICTION	12-16	0.60-1.05
P356	FROMM	PLASTIC	FRICTION	16-19	0.60-1.35
P359	FROMM	PLASTIC	FRICTION	19-32	0.60-1.53
P380	FROMM	PLASTIC	FRICTION	13-19	0.60-1.35
A480	FROMM	STEEL	PUSH TYPE	13-19	0.40-0.63
A483	FROMM	STEEL	PUSH TYPE	25-32	0.80-1.00
A383	FROMM	STEEL	SEAL LESS	19-32	0.63-1.30
A385	FROMM	STEEL	SEAL LESS	13-19	0.38-0.63



P355



A483

COMBINATION STRAPPING TOOL

MODEL	BRAND	TOOL TYPE	STRAP TYPE	SEAL TYPE	STRAP SIZE	
					WIDTH	THICKNESS
					MM	MM
A452 - T	FROMM	PNEUMATIC	STEEL	PUSH TYPE	19-32	0.63-1.27
A461 - S						0.63-1.00
BF114 - T	MIP	BATTERY	STEEL	PUSH TYPE	19-32	0.64-0.80
BF114 - S						
P403	FROMM	MANUAL	PLASTIC	SERATTED	11-13	0.40-0.90
P404	FROMM	MANUAL	PLASTIC	SERATTED	15-16	0.50-0.90
A431	FROMM	MANUAL	STEEL	PUSH TYPE	13-19	0.38-0.63



A452



A461



BF-114-S



BF114-T

TENSIONER

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
A402	FROMM	STEEL	N/A	19 -32	0.63-1.00
A301	FROMM	STEEL	N/A	19 -32	0.50-1.00
BF 55	TRANSPAK	STEEL	N/A	13 -19	N/A
BF 1300	MIP	STEEL	N/A	13 -19	0.43-0.64
BF 1400	MIP	STEEL	N/A	19-32	0.64-0.79
BF 1620	MIP	STEEL	N/A	16-32	0.58-0.79
BF 22	TRANSPAK	COMPOSITE	N/A	9-19	N/A
BF 23	TRANSPAK	PLASTIC	N/A	9-19	N/A
BF 380	MIP	COMPOSITE	N/A	12-19	0.50-1.00
BF 25	TRANSPAK	COMPOSITE	N/A	16-19	N/A
BF 26	TRANSPAK	COMPOSITE	N/A	25-40	N/A
BF 25	OEM SERV	COMPOSITE	N/A	12-25	N/A
BF 50	OEM SERV	COMPOSITE	N/A	25-50	N/A
BF RXXL	OEM SERV	WEBBING LASH	N/A	25 - 50	N/A



A402



BF - 380



BF - RXXL

SEALER

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
A412	FROMM	STEEL	PUSH / OPEN	19-32	0.63-1.00
BF 3100	MIP	STEEL	PUSH / OPEN	19-32	0.64-0.79
BF 3000	MIP	STEEL	PUSH / OPEN	19-32	0.64-0.79
BF 1100	MIP	STEEL	PUSH / OPEN	12-19	0.38-0.58
BF 65	TRANSPAK	STEEL	PUSH / OPEN	12-19	0.38-0.58
BF 400	MIP	PLASTIC	PUSH / OPEN	12-19	0.38-1.00
BF 420	MIP	PLASTIC	PUSH / OPEN	12-19	0.70-1.00
BF 35	TRANSPAK	PLASTIC	PUSH / OPEN	12-16	0.38-0.58
BF 36	TRANSPAK	PLASTIC	SERRATED	12-16	0.38-0.58



A412



BF - 3100



BF - 65

CUTTER

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
BF 2100	MIP	STEEL / PLASTIC	N/A	9-30	0.38-0.79
BF 16	TRANSPAK	STEEL / PLASTIC	N/A	9-30	0.38-0.79
BF 17	TRANSPAK	STEEL / PLASTIC	N/A	9-40	0.38-0.79



BF - 2100



BF - 16



BF - 17

DISPENSER

MODEL	BRAND	STRAP TYPE	SEAL TYPE	CORE ID
				DIA
				(MM)
BF 84	TRANSPAK	STEEL / PLASTIC	N/A	400
BF 83	TRANSPAK	P.P. / COMPOSITE	N/A	200
BF 95	TRANSPAK	STEEL - RIBBON	N/A	N/A
BF 5090	MIP	PLASTIC	N/A	203 & 406
BF 5100	MIP	STEEL / PLASTIC	N/A	400
BF 8200	MIP	P.P. / COMPOSITE	N/A	200
BF 8300	OEM SERV	P.P. / COMPOSITE	N/A	200
BF 820	MIP	STRETCH FILM	N/A	N/A



BF - 84



BF - 5090



BF - 83

SEMI & FULLY AUTOMATIC STRAPPING MACHINE

MODEL	BRAND	STRAP TYPE	SEAL TYPE	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
PM 206 - SEMI	FROMM	P.P.	HEATING	6-15.5	0.55-0.75
PM 308 - FULLY	FROMM	P.P.	HEATING	8-15.5	0.55-0.75
BF 201 - SEMI	TRANSPAK	P.P.	HEATING	9-12	0.65-0.70
BF 502 - SEMI	TRANSPAK	P.P.	HEATING	12	0.65-0.70
BF 6000 - FULLY	TRANSPAK	P.P.	HEATING	12	0.65-0.70



PM 206



PM 308



BF - 201

SHRINK GUN

MODEL	BRAND	TYPE OF GAS
998 UL	SHRINK FAST	PROPANE



SHRINK FAST 998 UL

BALANCER

MODEL	BRAND	SPECIFICATION	
		WEIGHT RANGE	CABLE LENGTH
BALANCER	FROMM	4.5 KG - 9.00 KG	2.0 MTR
		13.0 KG - 25.0 KG	1.9 MTR

STRETCH WRAPPING MACHINE

MODEL	BRAND	TURNTABLE	PALLET HEIGHT	PALLET WEIGHT
		MM	MM	KG
FS 130	FROMM	1500	2100	1200
FS 130	FROMM	1650	2100	1350
FS 331	FROMM	1650	2500	2000



FS - 130

AIR PAD MACHINE

MODEL	BRAND	PAD SIZE	NO. OF PROGRAMS
		MM	
AP 250	FROMM	125-150	18
AP 502	FROMM	40-160	45




AP - 250



AP - 502

STRAPPINGS

STRAP TYPE	ORIGIN	PATTERN	COLOR	STRAP SIZE	
				WIDTH	THICKNESS
				MM	MM
STEEL	KOREA & INDIA	N/A	BLACK, ZINC & BLUE	12 - 32	0.4 - 0.9
POLYSTER / PET	U.S., GERMANY, THAILAND & INDIA	PLAIN / EMBOSSSED	GREEN & BLACK	12 - 32	0.4 - 1.27
P.P.	THAILAND	EMOSSSED	TRANSPARENT, WHITE, YELLOW & BLUE	9 - 19	0.65 - 0.80
P.P. - SPILT RESISTENT	U.S	PLAIN	MC113, MC714, MC 716 & MC 718	5 - 12	0.35 - 0.50
WEBBING LASH	EUROPE & FAR EAST	N/A	WHITE	32 - 50	N/A
WOVEN	EUROPE & FAR EAST	N/A	WHITE	13 - 32	N/A
COMPOSITE	EUROPE & FAR EAST	N/A	WHITE	9 - 32	N/A



STEEL STRAP



POLYESTER / PET STRAP



POLYPROPYLEN STRAP




COMPOSITE STRAP



WEBBING LASH

SEALS & BUCKLES


STRAP TYPE	ORIGIN	PATTERN	COLOR	STRAP SIZE	STRAP TYPE
				WIDTH	
				MM	
SNAP ON	KOREA	PLAIN	BLACK, RED, GALVANIZED	12 - 32	STEEL / PLASTIC
OPEN FLANGE	KOREA	PLAIN	GALVANIZED	19 - 32	STEEL / PLASTIC
PUSH ON	KOREA	PLAIN	RED & GALVANIZED	12 - 32	STEEL / PLASTIC
SERATTED	ITALY & KOREA	EMBOSSED	GALVANIZED	12 - 19	PLASTIC
MAGAZINE	KOREA	PLAIN	RED	12 - 32	STEEL / PLASTIC
WIRE BUCKLE	EUROPE & FAR EAST	N/A	GALVANIZED	9 - 40	COMPOSITE / WOVEN



SERATTED



PUSH ON



MAGAZINE



WIRE BUCKLE



LASH BUCKLE

STRETCH FILM

PRODUCT	VARIANCE	COLOR	SPECIFICATIONS		ORIGIN
			MICRON	STRETCHABILITY	
STRETCH FILM	HAND & MACHINE GRADE	TRANSPARENT, WHITE & BLACK	17 - 35	100 - 300 %	MALAYSIA & K.S.A
SHRINK ROLLS	MACHINE GRADE	TRANSPARENT & WHITE	100 - 200	N/A	U.A.E.



STRETCH FILM

PACKING TAPE

PRODUCT	VARIANCE	COLOR	SPECIFICATIONS		ORIGIN
			MICRON	WIDTH	
TAPE	BOPP	TRANSPARENT & BROWN	40 - 80	1/2" - 2"	U.A.E.
	DOUBLE SIDE	TRANSPARENT	40 - 80	1/2" - 2"	EUROPE
	MASKING	WHITE	40 - 80	1/2" - 2"	U.A.E.



DOUBLE SIDE TAPE



BOPP



MASKING TAPE

The BF Pack Experience

BF PACK is a proud distributor of packaging material and services. At BF Pack, customer experience is our number one priority. We cater to what our clients require and modify the product or service accordingly. We believe at the end of the day, the customer should get what they ask for. Our excellent team of BF Pack is solely committed and trained to ensure customer's happiness and loyalty. Found in 1998, we have extensively been supplying our products and services to the whole Middle East region successfully.

Customization rather than Wholesale

We are not a wholesale company that only supplies our customers bulk based items. We adjust and provide exactly what the customer requires and nothing less than that. Additionally due to our customization, you can be sure that all of our products are heavily inspected and quality approved.

Customer Morales

We always ensure that our customers are satisfied with us and believe a relationship does not end with sale of the product or service. We continuously aim to improve the current existing customer's relations with us along with future potential customers. That said we pride ourselves with after sales support by providing servicing for the products we sell to ensure our customers are always satisfied. We offer and have a complete in house spares/ service and repairs facility with a skilled staff.

All about Efficiency

BF PACK prides itself in doing things in an optimal way. Always ensuring that our customers receive their products and services on time and eliminating any lag time in the process. That said we have a effort and process oriented approach which helps in customer satisfaction along with achieving company goals.



B.F. PACK

Tel. : +9714 - 2674878, Fax : +9714 - 2674898, Mobile : +971 50 4558435

P.O.Box: 5205, Dubai - U.A.E., Email : sales@bfpack.com

Website : www.bfpack.com