


CLEANING CHEMICALS



All Purpose Cleaner



Dishy Dishwashing Liquid



Hypox Bleach



Pinol 3 in 1



Soly Liquid Hand Soap



**Buff & Shine
Marble Wax**



Astitol



**Multi-Purpose
Cleaner**



Moly Carpet Cleaner



Mirrox Glass Cleaner



**Ceramic Tile &
Grout Cleaner**



Marble Cleaner



**Glass Crystallizing
Marble Polish**



Stone Strip



PowerSolv



NeuClean



Heavy Duty Stripper



Heavy Duty Cleaner



Heavy Duty Degreaser




Hygic



Crystal Glow



Draino



ALL PURPOSE CLEANER

Active Cleaner and surface shiner that removes fats, greases and proteins

Range of Application:

Floors, Walls, Office Furniture, Kitchen and Home Appliances, Tiled Surfaces, Storage Vessels, Stainless Steel Surfaces, and General Equipment

Packing Size:

4 Liters/Gallon

AS APC 11050 1



DISHY WASHING UP LIQUID

Washing up Liquid with lemon, apple, fruity and pine fragrances that remove greases and fats

Range of Application:

Dishes, Cutlery and Other Kitchen Utensils

Packing Size:

4 Liters/Gallon

AS DISHY FRUIT 1

AS DISHY LEM 1

AS DISHY PINE 1

1 Liter

AS DISHY FRTY 1

AS DISHY LEMON 1

AS DISHY APPLE 1



PINOL PINE SANITIZER

Hygienic, non-poisonous, clear liquid antiseptic biocide cleaner and disinfectant

Range of Application:

All Solid Floors, Ceramics, Marble, Bathrooms, Drains, and Appliance Surfaces.

Packing Size:

4 Liters/Gallon

AS PINOL 11040 1

1 Liter

AS PINOL 1L



ASITOL ANTISEPTIC DISINFECTANT

Non-poisonous antiseptic disinfectant with micro-biocide properties that can effectively remove gram-positive and gram-negative bacteria, yeast, fungi and fungal attack on untreated wood.

Range of Application:

Hospitals, Floors, Bathrooms, Sink, Drains, and toilets
Can also use for cuts, abrasions and insect bites

Packing Size:

- 500 ml.
- AS ASITOL 500ML**
- 750 ml.
- AS ASITOL 750ML**
- 5 Liters
- AS ASITOL 5LITERS**
- 5 Gallons
- AS ASITOL 5GALLONS**



HYPOX BLEACH MULTI-SURFACE

Bleach multi-surface whitener, cleaner, disinfectant and stain remover.

Range of Application:

Kitchens, Floors, Ceramics, Bathrooms, Sink Drains, and Toilets
Bleaching and Disinfecting White Goods.

Packing Size:

- 500 ml.
- AS HYPOX 500ML**
- 1 Liter
- AS HYPOX 1L**
- ½ Gallon
- AS HYPOX 2L**



MIRROX GLASS CLEANER

Cleans & Shines all glass and plastic surfaces. Easily dissolves fat, grease and other surface soiling.

Range of Application:

Windows, Mirrors, Glass Table Tops, Formica, Stainless Steel, Chrome, Aluminum Surfaces, and Television Screens

Packing Size:

- 500 ml
- AS MIRROX 500ML**
- 650 ml
- AS MIRROX 650ML**
- 5 Liters
- AS MIRROX 5LTRS**



SOLY LIQUID HAND WASH

Cleans and removes oil and grease, gentle on hands, in cream touch, lavender and fresh apple fragrances.

Range of Application:

Hand Cleaning and **Conditioning** (moisturizer)

Packing Size:

500 ml

AS SOLY 500ML

4Liters/Gallon

AS CLHS 11070 1 – FRESH APPLE

AS SOLY 1GAL – CREAM TOUCH

AS SOLY LAV 1 – LAVANDER



HEAVY DUTY CLEANER

Heavy duty multi-purpose hard surface cleaner

Range of Application:

Unpolished Floors, Ceramic and Large Hard Surface Areas such as walls, bathrooms, toilets and paint works. Can be used with high-pressure cleaning equipment when diluted accordingly

Packing Size:

4 Liters/Gallon

AS HDC 11170 1



HEAVY DUTY DEGREASER

Heavy duty cleaner and solvent based degreaser. Removes stubborn dirt, stain and coating residues, efficiently dissolves and emulsifies oil and gear contaminants of any kind, low foaming and can be used for intermediate cleaning of buildings.

Range of Application:


Basic Cleaning for Alkali-Proof and Water Resistance types of Floor Coverings, Natural and Artificial Stone, Waxes, Films, Oils, Carbon and Greases.

Packing Size:

4 Liters/Gallon

AS HDD 1GALLON

AS HDD 5GALLONS





POWERSOLV CLEANER AND HEAVY DUTY SAFETY SOLVENT

Water based power cleaner and heavy duty safety solvent with strong dissolving properties and intensive cleaning power. Removes tenacious dirty stains and coating residues.

Range of Application:

Cleaning Grease, Oil, Scum, Inks, Wax, Dirt and Soil from Floors, Printing Presses, Lathes, Milling Machines, White Wall Tires, Grinders, Walls, Kitchen Ranges, Shower Stalls, Coolant Machine Systems, Air Filters, Bowling Pins, Boat Bilge Systems, and others

Packing Size:

4 Liters/Gallon

AS PSOLV 1



STONE STRIP WAX STRIPPER AND HEAVY DUTY CLEANER

Specially designed for use on marble, terrazzo, mosaic, ceramic and other types of stone floors to penetrate & soften old hard wax finishes and seals as well as finish films and residues. These are emulsified to a liquid, simply scrubbed off and rinse away with water.

Range of Application:

Especially designed for use on Marble, Terazzo, Mozaic, Ceramic, and other types of Natural and Synthetic Stone Floors

Packing Size:

4 Liters/Gallon

AS SSTRIP 1



HEAVY DUTY STRIPPER

Controlled foam, topical floor wax stripper with excellent rinse ability designed to penetrate and soften old, hard wax finishes and films so that they may be easily emulsified and scrubbed.

Range of Application:

All Hard Floor Surfaces

Packing Size:

4 Liters/Gallon

AS HDSTR 1



CERAMIC TILE AND GROUT CLEANER

For cementitious grout and ceramic tiles. Quickly and easily returns even black grout lines to "like new" without the use of harsh muriatic acids. A dilute mineral acid solution which removes mineral deposits as well and restores "the new look" to ceramic tiles. CTGC does not burn or weaken the masonry substrate. Also effective use on glazed or unglazed ceramics. Quarry, Mexican tiles and many more.

Range of Application:

Cementations and Ceramic Tile Grouts, Glazed or Unglazed Ceramics, Quarry, Mexican Tiles and Others

Packing Size:

4 Liters/Gallon

AS CERAM 1



MARBLE CLEANER

A true ph neutral Cleaner, Restorer and Slip Safety Protector for Natural Stone Floors and Walls.

Range of Application:

All Natural Stone Surfaces including Polished Marbles and Granites, Limestones, Terazzo, Slate, Ceramic and Porcelain Tiles

Packing Size:

4 Liters/Gallon

AS MCLN 1



NEUCLEAN

All purpose neutral cleaner specifically designed for use on all Natural stone surfaces including polished marbles and granites, limestone, terrazzo, slate, ceramic and porcelain tiles, etc.

Range of Application:

All Stone and Other Types of Hard Floor Surfaces

Packing Size:

4 Liters/Gallon

AS NCLEAN 1



GLASS CRYSTALLIZING MARBLE POLISH

A classic crystallization product, though a definitive clear-salt, new glaze appears the stone is hardened and the wear is transferred to the hardened surface crystal. Now with extra slip resistance.

Range of Application:
Especially Difficult and Soft Natural Stone Situations

Packing Size:
4Liters/Gallon
AS GLASS 1



BUFF & SHINE MARBLE WAX

BUFF & SHINE WAX is a specially developed "natural wax" product designed to provide safety, colour enhancement and shine to polished natural stone.

Range of Application:
Any Stone Surface including Polished or Honed Marble, Granite, Terazzo, and Other Smooth Tile Type

Packing Size:
4 Liters/Gallon
AS BUFSHN 1



MULTI-PURPOSE CLEANER

Active Cleaner and surface shiner that removes fats, greases and proteins

Range of Application:
Floors, Walls, Kitchen Appliances, Tiled Surfaces, Storage Vessels, Stainless Surfaces and General Equipment

Packing Size:
5 Liters
AS MPC 5LTRS



MOLY CARPET SHAMPOO

Effective Cleaner, high foaming shampoo for carpet and upholstery, designed to quickly penetrate and remove a wide range of solids, grease, oil, paint, tea and coffee stains, without stickiness on fibers. Helps to restore color tones, prevent static and prolong carpet cleanliness. Low moisture foam helps speed drying. MOLY keeps carpets looking cleaner longer.

Packing Size:
1 Gallon
AS MOLY 1



DRAINNO – THE DRAIN OPENER

Highly concentrated formulation intended to dissolve and remove obstructions which cause clogged drains. Drain removes grease, hair, soap scum, paper, food particles and other materials. The caustic based formula was adopted to meet user requirements for quick, efficient performance. It is safe to use in garbage disposal units, septic tanks and cesspools without harming plumbing.

Packing Size:
1 Gallon
AS DRAIN 1



HYGIC – TOILET BOWL CLEANER

Hygic is a concentrated formulation based on mineral acids. It is perfect daily cleaning, cleanliness and hygiene of vertical surfaces. Thoroughly reliably removes lime scale, stains, urine scale, mineral deposits, corrosion, cement smears.

Packing Size:
1 Gallon
AS HYGIC 1



CRYSTAL GLOW – MARBLE CRYSTALLIZING POWDER

Crystal Glow is formulated to effectively polish natural stone, especially Marble. Providing a hard, durable protective surface.

Packing Size:
1Kg & 4Kg containers

AS CRYSTAL GLOW 1

Powr-Flite®

CLASSIC ALL-METAL FLOOR MACHINES

Rugged, all-metal construction
with advanced technology.



Item# C201

Item# C171

“CLASSIC” Floor Machines

Item# C171 - C171HD - C201 - C201HD - C172 - C202

DURABLE, DEPENDABLE FLOOR MACHINES

- Heavy weight, all-metal base is long lasting and durable
- Rugged, all-steel triple planetary drive system
- 1 hp and 1-1/2 hp available in 17 inch or 20 inch models
- High-polish chrome finish keeps the Classic looking new longer
- Non-marking bumper protects walls and furniture





DURABLE ALL-METAL FLOOR MACHINES

The Classic line by Powr-Flite combines the enduring popularity of an all-metal floor machine with the most technologically advanced motors, transmissions and electrical components. You get the craftsmanship of the classic metal floor machine with the dependability of all-metal construction and the features to tackle the most challenging floor jobs.



Optional 4 gallon solution tank.
(Item# FM91)



PRODUCT SPECIFICATIONS							
MODEL	DESCRIPTION	C171	C171HD	C201	C201HD	C172	C202
PAD DIAMETER	17 inches	✓	✓			✓	
	20 inches			✓	✓		✓
MOTOR	1 hp, UL Approved, High Torque	✓		✓			
	1-1/2 hp, UL Approved, High Torque		✓		✓	✓	✓
TRANSMISSION	Triple Planetary Drive	✓	✓	✓	✓	✓	✓
RPM	RPM	175	175	175	175	175/320	175/320
POWER CORD	50 ft. UL Listed 14/3 STW-A	✓	✓	✓	✓	✓	✓
HANDLE GRIPS	Anti-Fatigue, Soft to the Touch	✓	✓	✓	✓	✓	✓
CORD STRAIN RELIEF	Heavy-Duty Metal, Lock Nut and Spring	✓	✓	✓	✓	✓	✓
HANDLE TUBE	All-Chrome 1-1/2 inch	✓	✓	✓	✓	✓	✓
HANDLE HOUSING	All-Metal, with safety lock	✓	✓	✓	✓	✓	✓
TRANSPORT WHEELS	4 inch Non-Marking-Self Lubricating	✓	✓	✓	✓	✓	✓
CIRCUIT BREAKER	Convenient, Switch Housing Mounted	✓	✓	✓	✓	✓	✓
SWITCH HOUSING	All-Metal - Commercial Grade	✓	✓	✓	✓	✓	✓
OPERATION CONTROL	Dual Lever On-Off Safety Switch	✓	✓	✓	✓	✓	✓
WEIGHT	lbs.	90	95	100	105	105	105
WARRANTY	5 Yrs Housing and Handle, 5 Yrs. Motor, 3 Yrs Transmission, 1 yr. On Parts & Workmanship	✓	✓	✓	✓	✓	✓

BRUSHES



PFG15 Scrub Brush



PFS16 Scrub Brush



PST Scrub Brush



SF2 Scrub Brush



SF6 Scrub Brush



WB8 Wire Scrub Brush



PFN15 Scrub Brush



PFR13

Scrub Brush



PFG15 Scrub Brush

Powr-Scrub II medium aggressive for deep scrubbing or use on Resilient floors, Quarry tile and Concrete.

Specification:
Rust colored .022" DuPont Tynex A nylon fibers impregnated with 120 grit silicone carbide. 1" trim equipped with 5/8" riser. Available in 15 inches in diameter.



PFS16 Scrub Brush

Dyna-Scrub for general and light scrubbing on Vynal, Vynal/asbestos, Terrazzo, Quarry Tile, Concrete, Slate and Marble.

Specification:
Blue colored .018" DuPont Tynex A nylon fibers impregnated with 500 grit silicone carbide. 1" trim fibre length. 5/8" riser. Showerfeed block. Available in 16 inches in diameter.



PST Scrub Brush

Powr-Grit heavy duty scrubbing and stripping brush for concrete.

Specification:
060" extra stiff crimped DuPont Tynex A nylon fiber impregnated with 46 grit silicone carbide for regular heavy duty maintenance without expensive chemical use.

Available Sizes:
11 – inches
15 – inches



SF2 Scrub Brush

Economy Showerfeed Shampoo brush for Marble, Wood, Slate and Tiles.

Specification:
Polydurene - channeled and grooved for even solution distribution. Bristle Fill .

Available Sizes:
11 – inches
15 – inches



SF6 Scrub Brush

Poly Showered Stiff Brush for Heavy Scrubbing.

Specification:
Polyscrub Brushes - stiff showerfeed brushes with .028 diameter durene plastic fill for general scrubbing.

Available Sizes:
11 – inches
15 – inches



WB8 Wire Scrub Brush

For very severe scrubbing and stripping of floors.

Specification:
Wire - 30 gauge high carbon steel wire fill.

Available Sizes:
11 – inches
15 – inches



PFN15 Scrub Brush

Nylo – Grit Brush for a aggressive scrubbing and stripping of resilient floors, terrazzo, quarry tile and concrete.

Specification:
Green colored .050" DuPont Tynex A nylon fibers impregnated with 80 grit silicone carbide 1 3/4" trim fibre length. Available in 15 inches in diameter.



PFR13 Scrub Brush

Strata-Grit plus brush. Most aggressive for heavy duty scrubbing and stripping on concrete.

Specification:
Incredible results with .070" mega stiff crimped fibers. 36 grit quickly removes the most difficult concrete Surfaces coatings and residue. Eliminates the need for hazardous chemicals 1 3/4" trim fiber length. Available in 13 inches in diameter.

EXTRACTORS



PF PFX 5S

BOX EXTRACTOR



PF PEB

POWER BRUSH



PF PFX900S

SELF-CONTAINED EXTRACTOR



PF PFX 1350 2

UPRIGHT EXTRACTORS



PF PF1350 100H



PF PS35

SPOTTER




Our box extractors are known for the heavy duty hand-laid fiberglass construction that keeps them in the business long after others are retired. These extractors keep running and performing and provide professional results for years and years. The only decision is what size and power requirements fit your needs the best. We have two unheated models ranging from a 5 gallon to 15 gallon solution tank with waterlift from 136 inch to 150 inch – choose the model that fits your requirements! (wand not included)

- Extra large carry handles
- Lamb motors
- Electrical receptacle for accessories such as the Powr-Brush
- Independent motors and pump switches
- Extractors features durable and lightweight hand-laid fiberglass tank over a tubular steel frame

Product Specifications:

Model Number	:PF_PFX5S	:PF_PFX15S
Solution Tank	:5 gallons	:15 gallons
Recovery Tank	:4.25 gallons	:12.75 gallons
Vac Motor	:3-stage-UL listed	:Dual 2-stage-UL listed
CFM	:92	:97
Waterlift	:136 inches	:150 inches
p.s.i	:45 p.s.i.	:100 p.s.i.
Pump	:Demand by-pass	:Demand by-pass
Hoses	:10 ft. TMHD vac/solution	:25 ft. TMHD vac/solution
Wheels	:360 degree, 2.5 inch swivel	:360 degree, 2.5 inch
	Casters	Swivel Casters
Weight(lbs.)	:72	:111

ACCESSORIES:



PF PFX NS
New Style PFX w/
Double bend 100 p.s.i.

PF AA 144DC
Stainless Steel carpet
Extractor Upholstery Tool
Double Chamber



The Powr-Extractor Brush cleans twice as fast as the wand method, quickly breaking up and penetrating deep-rooted dirt down to the base of the carpet fibers. The PEB takes the "back pain" out of carpet cleaning, making it easier on the operator to clean more carpet in less time! All models ship with 25 ft. of heavy-duty vacuum hose and power cord. The PEB-H is designed for use with our heated extractors. It can handle the heat and high pressure up to maximum 100 p.s.i..

- 17 inch cleaning width
- 1300 RPM rotational cleaning
- Five brass or stainless spray jets
- All stainless steel chassis

Product Specifications:

Model No.	:	PF PEB
Solution Tank	:	Extractor rating
Recovery Tank	:	Machine capacity
Vac Motor	:	Brush Motor
CFM	:	Extractor rating
Waterlift	:	Extractor rating
p.s.i.	:	100 p.s.i. maximum
Pump	:	Extractor rating
Hoses	:	25 ft. TMHD 1-1/2 diameter – 25 ft solution
Wheels	:	Rear mounted
Weight(lbs.)	:	56



Self-contained extractors offer quick and easy cleaning. For convenience you can't get any easier than a Powr-Flite self-contained extractor. You get maximum productivity with the added flexibility of attaching additional tools for cleaning spots, stairs and upholstery.

The PFX900S provides superior cleaning power with a floating brush head that maximizes agitation and leaves the carpet cleaner. You never have to worry that you don't have the brush at the proper level – it needs no adjustment. The powerful 1300 RPM chevron style brush agitates and removes soil other self-contained extractors leave behind. Solution is delivered at 100 p.s.i. through two spray jets for even application

- Compact unit for easy transport or storage
- 9 gallon solution/recovery tank
- See through recovery tank lid
- Floating brush for superior carpet agitation
- Fixed vacuum shoe for maximum recovery

Product Specifications:

Model No.	:	PF PFX900S
Solution Tank	:	9 gallon
Recovery Tank	:	9 gallon
Vac Motor	:	Ametek 3 stage
CFM	:	92
Waterlift	:	120 inches
p.s.i.	:	100 p.s.i.
Pump	:	Demand by-pass
Hoses	:	Optional
Wheels	:	10 inch non-marking, self lubricating
Weight(lbs.)	:	100



Clean everything from delicate drapes and upholstery to deep, embedded dirt with the powerful Powr-Flite upright extractors. With the power and performance for superior cleaning results, the PF PFX1350 2 line has the perfect portable for any carpet cleaner or in-house cleaning crew whether you are looking for an economical unit for starting in the business or a seasoned professional looking for maximum cleaning performance. Heavy-duty construction combined with the highest quality components makes the Powr-Flite upright extractor perfect for busy, on-the-go professionals. (shown with optional wand)

- 13 gallon capacity recovery tank
- 100 p.s.i. pump and 150 inch waterlift
- One 3-stage vac motors
- Large stair climbing 10 inch wheels
- Durable housing with 5 year warranty

Product Specifications:

Model No.	:	PF PFX1350 2
Solution Tank	:	13 gallons
Recovery Tank	:	11 gallons
Vac Motor	:	Dual two-stage, Ametek lamb UL Listed
CFM	:	97
Waterlift	:	150 inches
p.s.i.	:	100
Pump	:	Demand By-Pass Internally limited
Hoses	:	20 ft. vac hose/20 ft. solution hose
Wheels	:	10 inch rear and 360 degree, 2.5 inch casters
Weight(lbs.)	:	99



Accessory:

PF PFX NS
New Style PFX w/
Double bend 100 p.s.i.





Cleaning the upholstery and carpet in vehicles presents a unique challenge – oily dirt and grease. Our single cord, heated extractor is perfect for the busy detail shop, car dealerships and car washes. The powerful three stage vac motor and 1200 watt heater cleans the dirt without blowing circuit breakers. Ideal for mobile or fixed location detailing, the PFX1300-100H provides high quality interior detailing in less time with excellent results – your customers will return time and time again.(shown with optional wand)

- Includes upholstery detail tool
- 100 p.s.i. pump and 150 inch waterlift
- One 3-stage vac motor and 1200 watt heater
- Large stair climbing 10 inch wheels
- Durable housing with 5 years warranty

Product Specifications:

Model No.	:	PF PF1350 100H
Solution Tank	:	13 gallons
Recovery Tank	:	11 gallons
Vac Motor	:	Single-stage, Ametek Lamb- UL listed
CFM	:	97
Waterlift	:	150 inches
p.s.i.	:	100
pump	:	Demand By-Pass Internally limited
Hoses	:	20 ft. vac hose/20 ft. Solution hose
Wheels	:	10 inch rear and 360 degree, 2.5 inch caster
Weight(lbs.)	:	108

Accessory:

PF PFX NS
New Style PFX w/
Double bend 100 p.s.i.



The PS35 commercial spotter is portable, lightweight, and extremely powerful. It is perfect for touch-ups, spot removal between scheduled carpet cleanings, and those locations where the bigger extractors just won't fit. You can use it to pick up small wet spills quickly and easily. The PS35 takes the hassle out of cleaning spots before they become a major stain.

- Aluminum telescoping handle
- Expandable 2.5 to 10 ft. solution and vac hose
- 3.5 gallon solution tank
- 2-stage vacuum motor with 89" lift
- Weighs only 36 lbs.

Product Specifications:

Model No.	:	PF PS35
Solution Tank	:	3.5 gallons
Recovery Tank	:	2.5 gallons
Vac Motor	:	2-stage
CFM	:	104
Waterlift	:	89 inches
p.s.i.	:	55 p.s.i.
Pump	:	Oscillating, UL Listed
Hoses	:	2.5 to 10 foot vac/solution hose
Wheels	:	Rear mounted
Weight(lbs.)	:	36



WET / DRY VACUUMS



PF30

5 GALLON WET/DRY VACUUM



PF42

12 GALLON WET/DRY VACUUM



PF44

20 GALLON WET/DRY VACUUM

POLYETHYLENE TANKS



15 GALLON WET/DRY STAINLESS STEEL VACUUM



20 GALLON WET/DRY STAINLESS STEEL VCUUM

STAINLESS STEEL TANK

PF30



The Powr-Flite PF30 wet/dry vac are convenient and compact, ideal for small pickups. With a 1000 watt, 2 stage motor, 104 CFM and 86" waterlift, you get the perfect combination of size and power. Available in stainless steel or durable polyethylene, this wet/dry vac is the perfect tool for go anywhere convenience!

- Heavy-duty polyethylene
- 60 dB for super quiet operation
- Ecological paper filter bag
- Locking swivel hose connect protects hose and prevents tipping
- Follow along swivel casters

Product Specifications:

Model No.	:	PF PF30
Tank	:	Heavy Gauge polyethylene
Motor	:	1000 watts 2 stage
CFM	:	104
Water Lift	:	80"
Recovery	:	2.5 gallons wet, 5 gallons dry
Filter	:	Permanent cloth, washable
Hose	:	1.5" x 7" hose swivel connector and cuff lock
Tools	:	16 1/2" floor tool, squeegee tool, dust brush and crevice tool
Wheels	:	4-3" heavy duty swivel casters
Weight	:	25 lbs.
Tank	:	Heavy gauge polyethylene

These wet/dry vacuums are compact enough to fit into any closet or truck, yet are powerful enough to tackle any water recovery job! PF30 features double sealed motor bearings with extra shielding to keep moisture and dirt out of the bearings... the main cause of motor failure. Added protection is provided in the steel housing for the lower bearings which prevents replacement of the complete housing and dramatically increases bearing life in the motor.

- Heavy duty polyethylene
- Sound insulated vacuum head rates at 63 dB for quiet operation
- All metal latches and steel push handle for long lasting durability
- Tank hose drain system means easy disposal of waste water
- Locking swivel hose connect protects hose and prevents tipping

Product Specifications:

Model No.	:	PF PF42
Tank	:	Heavy Gauge polyethylene
Motor	:	1200 watts 2 stage
CFM	:	114
Water Lift	:	104"
Recovery	:	12 gallons dry, 9 gallons wet
Filter	:	Permanent cloth, washable
Hose	:	1.5" x 10" hose swivel connector and cuff lock
Tools	:	1.5" one-piece curved chrome steel wand, 3 floor tools: floor, rug & squeegee
Wheels	:	2-8" non-suff, soft rear wheels on solid steel axle 2-3" heavy duty swivel casters
Weight	:	45 lbs

PF42



The PF44 feature a 15 gallon capacity shut-off to protect the vac motor from overflow. It features double sealed motor bearings with extra shielding to keep moisture and dirt out of the bearings... the main cause of motor failure. Added protection is provided in the steel housing for the lower motor bearings which prevents replacement of the complete housing dramatically increases bearing life in the motor.

- Heavy duty polyethylene
- 63 dB for quiet operation
- All metal latches and steel push handle for long lasting durability
- Locking swivel hose connect protects hose and prevents tipping
- Tank Hose drain system means easy disposal of waste water

Product Specifications:

Model No.	:	PF PF44
Tank	:	Heavy Gauge polyethylene
Motor	:	1250 watts 2 stage
CFM	:	116
Water Lift	:	110"
Recovery	:	15 gallons dry, 9 gallons wet
Filter	:	Permanent cloth, washable
Hose	:	1.5" x 10" hose swivel connector and cuff lock
Tools	:	1.5" one-piece curved chrome steel wand, 3 floor tools: floor, rug & squeegee
Wheels	:	2-8" non-suff, soft rear wheels on solid steel axle 2-3" heavy duty swivel casters
Weight	:	57 lbs.

PF44





Nothing is easier than "tip and pour" waste water disposal. Our new wet/dry vac models have the capacity and power for large water recovery jobs or dry debris pick-up in the shop or on the job site. They are perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners easily. The swivel hose connector allows 360° hose rotation, letting you move the vacuum without fear of disconnect. These wet/dry vacs feature a two stage filtration process with a washable permanent cloth filter bag that keeps dust from circulating back into the air and a super performance pleated paper cartridge filter for more efficient general application filtration.

*Shown with optional FM100 24 inch squeegee attachment.

- 18 gauge stainless steel for long lasting durability
- Durable polyethylene dolly with push handle
- Sound insulated vacuum head unit
- 15 gallon with 114 CFM and 100" waterlift
- Comes complete with tools: 14" rug, crevice, dust and squeegee

Product Specifications:

Model No.	:	PF PF53
Tank	:	18 gauge stainless steel
Motor	:	1200 watts
CFM	:	114
Waterlift	:	100 inches
Recovery	:	15 gallons
Filter	:	Paper-pleated, cloth washable
Hose	:	1.5" x 10
Tools	:	14" rog, dust, crevice and squeegee
Wheels	:	2-8" non-scuff soft rear, 2-3" swivel casters
Weight(lbs.)	:	51



Nothing is easier than "tip and pour" waste water disposal. Our new wet/dry vac models have the capacity and power for large water recovery jobs or dry debris pick-up in the shop or on the job site. They are perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners easily. The swivel hose connector allows 360° hose rotation, letting you move the vacuum without fear of disconnect. These wet/dry vacs feature a two stage filtration process with a washable permanent cloth filter bag that keeps dust from circulating back into the air and a super performance pleated paper cartridge filter for more efficient general application filtration.

*Shown with optional FM200 24 inch squeegee attachment.

- 18 gauge stainless steel for long lasting durability
- Durable polyethylene dolly with push handle
- Sound insulated vacuum head unit
- 20 gallon with 114 CFM and 100" waterlift
- Comes complete with tools: 14" rug, crevice, dust and squeegee

Product Specifications:

Model No.	:	PF PF55
Tank	:	18 gauge stainless steel
Motor	:	1200 watts
CFM	:	114
Waterlift	:	100 inches
Recovery	:	15 gallons
Filter	:	Paper-pleated, cloth washable
Hose	:	1.5" x 10
Tools	:	14" rog, dust, crevice and squeegee
Wheels	:	2-8" non-scuff soft rear, 2-3" swivel casters
Weight(lbs.)	:	58

FLOOR MACHINES



PF P131 3 2 DB



PF MI71HD



PF M172 3 2DB



PF C171HD



You never know when you are going to run into a situation where your floor machine just won't fit into the space and allow you to maneuver well enough to get the job done. Powr-Flite's P131-3 floor machine provides the power and durability for the toughest jobs in a convenient, easy to maneuver size. The P131-3 lets you get into those tight or small areas where a larger floor machine simply won't fit. Lightweight and easy to maneuver, the P131-3 has heavy duty features normally found only in larger machines. Strip, scrub or spray buff a wide variety of floor surfaces with the smooth operation, power and durability of the Powr-Flite P131-3.

- New one piece all metal handle housing, tube and trigger assembly for aggressive cleaning
- New safety lock out on handle with easy access thumb action – even with both hands on the handle
- 1/3 hp high performance motor
- All steel planetary gear drive
- Rotational molded housing absorbs vibration and controls torque for easy operator control

Product Specifications:

Model No.	:	PF P131 3 2DB
Pad Speed	:	175 RPM
Motor	:	1/3 h/p, UL Listed
Transmission	:	Single planetary drive, all steel gears
Power Cord	:	50 ft. UL Listed 12/3 STW-A
Base Housing	:	One Piece vente, high density polyethylene
Wiring	:	All completely enclosed in housing
Operation	:	Convenient, switch housing mounted hand
Handle	:	Steel tube 1.5" diameter
Wheels	:	4 inch non-marking, self lubricating
Weight(lbs.)	:	68



ACCESSORIES:



PF 613DP



PF SF611



PF F91P

At 1.5 hp and 175 RPM Powr-Flite floor machines are the smoothest operating in the industry. Contractors/floor technicians prefer the Powr-Flite floor machine for their easy start up. Powr-Flite floor machines feature a patented rotationally molded housing that absorbs the shock and torque normally associated with running a floor machine. The M171HD-3 17 model and M201HD-3 20 model are built to take the torque associated with bonnet cleaning and heeling of the floor machine. The M171SD-3 is made specifically for sanding and grinding jobs. The ultra high output 1.5 hp motor provides the power to maintain the speed necessary for the tough floor cleaning jobs and start up where heavier torque is require—stripping, scrubbing, scraping, grinding, shampooing and bonnet cleaning.

- New one piece all metal handle housing, tube and trigger assembly
- New safety lock out on handle with easy access thumb action – even with both hands on the handle
- New heavy-duty all steel triple planetary transmission with 3 years warranty
- New ultra high output 1.5 hp motor with lower amp draw for the ultimate in power
- Patented rotational molded housing absorbs vibration and controls torque for easy operator control

Product Specifications:

Model No.	:	PF M171HD
Pad Speed	:	175 RPM
Motor	:	1.5 hp, UL Listed
Transmission	:	Triple planetary drive, all steel gears
Power Cord	:	50 ft. UI listed 14/3 STW-A
Base Housing	:	One piece vented, high density polyethylene
Wiring	:	All completely enclosed in housing
Operation	:	Convenient, switch housing mounted
Handle	:	Steel tube 1.5" diameter
Wheels	:	5 inch non-marking, self lubricating
Weight(lbs.)	:	109



ACCESSORIES:



PF 717DP



PF SF615



PF F91P





The M172-3 dual speed floor machines provide the versatility for every type of floor. With dual speeds you get two machines in one! You get the advantage of standard 175 RPM or high 320 RPM speeds for the most aggressive work loads ever. The 320 RPM has the power and speed to spray buff and dry polish providing excellent results. This machine is built to take the torque associated with bonnet cleaning and heeling of the floor machine. Powr-Flite floor machines feature a patented rotationally molded housing that absorbs the shock and torque normally associated with running a floor machine

- New one piece all metal handle housing, tube and trigger assembly for aggressive cleaning
- New safety lock out on handle with easy access thumb action – even with both hands on the handle
- Heavy-duty all steel triple planetary transmission
- New ultra high output 1.5 hp motor with lower amp draw for the ultimate in power
- Patented rotational molded housing absorbs vibration and controls torque for easy operator control

Product Specifications:

Model No.	:	PF M172 3 2DB
Pad Speed	:	175 or 320 RPM
Motor	:	1.5 hp, UL Listed, DC rectified
Transmission	:	Triple planetary drive, all steel gears
Power Cord	:	50 ft. UL Listed 14/3 STW-A
Base Housing	:	One piece vented, high density polyethylene
Wiring	:	All completely enclosed in housing
Operation	:	Convenient, switch housing mounted
Handle	:	Steel tube 1.5" diameter
Wheels	:	5 inch non-marking, self lubricating
Weight(lbs.)	:	109



ACCESSORIES:



PF 717DP



PF SF615



PF F91P



The Classic line by Powr-Flite combines the enduring popularity of an all metal floor machine with the most technologically advanced motors, transmissions and electrical components. You get the craftsmanship of the classic metal floor machine with the dependability of all metal construction and the features for the most challenging floor jobs

- Heavy weight all metal base is long lasting and durable
- Rugged all steel planetary drive system
- 1 hp – 17 inch
- High polish chrome finish keeps the classic looking new longer
- Non-marking bumper protects walls and furniture

Products Specifications:

Model No.	:	PF C171HD
Pad Speed	:	175 RPM
Motor	:	1 hp, UL Listed, DC rectified
Transmission	:	Double planetary, all steel gears
Power Cord	:	50
Base Housing	:	Two piece metal
Wiring	:	All completely enclosed in housing
Operation	:	Convenient, switch housing mounted
Handle	:	Steel tube 1.5" diameter
Wheels	:	5 inch non-marking, self-lubricating
Weight(lbs.)	:	90

ACCESSORIES:



PF 717DP



PF SF615



PF F91P

VACUUMS



PV C06.ASIA.031



PV C09.ASIA.031

CANISTERS (HI-FILTRATION VACUUMS)



BACK PACK VACUUM



PV SW5.FAST.2.0
WET TANK VACUUM



PV UP3.ASIA.031

UPRIGHT VACUUMS



PV UP4.ASIA.031



Detachable Motor Unit

Changed in 5 minutes

Life Time Filter



Color Coded Filter System

Modular, high filtration and low noise level are the key words for the new vacuum cleaners development at IVAC à la Carte B.V.. It has a quick release motor unit*, which makes changing a vacuum motor unit a simple job of less than 5 minutes. The Compacto 6 further has a detachable power cord and a sensor switch. This sensor switch enables you to determine if the power supply to the machine is okay. The Compacto 6 has an exhaust .filter cassette system that can be supplied to your needs concerning filtration, based on the unique IVAC à la Carte B.V. Color Code Filtration System*. The specs are: telescopic chrome wand, a hose of 2.5 m and a RD285 32 mm floor tool. The machine is supplied with the new 1050 watt high power Ametek World Cup Series motor.

Product Specifications:

Model No.	:	PV C06.ASIA.031
Vacuum Motor	:	1050 W Single-stage
Voltage	:	240 V-50HZ
Waterlift	:	2400 waterlift
Air Speed	:	50 L/sec.
Bag capacity	:	6 Ltr.
Hose Length	:	2.5 M
Cable Length	:	15 M
Construction	:	PP Plastics
Length	:	360 MM
Width	:	360 MM
Height	:	400MM
Accessory Diameter	:	32 MM
Sound Level	:	62 DB
Filtration Level	:	3 Stages
Wight	:	6.3 kg
Protection Class	:	Double Isolated
Approvals	:	CE/CB
Usage	:	Dry

ACCESSORIES:



Fresh Air Pearls

Paper Bag



Color Coded Filter System

Color Coded Filter System

New very compact design dry vacuum. This Compacto 9 is made from very high resistant PP. The Compacto 9 has a unique 5 stage .ltering system*. The machine can be equipped with optional Hospital and Hepa .lters for cleaning in critical clean environments. The Compacto 9 is equipped with double stage 1200 watt DAF motor from Ametek. The tank capacity is 14 liter if used with paper bag 9 liter. The Compacto 9 features are: telescopic wands, Wessel Werk RD 294 floor tool, hose length of 2,5 m, external line cord of 10 meter and exhaust filter and cartridge filter.

Product Specifications:

Model No.	:	PV C09.ASIA.031
Vacuum Motor	:	1200 W
Voltage	:	240V – 50HZ
Water Lift	:	2500 MM
Air Speed	:	50 L/S
Bag Capacity	:	9 Ltr
Hose Length	:	2.5 Mtr.
Power Cord	:	10 Mtr.
Construction	:	PP Plastics
Sound Level	:	60 Db
Filtration Levels	:	3 Stages
Weight	:	6.3 kg.
Accessory Diameter	:	32 MM
Protection Class	:	Double isolated
Approvals	:	CE/CB
Usage	:	Dry
Diameter	:	350 MM
Height	:	400 MM

ACCESSORIES:



Fresh Air Pearls

Paper Bags



The Free Vac is equipped with an ergonomic carry system. The carry belt keeps enough space between operator and machine to cool of the exhaust air. The suction is guaranteed by his power full motor, 1050-watt double stage from Ametek. The bag capacity is 6 liter and the carry weight is 6.2 kg, 1,7 meter hose length, 15 meter cable and with tools "on board" fitted in the carry belt. Free Vac is also available for aircraft cleaning.

Products Specifications:

Model No.	:	PV BFV.FAS.3511C
Voltage	:	115 Volt
Motor	:	1050
Material	:	PP
Suction Power	:	2200 MM
Air Speed	:	47 L/sec
Sound Level	:	68 Db
Weight	:	6.2 kg.
Height	:	495 MM
Diameter	:	360 MM
Cable Length	:	15 Meter
Capacity	:	6 Ltr.

ACCESSORIES:



Fresh Air Pearls



Paper Bags



Dry tank type cleaner made from injection molded PP for durability. This machine won't crack or leak and is resistant for chemical impacts. The Major plus is equipped with double stage 1000 watt DAF motor from Ametek. The tank capacity is 11 liter if used with paper bag 6 liter. The Major plus features are: 32 mm. wands chrome plated, floor tool, hose length of 2,2 m, line cord of 10 meter and cloth .liter with SMS high Filtration bag. The stability is guaranteed by his wheelbase with five castor's Ø 40 mm.

Product Specifications:

Model No.	:	PV SW5.FAST.2.0
Voltage	:	230 Volt
Motor	:	1000 Watt
Material	:	PP
Suction Power	:	2200 MM
Air Speed	:	47 L/sec
Sound Level	:	68 Db
Weight	:	8 kg.
Height	:	670 MM
Diameter	:	425 MM
Cable Length	:	15 Meter
Capacity	:	20 Ltr.

ACCESSORIES:



Fresh Air Pearls



Paper Bags



Dual motor Upright vacuum cleaner with a 35-cm. Working path. UP350 is standard equipped with 4 height adjustments, tools on board and a power full 850 watt vacuum motor from Ametek. This machine has a built in carry handle. The removal of the paper bag is an easy job by opening the front door. Optional is this Hospital .lter for critically clean environments. The stretch hose 1:4 is made for easy cleaning. The UP350 is made from impact resistant ABS which makes this machine durable.

Product Specifications:


Model No.	:	PV UP3.ASIA.031
Vacuum Motor	:	1000 W
Brush Motor	:	175W
Brush Position	:	4 Pos.
Voltage	:	240V - 50hz
Water Lift	:	1900 MM
Air Speed	:	47 L/sec
Bag Capacity	:	6 Ltr.
Hose Length	:	6 Ltr.
Power Cord	:	10 Mtr.
Construction	:	ABS
Sound Level	:	70 dB
Filtration Levels	:	4 Stages
Weight	:	9 Kg.
Accessory Diameter	:	32 MM
EMC	:	EEC Directive
Approvals 230 V	:	CE/CB
Approvals 115 V	:	-
Usage	:	Dry
Height	:	1210 MM
Weight	:	9 Kg.
Work Path	:	350 MM



Dual motor Upright vacuum cleaner with a 46-cm. Working path. UP460 is standard equipped with 4 height adjustments, tools on board and a power full 1000 watt vacuum motor from Ametek, which is unique in it's class. This machine has a built in carry handle. The removal of the paper bag is an easy job by opening the front door. Optional is this Hospital .lter for critically clean environments. The stretch hose 1:4 is made for easy cleaning .The UP460 is made from impact resistant ABS, which makes this machine durable.

Product Specifications:

Model No.	:	PV UP4.ASIA.031
Vacuum Motor	:	1000 W
Brush Motor	:	175W
Brush Position	:	4 Pos.
Voltage	:	240V - 50hz
Water Lift	:	1900 MM
Air Speed	:	47 L/sec
Bag Capacity	:	6 Ltr.
Hose Length	:	6 Ltr.
Power Cord	:	10 Mtr.
Construction	:	ABS
Sound Level	:	70 dB
Filtration Levels	:	4 Stages
Weight	:	10.2 Kg.
Accessory Diameter	:	32 MM
EMC	:	EEC Directive
Approvals 230 V	:	CE/CB
Approvals 115 V	:	-
Usage	:	Dry
Height	:	1210 MM
Weight	:	10.2 Kg.
Work Path	:	460 MM



SWEEPER



This easy to push manual sweeper is hard working, lightweight, fast and easy to maneuver. The PS200 picks up metal shavings, nails, paper, leaves, soda cans...everything in its path, even small polystyrene and paper shred packing materials! And with the large rear mounted wheels, the PS200 will even climb steps! The unique Quadra Brush System combined with the large dirt collector, durable polyethylene construction, and fold up handle make the PS200 perfect for jobs such as small warehouses, machine shops, workshops, gas stations, retail, loading docks and sidewalks


- 32" Cleaning path provides a work rating of 30, 140 square feet per hour for maximum capacity
- Constructed to be lightweight, fast and easy to maneuver
- Variable height adjustment allows for efficient cleaning on various terrains
- Folds for compact storage
- Uses Quadra Brush system for efficient dust and debris containment

Product Specifications:


Model No.	:	PF PS200
Power Supply	:	Manual
Batteries	:	None
Drive	:	Manual forward and reverse belt drive system
Runtime	:	Unlimited
Capacity	:	9 gallons
Cleaning Width	:	32"
Work Rating	:	30, 140 (in sq. ft. / h)
Weight	:	30 lbs



Typical sweeping systems are obsolete with the new Quadra Brush System. This innovative technology combines the effective use of four brushes, two sides brooms sweep the debris out of corners and edges and in front of the roller brushes. The roller brushes rotate in opposite directions. The front brush rotates in the direction of travel without touching the ground and acts as a transport roller to feed the refuse to the second brush. The rear roller brush rotates in the opposite direction of travel, putting the dirt and refuse upwards and backwards.



FORWARD MOTION



DIRECTION OF MOTION OF THE MAIN BROOMS

DRYERS



CARPET DRYER



SAFETY DRYER



POWER DRYER



Don't risk an accident, dry the floor fast with the PD500 dryer. The PD500 is perfect for drying carpets, upholstery or hard floors. The three speed control lets you decide the correct airflow for the job! Air movers do more than just dry the flooring or carpeting...they reduce the potential for mold growth. In one-on-one comparisons, our air mover tested at higher outputs than other air movers.

- Space saver stackable design
- 3 operating positions
- Plastic injection molded inlets for maximum airflow – no rusting
- Molded, easy-carry handles for easy portability
- Rotomolded high density polyethylene housing for rugged durability

Products Specifications:

Model No.	:	PF PD500DX
Power/Amp	:	4.8
Motor	:	½ hp
Speeds	:	3
Construction	:	Polyethylene
Power Cord	:	20 ft.
Operating Positions	:	3 positions
Handle	:	Molded, balanced
Inlets	:	Injection molded plastic
Sensors	:	Thermal shut-off
Weight	:	38



Don't risk an accident, dry the floor fast and safe with a built in CAUTION flag on the PD500DX-YS dryer. The PD500DX-YS is perfect for drying carpets, upholstery or hard floors. The three speed control lets you decide the correct airflow for the job! Air movers do more than just dry the flooring or carpeting...they reduce the potential for mold growth. In one-on-one comparisons, our air mover tested at higher outputs than other air movers.

- Space saver stackable design
- 3 operating positions
- Built in wet floor caution sign
- .5hp motor
- Meets OSHA standard for maximum weight/size

Product Specifications:

Model No.	:	PF PD500DX YS
Power/Amp	:	4.8
Motor	:	.5 hp
Speeds	:	3
Construction	:	Polyethylene
Power Cord	:	20 ft.
Operating Positions	:	3 position
Handle	:	Molded, balanced
Inlets	:	Injection molded plastic
Sensors	:	Thermal shut-off
Weight(lbs.)	:	38





Don't risk an accident, dry the floor fast with the PD2500 dryer. The PD2500 is perfect for drying carpets, upholstery or hard floors. The three speed control lets you decide the correct airflow for the job! Air movers do more than just dry the flooring or carpeting...they reduce the potential for mold growth. In one-on-one comparisons, our air mover tested at higher outputs than other.

- Space saver stackable design
- 3 operating positions
- Plastic injection molded for maximum airflow – no rusting
- Molded, easy-carry handles for easy portability
- Rotomolded high density polyethylene housing for rugged durability
- Epoxy coated thin steel wire outlet grill for safety & maximum airflow
- Built in thermal overload protection
- Super reinforced motor lugs to prevent damage in transport

Product Specifications:

Model No.	:	PF PD2500
Power/Amp	:	3.75
Motor	:	50/60 hz
Voltage	:	220 Volts
Speeds	:	3
Construction	:	Polyethylene
Power Cord	:	20 ft.
Operating Positions	:	3 position
Handle	:	Molded, balanced
Inlets	:	Injection molded plastic
Sensors	:	Thermal shut-off
Weight(lbs.)	:	35