



DORFIT

Designer Hardwares



ARCHITECTURAL HARDWARE & FURNITURE FITTINGS





**QUALITY
INCOMPARABLE**



DORFIT

Designer Hardwares



Dorfit is a comprehensive line of door and furniture hardware which includes an extensive range of mortise locks, lever handles, cylinders, exit devices, door closers, hinges and builder's hardware. Formed in 2013, Dorfit has, in a small span of time, acquired a reputable position in the GCC market for superior quality hardware for doors and furniture.

Today, the Dorfit trademark is a synonym for absolute quality and all-round reliability in more than thirty countries across the world. This result is assured by the most prestigious quality certifications and the constant appreciation of our loyal customers.

Continuous development of new products and improving the existing range of hardware, makes Dorfit a brand that is in line with the market demands and customer requirements. All Dorfit products are developed with absolute precision in design and high standard of surface finishes, which gives it an aesthetic look along with long-term durability.



Formed more than two-decades ago, La Décor LLC has become an undisputed leader in the field of hardware and building materials across UAE and other GCC Countries. We strongly adhere to our motto of "Quality Incomparable" and put all our efforts in ensuring that our customers obtain the best quality products.

Since its inception, La Décor sustains a path of continuing expansion and its transition towards new markets, both domestic and foreign.

Today, we are dealing with some of the most reputed global brands like Union, Yale, Hettich, Iseo, Domus, Dorma, Mab, Geze, Icsa, Armstrong, Godrej, Corbin, Daf and Taparia. Our dedicated team will help customers choose from a wide range of standard products and offer customized solutions to suit their requirements.

We offer a complete package from specification, scheduling and supply of a full range of guaranteed quality and value ironmongery. Our qualified technical team is at your complete disposal for any query. We aim to be the first choice for our customers by offering the best service in the region.

In a dynamic and ever-changing world, La Décor is determined to march further into the international market. We sincerely promise to guarantee a high quality of service and to continually provide reliable and excellent products to our customers all over the world.



GUARANTEE

To support the high quality and first-class engineering that has gone into the Dorfit product range, we offer a three to five years guarantee (subject to terms and conditions) against defects due to faulty manufacturing, workmanship or defective material. We agree to replace any defective Dorfit products free of charge provided that the product has been fitted in accordance with the fitting instructions and maintained correctly.

CARE INSTRUCTIONS

STAINLESS STEEL

Routine cleaning is necessary for maximum corrosion resistance and to preserve the appearance of the surface through many years of daily use. Exposed surfaces should be cleaned with a mild detergent in warm water, applied with a soft cloth or synthetic sponge. Rinse in hot water and dry with a soft cloth or allow to 'drip' dry. Routine cleaning applied over several days will generally remove heavy soiling and staining. Do not use coarse abrasive powders, metallic scourers, silver or brass cleaners, or acid-based cleaning materials.

BRASS

Clean the surface using a soft cloth with soapy water. Alternatively, you may also use isopropyl (rubbing alcohol) applied with a soft sponge. After cleaning, wipe the surface thoroughly with a clean and dry soft rag. For polishing the brass surface, use "yellow" treated dust cloth. Wipe down the brass surface with this cloth and then buff it dry with a soft, cotton cloth. This trace amount of oil in the cloth should not smear or discolor, especially after buffing.

KEY TO SYMBOLS



Suitable to meet the needs of disabled people.



240 Mins

Suitable for use on fire doors.



CE Marking is a certification to the highest levels of attestation required by the construction products directive. The CE mark indicates that the product has undergone rigorous testing and is in accordance with the industry requirements.



EN12209

EN12209 is the British/European standard requirement for locks, latches and locking plates.




3 years mechanical guarantee.



5 years mechanical guarantee.



CE CERTIFICATE



UL CERTIFICATE



Elegant MODERN *Door* & *Furniture* ACCESSORIES

CONTENT

■ Architectural Hardware 12-91

Lever Handles.....	13
Door Hinges.....	21
Mortise Locks.....	25
Latches.....	39
Door Cylinders.....	43
Flush Bolts.....	53
Dust Proof Socket.....	55
Pull Handles.....	56
Sign Plates.....	61
Door Stoppers.....	64
Door Guards.....	68
Door Viewers.....	70
Escutcheon.....	71
Indicator Knobs.....	72
Deadbolt Locks.....	73
Knob Sets.....	74
Cylindrical Locks and Latches.....	78
Floor Springs.....	79
Door Closers.....	83
Panic Door Fittings.....	88
Padlocks.....	91

■ Glass Door Hardware 92-101

Patch Fittings.....	93
Glass Door Locks.....	95
Shower Door Hinges.....	98
Glass Brackets.....	99
Glass Door Handles.....	100
Other Glass Door Accessories.....	101

■ Furniture Hardware 102-115

Furniture Handles and Knobs.....	103
Cabinet Hinges.....	107
Drawer Channels.....	112
Oval Pipe and Bracket.....	114
KD Fittings.....	115

ARCHITECTURAL HARDWARE




LEVER HANDLES

DTTH001


Stainless Steel SUS 304
Finish: Satin
PVD
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws

Item Code	A (mm)
DTTH001-19	19
DTTH001-22	22




DTTH001D

Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Narrow Rose
Accessories Included: Escutcheon and Screws



DTTH002


Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws



LEVER HANDLES


DTTH003

Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws




DTTH005

Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws



DTTH008


Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws



LEVER HANDLES


DTTH009

Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws



DTTH019


Stainless Steel SUS 304
Finish: Satin
Hollow Lever Handle on Rose
Accessories Included: Escutcheon and Screws



LEVER HANDLES


DTSH001

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws




DTSH002

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws



DTSH006


Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws



LEVER HANDLES


DTSH007

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws




DTSH010

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws



DTSH017


Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws



LEVER HANDLES


DTSH023

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws




DTSH024

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws



DTSH025

Stainless Steel SUS 304
Finish: Satin
Solid Lever Handle on Rose
Accessories Included: Escutcheon and Screws




LEVER HANDLES

LEVER HANDLE ON SQUARE PLATE

Stainless Steel SUS 304
Finish: Satin
Accessories Included: Screws
Applicable for Wooden and Metal Doors


Item Code	A (mm)
DTTP001-P-72	72
DTTP001-P-85	85



LEVER HANDLE WITH INDICATOR KNOB ON SQUARE PLATE

Stainless Steel SUS 304
Finish: Satin
Red and Green Indicator
Accessories Included: Screws
Suitable for Washroom Doors
Applicable for Wooden and Metal Doors

Item Code	Application
DTTP001WC-LH	Left Hand
DTTP001WC-RH	Right Hand



LEVER HANDLES


NYLON HANDLE

DT1919

Iron with PVC coating

Color: Black

Bar Size: 10*10*125 mm



DOOR HINGES

TWO BALL BEARING HINGES


Stainless Steel

Finish: Satin

Accessories included: Screws

Item Code	A (mm)	B (mm)	C (mm)	Grade
DTBB32.52.5/SS201	76	63	2.5	SUS 201
DTBB433/SS201	102	76	3	SUS 201
DTBB433/SS304	102	76	3	SUS 304
DTBB433/SS316	102	76	3	SUS 316
DTBB43.53/SS304	102	89	3	SUS 304
DTBB443/SS304	102	102	3	SUS 304
DTBB4.543/SS304	114	102	3	SUS 304

Item Code	A (mm)	B (mm)	C (mm)	Grade
DTBB533/SS201	127	76	3	SUS 201
DTBB643/SS201	152	102	3	SUS 201




TWO BALL BEARING HINGES

Stainless Steel SUS 201

Finish: Polish PVD

Accessories included: Screws


Item Code	A (mm)	B (mm)	C (mm)
DTBB433/PVD	102	76	3
DTBB43.53/PVD	102	89	3
DTBB443/PVD	102	102	3



RISING HINGES

Stainless Steel SUS 304
Finish: Satin
Two Knuckle Hinges
Functionality: Self-Closing
Accessories included: Screws


Item Code	Type	A (mm)	B (mm)	C (mm)	Ø (mm)
DTSS016/LH	Left Hand	102	76	3	14.2
DTSS016/RH	Right Hand	102	76	3	14.2



SINGLE ACTION SPRING HINGES DTSS033


Stainless Steel SUS 304
Finish: Satin
Adjustable Spring Tension
Functionality: Self-Closing
Accessories included: Screws
Applicable for Wooden and Metal Doors

A (mm)	B (mm)	C (mm)	Capacity (KG)
102	76	3	15
102	102	3	25



FLAG HINGES DTSS030


Stainless Steel SUS 304
Finish: Satin
Height: 127 mm (5")
Width : 102 mm (4")
Thickness: 3 mm
Accessories included: Screws
Applicable for Wooden and Metal Doors



DOUBLE ACTION SPRING HINGES DTSS038


Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden and Metal Doors

A (mm)	B (mm)	C (mm)	D (mm)
76	132	52	26
102	138	77	43
127	155	92	45
152	155	113	63



CONCEALED HINGES

Zinc Alloy Body with Stainless Steel Connecting Strips
 Finish: Satin Nickel
 Maximum Opening Angle: 180°
 Concealed Installation
 Hinge completely invisible when door is closed
 Accessories included: Screws
 Applicable for Wooden and Metal Doors




Item Code	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	H (CTC)
DTCH003	13	45	9	19	0.8	18	5	30.5
DTCH004	13	60	9	30.5	0.8	18	6	47
DTCH005	16	70	11	34	0.8	22.5	7	51
DTCH006	19	95	13	51.2	1.2	27	9	73
DTCH008	28	118	22	61.5	1.4	41	9.5	93
DTCH009	34	140	27.5	74.5	1.6	51	11.5	113.5

Item Code	Door Thickness (mm)	Load Capacity (KG)
DTCH003	20	5
DTCH004	20	10
DTCH005	25	15
DTCH006	30	25
DTCH008	40	40
DTCH009	50	50

Reliable functioning of doors is dependent not only on the lever handle but also on the fixing system. Our range of architectural locks are manufactured to the highest engineering standards and designed to offer high performance and durability. Each component is carefully scrutinized to meet quality standards in terms of design, material and functionality.

FEATURES

- Suitable for doors which are subjected to high frequency of use with little incentive to exercise care E.g. Shopping Malls, Public Offices, Public Toilets, Etc.
- Tested for 200,000 High Use Test Cycles with stress on latch bolt of 100 N.
- Suitable for Door Mass Above 200 Kgs with a Maximum Closing Force of 15 N.
- Suitable for use on Fire/Smoke Door assemblies.
- Extremely High Corrosion Resistance (240 hours Neutral Salt Spray Test) which makes the hardware suitable for use in exposed marine atmosphere or very polluted industrial environments.
- Temperature resistance of -20° C to 80° C
- High level of safety with increased resistance to attack.



MORTISE LOCKS

BATHROOM MORTISE LOCK

SUS 304 Forend, Strike Plate, Follower, Latch Bolt & Dead Bolt

Finish: SSS

PVD

Distance: 78 mm

Forend plate type: Square

2-Turn Dead Bolt

Suitable for Bathroom Doors



Certification: CE EN 12209 / DIN 18251

EN 1634 240 Mins Fire Rated

EN 1670: 240 Hours NSS Corrosion Resistance




Item Code	Backset Size (A) mm
DTML005-5578	55 mm
DTML005-6078	60 mm



CE CLASSIFICATION

3 X 9 1 0 G - B 0 2 0

Lockcase Reversible Direction



APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | FIRE DOORS | SMOKE DOORS | SWING DOORS

MORTISE LOCKS

NARROW TYPE LATCH LOCK

SUS 304 Forend, Strike Plate, Follower, Latch Bolt & Dead Bolt

Finish: SSS




Distance: 92 mm

Follower: 8x8 mm

Forend plate type: Square

1-Turn Dead Bolt

Item Code	Backset Size (A) mm
DTML008-2092	20 mm
DTML008-2592	25 mm
DTML008-3092	30 mm
DTML008-3592	35 mm




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SWING GATES

MORTISE LOCKS

NARROW TYPE ROLLER LOCK

SUS 304 Forend, Strike Plate, Roller Bolt & Dead Bolt
 Finish: SSS
 Distance: 92 mm
 Follower: 8x8 mm
 Forend plate type: Square
 1-Turn Dead Bolt

Item Code	Backset Size (A) mm
DTML008R-2092	20 mm
DTML008R-2592	25 mm
DTML008R-3092	30 mm
DTML008R-3592	35 mm




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SWING GATES

MORTISE LOCKS

EURO PROFILE SASH LOCK

SUS 304 Forend, Strike Plate, Follower, Latch Bolt & Dead Bolt
 Finish: SSS
 PVD
 Distance: 72 mm
 Forend plate type: Square
 2-Turn Dead Bolt
 Suitable for Entrance Doors
 Certification: CE EN 12209 / DIN 18251
 EN 1634: 240 Mins Fire Rated
 EN 1670: 240 Hours NSS Corrosion Resistance


Item Code	Backset Size (A) mm
DTML009-5572	55 mm
DTML009-6072	60 mm
DTML009-6572	65 mm
DTML009-7072	70 mm



CE CLASSIFICATION

3 X 9 1 0 G 3 B C 2 0


Lockcase Reversible Direction



APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | FIRE DOORS | SMOKE DOORS | SWING DOORS

EURO ROLLER DEAD BOLT LOCK DTML010

SUS 304 Forend, Strike Plate, Roller Bolt & Dead Bolt
Finish: SSS
PVD
Distance: 72 mm
Backset Size: 55 mm
Forend plate type: Square
2-Turn Dead Bolt




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | FIRE DOORS | SMOKE DOORS | SWING DOORS

EURO PROFILE DEADBOLT LOCK

SUS 304 Forend, Strike Plate & Dead Bolt
Finish: SSS
PVD
Distance: 72 mm
Forend plate type: Square
2-Turn Dead Bolt
Suitable for Entrance or Store Room Doors
Certification: CE EN 12209 / DIN 18251
EN 1634: 240 Mins Fire Rated
EN 1670: 240 Hours NSS Corrosion Resistance



Item Code	Backset Size (A) mm
DTML013-5572	55 mm
DTML013-6072	60 mm



APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | FIRE DOORS | SMOKE DOORS | SWING DOORS




CE CLASSIFICATION

3 X 9 1 0 G 3 B C 0 0

MORTISE LOCKS

SLIDING DOOR HOOK LOCK DTML015

SUS 304 Forend, Strike Plate & Hook Bolt
Finish: SSS
Backset Size: 50 mm
Forend plate type: Round
Suitable for Sliding Doors



APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SLIDING DOORS


MORTISE LOCKS

EURO PROFILE SASH LOCK

SUS 304 Forend, Strike Plate, Follower, Latch Bolt & Dead Bolt
Finish: SSS
PVD
Distance: 85 mm
Forend plate type: Square
2-Turn Dead Bolt
Suitable for Entrance Doors.
Certification: CE EN 12209 / DIN 18251
EN 1634: 240 Mins Fire Rated
EN 1670: 240 Hours NSS Corrosion Resistance




Item Code	Backset Size (A) mm
DTML026-4585	45 mm
DTML026-5085	50 mm
DTML026-6085	60 mm
DTML026-7085	70 mm



CE CLASSIFICATION

3 X 9 1 0 G 3 B C 2 0

Lockcase Reversible Direction




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | FIRE DOORS | SMOKE DOORS | SWING DOORS

MORTISE LOCKS

DEADBOLT LOCK DTML028

SUS 304 Forend, Strike Plate & Dead Bolt
Finish: SSS
PVD
Backset: 55 mm
Forend plate type: Square
2-Turn Dead Bolt
Suitable for Entrance or Store Room Doors




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SWING DOORS


MORTISE LOCKS

LATCH BOLT LOCK DTML029

SUS 304 Forend, Strike Plate, Follower & Latch Bolt
Finish: SSS
PVD
Backset: 55 mm
Forend plate type: Square
Suitable for Passage Doors



Lockcase Reversible Direction




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SWING DOORS

MORTISE LOCKS

SLIDING DOOR DOUBLE HOOK LOCK DTML031

SUS 304 Forend, Strike Plate & Dead Bolt
Finish: SSS
PVD
Backset: 50 mm
Forend plate type: Square
Suitable for Sliding Doors




APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS | SLIDING DOORS

MORTISE LOCKS

DOUBLE CYLINDER LOCK BODY DT1739

Iron Body
Steel Latch, Striker & Front Plate
Finish: Blue-White Zinc
Hole Center: 72 mm
Backset: 65 mm




MORTISE LOCK BODY

Zinc Alloy Forend, Strike Plate, Follower, Latch Bolt & Dead Bolt


Hole Center: 85 mm

Backset: 45 mm

Item Code	Finish
8545ESN	Satin Nickel
8545EPB	Polished Brass



Lockcase Reversible Direction




ROLLER LATCH

DTBC004

Steel

Finish: SS

Applicable for Wooden and Metal Doors.



DEAD LOCK (WC BABY LATCH)


DTML014

Stainless Steel SUS 304

Finish: Satin

Backset: 57 mm

Suitable for Bathroom Doors of commercial or residential application



APPLICABLE FOR DOORS WOODEN DOORS | METAL DOORS

ARCHITECTURAL TUBULAR LATCH

DTML035


Stainless Steel SUS 304 Forend Plate & Strike Plate

Solid Brass Latch

Finish: SSS





Forend plate type: Square

Backset: 45 mm



SECURITY BOLT DTML037


Stainless Steel
Finish: SSS
Backset: 35 mm



6 PIN HIGH SECURITY DOUBLE CYLINDER WITH DIMPLE KEY

Solid Brass Body
5 Keys of 2.8 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
60CDK	60	30
70CDK	70	35
80CDK	80	40



6 PIN HIGH SECURITY DOUBLE CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
54DK	54	27
60DK	60	30
70DK	70	35
80DK	80	40
90DK	90	45
100DK	100	50
110DK	110	55
120DK	120	60



6 PIN HIGH SECURITY KEY AND TURN CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
60SK	60	30
70SK	70	35
80SK	80	40



6 PIN HIGH SECURITY HALF CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)
45HK	45



6 PIN HIGH SECURITY UNEQUAL DOUBLE CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
30-40DK	30	40
30-50DK	30	50
30-60DK	30	60
35-55DK	35	55
35-65DK	35	65
40-70DK	40	70
50-60DK	50	60



5 PIN ECONOMIC RANGE DOUBLE CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
54EDK	54	27
60EDK	60	30
70EDK	70	35
80EDK	80	40
90EDK	90	45
100EDK	100	50



5 PIN ECONOMIC RANGE KEY AND TURN CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)	B (mm)
60ESK	60	30
70ESK	70	35
80ESK	80	40



5 PIN ECONOMIC RANGE HALF CYLINDER

Solid Brass Body
3 Keys of 2.2 mm thickness
Finish: Satin Nickel
Polished Brass


Item Code	A (mm)
45EHK	45



5 PIN ECONOMIC RANGE UNEQUAL DOUBLE CYLINDER

Solid Brass Body
Finish: Satin Nickel
Polished Brass
Supplied with 3 Keys of 2.2 mm Thickness each


Item Code	A (mm)	B (mm)
30-40EDK	30	40
30-50EDK	30	50
35-10EDK	35	10



5 PIN ECONOMIC RANGE OVAL CYLINDER

Solid Brass Body
 3 Keys of 2.2 mm thickness
 Finish: Satin Nickel
 Polished Brass


Item Code	A (mm)	B (mm)
70OVAL	70	35



ZINC DOUBLE CYLINDER

Zinc Body with Brass Inner Mechanism
 3 Keys of 2.2 mm thickness
 Finish: Satin Nickel
 Polished Brass

Item Code	A (mm)	B (mm)
70ZDK	70	35




DOOR CYLINDERS

BATHROOM CYLINDER

Solid Brass Body
One Side Knob without Key
Finish: Satin Nickel
Polished Brass

Item Code	A (mm)	B (mm)
60BK	60	30
70BK	70	35
80BK	80	40




FLUSH BOLTS

ZINC LEVER ACTION FLUSH BOLT DTDB001

Zinc Alloy
Finish: Satin Nickel
Accessories included: Screws
Applicable for Wooden Doors


A (mm)	B (mm)
150	20
200	20
250	20
300	20



STAINLESS STEEL LEVER ACTION FLUSH BOLT DTDB006

Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden Doors

A (mm)	B (mm)
200	25



LEVER ACTION FLUSH BOLT - BOX TYPE DTDB008

Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden Doors

A (mm)	B (mm)
200	19
300	19




FLUSH BOLTS

METAL DOOR FLUSH BOLT DTDB011


Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Metal Doors

A (mm)	B (mm)
170	25



BABY LATCH FLUSH BOLT DTDB013


Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden and Metal Doors



DUST PROOF SOCKET

DUST PROOF SOCKET DTDP002

Stainless Steel SUS 304
Finish: Satin
PVD



H COUPLE GLASS DOOR PULL HANDLE DTPH001

Stainless Steel SUS 304


Finish: Satin

Fixing: Back to Back, Bolt through

Accessories Included: Screws

Applicable for Glass and Wooden Doors

A (mm)	B (mm)	C (mm)	D (mm)
19	325	225	65
19	400	300	65
25	600	450	80
32	450	300	80
32	600	450	80
32	800	600	80
32	1200	1000	80
32	1400	1200	80
32	1500	1300	80
32	1600	1400	80
32	1800	1600	80



H SQUARE COUPLE GLASS DOOR PULL HANDLE DTPH001SQ

Stainless Steel SUS 304


Finish: Satin

Fixing: Back to Back, Bolt through

Accessories Included: Screws

Applicable for Glass and Wooden Doors

Square Size (mm)	A (mm)	B (mm)	C (mm)
25 x 25	450	300	50
25 x 25	600	450	50



D SQUARE TUBE PULL HANDLE DTPH015

Stainless Steel SUS 304
 Finish: Satin
 Fixing: Back to Back, Bolt through
 Accessories Included: Screws
 Applicable for Glass, Timber & Wooden Doors


Square Size (mm)	A (mm)	B (mm)	C (mm)
25 x 25	325	300	75
25 x 25	475	450	75
25 x 25	625	600	75



D PULL HANDLE WITH ROSE DTPH019

Stainless Steel SUS 304
 Finish: Satin
 Accessories Included: Screws
 Applicable for Wooden and Metal Doors

Ø (mm)	A (mm)	B (mm)
19	150	60
19	225	60
19	300	60



PULL HANDLES

D PULL HANDLE DTPH020


Stainless Steel SUS 304

Finish: Satin

Accessories Included: Screws

Applicable for Wooden and Metal Doors

Ø (mm)	A (mm)	B (mm)
19	225	60
25	300	60



SIGN PLATES

PUSH PLATE DTSP005


Stainless Steel SUS 304

Finish: Satin

“Push” Engraved

Accessories Included: Screws

Applicable for Wooden and Metal Doors



PULL PLATE WITH HANDLE DTPH023


Stainless Steel SUS 304

Finish: Satin

“Pull” Engraved

Accessories Included: Screws


Applicable for Wooden and Metal Doors



SIGN PLATES

MEN SIGN PLATE DTSPM


Stainless Steel SUS 304
Finish: Satin
Men Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors



SIGN PLATES


MEN SIGN PLATE ROUND DTSPM002

Stainless Steel SUS 304
Finish: Satin
Men Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors




WOMEN SIGN PLATE DTSPW

Stainless Steel SUS 304
Finish: Satin
Women Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors




WOMEN SIGN PLATE ROUND DTSPW002

Stainless Steel SUS 304
Finish: Satin
Women Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors




HANDICAP SIGN PLATE DTSPH

Stainless Steel SUS 304
Finish: Satin
Handicap Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors



HANDICAP SIGN PLATE ROUND DTSPH002


Stainless Steel SUS 304
Finish: Satin
Handicap Symbol Engraved
Accessories Included: Screws
Applicable for Wooden and Metal Doors



DOOR STOPPERS


HALF ROUND DOOR STOPPER DTDS001

Stainless Steel SUS 304
Finish: Satin
Type: Floor Mounted
Accessories included: Screws




FULL ROUND DOOR STOPPER DTDS010

Stainless Steel SUS 304
Finish: Satin
Type: Floor Mounted
Accessories included: Screws



WALL MOUNTED DOOR STOPPER DTDS016


Stainless Steel SUS 304
Finish: Satin
Type: Wall Mounted
Accessories included: Screws



DOOR STOPPERS


DOOR STOPPER WITH HOOK DTDS017

Stainless Steel SUS 304
Finish: Satin
Type: Door/Wall Mounted
Suitable For: Bathroom Doors
Accessories included: Screws




ZINC DOOR STOPPER WITH RUBBER STRIKER DTDS021

Zinc Alloy
Finish: Satin
Type: Wall Mounted
Accessories included: Screws



FOOT OPERATED FOLDING DOOR STOPPER DTDS022

Zinc Alloy
Finish: Satin Nickel
Polished Brass
Type: Door Mounted
Accessories Included: Screws




DOOR STOPPERS

DOOR STOPPER WITH COAT & HAT HOOK

DTDS024


Stainless Steel SUS 304
Finish: Satin
Type: Door Mounted
Suitable For: Bathroom Doors
Accessories Included: Screws



MAGNETIC DOOR STOPPER

DTDS028


Stainless Steel SUS 304
Finish: Satin
Type: Wall/Floor Mounted
Accessories included: Screws



HEAVY DUTY MAGNETIC DOOR STOPPER

DTDS030


Stainless Steel SUS 304
Finish: Satin
Type: Wall/Floor Mounted
Accessories included: Screws



MAGNETIC FLOOR MOUNTED DOOR STOPPER

DTDS031


Zinc Alloy
Finish: Satin Nickel
Polished Brass
Type: Floor Mounted
Accessories included: Screws



ZINC FOOT OPERATED DOOR STOPPER

DTDS034


Zinc Alloy
Finish: Satin Nickel
Type: Door Mounted
Foot Operated
Accessories included: Screws



STAINLESS STEEL FOOT OPERATED DOOR STOPPER


DTDS035

Stainless Steel SUS 304
Finish: Satin
Type: Door Mounted
Foot Operated
Accessories included: Screws




SECURITY DOOR GUARD WITH SWING ARM DTDG001

Zinc Alloy
Finish: Satin Nickel
Gold Plated
Accessories Included: Screws
Applicable for Wooden & Metal Doors




SECURITY DOOR CHAIN DTDG005

Brass
Finish: Satin Nickel
Gold Plated
Chrome Plated
Accessories Included: Screws
Applicable for Wooden & Metal Doors




CONCEALED SECURITY DOOR CHAIN DTDG002

Casting Stainless Steel
Finish: Satin Nickel
Gold Plated
Accessories Included: Screws
Applicable for Wooden & Metal Doors



SECURITY DOOR CHAIN WITH LEATHER COVER DTDG003


Zinc Alloy
Finish: Satin Nickel
Gold Plated
Accessories Included: Screws
Applicable for Wooden & Metal Doors



DOOR VIEWERS


BRASS DOOR VIEWER WITH COVER DTDV001

Brass
Finish: Satin Nickel
Gold Plated
Wide Angle View of 180°
Applicable for Wooden and Metal Doors
Suitable for Door Thickness: 35-55 mm



ZINC DOOR VIEWER WITH COVER DTDV002


Zinc Alloy
Finish: Satin Nickel
Gold Plated
Wide Angle View of 180°
Applicable for Wooden and Metal Doors
Suitable for Door Thickness: 35-55 mm



ESCUTCHEON


EURO PROFILE KEY HOLE DTES001

Stainless Steel SUS 304
Finish: Satin
Accessories Included: 2 Hex Screws & 4 Wooden Screws
Applicable for Wooden and Metal Doors



OVAL PROFILE KEY HOLE DTES004


Stainless Steel SUS 304
Finish: Satin
Accessories Included: 2 Hex Screws & 4 Wooden Screws
Applicable for Wooden and Metal Doors



INDICATOR KNOBS


THUMB TURN & RELEASE WITH INDICATOR DTIK002

Stainless Steel SUS 304
Finish: Satin
Accessories Included: Spindle, 2 Hex Screws
& 4 Wooden Screws
Applicable for Wooden and Metal Doors




THUMB TURN & RELEASE WITH INDICATOR (DISABLED) DTIK003

Stainless Steel SUS 304
Finish: Satin
Accessories Included: Spindle, 2 Hex Screws
& 4 Wooden Screws
Applicable for Wooden and Metal Doors



INDICATOR SHOWN

Red: Door is Closed
Green: Door is Open



DEADBOLT LOCKS


DEADBOLT LOCK WITH KEY AND TURN D101

Stainless Steel SUS 304
Finish: Stainless Steel
3 Brass Keys
Latch Size: 60-70 mm Adjustable Latch
Accessories Included: Striker & Screws



DEADBOLT LOCK WITH BOTH SIDE KEY D102

Stainless Steel SUS 304
Finish: Stainless Steel
3 Brass Keys
Latch Size: 60-70 mm Adjustable Latch
Accessories Included: Striker & Screws



KNOB SETS

COMMUNICATING LOCK

3877SSMLCC

Stainless Steel SUS 304

Finish: Stainless Steel

3 Brass Keys




Latch Size: 70 mm

Suitable for Door Thickness: 35-50 mm

Accessories Included: Striker & Screw

- Deadlocking latch bolt.

- Either knob operates latch bolt except when key in either knob locks the latch (key in either knob locks and unlocks independently of the other).



KNOB SETS

ENTRANCE KNOB SET

3 Brass Keys

Latch Size : 60 mm

70 mm

Accessories included: Latch

Latch Plate



Striker

Screws

- For entrance doors.
- Deadlocking latch bolt.
- Either knob operates latch bolt (except when outside knob is locked from inside).
- Pushing button in on inside knob locks the outside one.
- Turning inside knob or turning key in outside knob releases locked outside knob.
- Outside knob may be retained in locked position by pushing and turning button clockwise to a horizontal position not released until button is manually returned to the vertical position.
- Latch bolt is operated by key in outside knob or by rotating inside knob.
- Inside knob is always active.



Item Code	Material	Finish	Latch Plate
3871SSMLET	Stainless Steel SUS 304	Stainless Steel	SS
3871PBMLET	Brass Electroplate	Polished Brass	Iron



PRIVACY KNOB SET

Latch Size : 60 mm
 70 mm

Suitable for Door Thickness: 35-50 mm



Accessories included: Latch

Striker

Screws

- For lavatory or other privacy door.
- Either knob operates latch bolt unless outside knob is locked by push-button Inside.
- Button automatically releases when inside knob is turned or door is closed.
- A coin inserted and turned in emergency slot will unlock door from outside.
- Inside knob is always active.

Item Code	Material	Finish	Latch Plate
3872SSMLBK	Stainless Steel SUS 304	Stainless Steel	SS
3872PBMLBK	Brass Electroplate	Polished Brass	Iron



STAINLESS STEEL KNOB



DTKH001

Stainless Steel SUS 304

Finish: Satin

Type: Hollow

Accessories Included: Escutcheon
 Screws



CYLINDRICAL LOCKS AND LATCHES

CYLINDRICAL LEVER LOCK

3441SNMLET

Stainless Steel SUS 201 Round Rose with Zinc Alloy Lever

Finish: Satin Nickel

Rose Size: 75 mm

Latch Size: 60 mm / 70 mm

Accessories included: Latch

Stainless Steel Latch Plate

3 Pcs Brass Key

Striker

Screws



LATCHES

Item Code	A (mm)	Finish
DTL60SS	60	Stainless Steel
DTL60PB	60	Polished Brass
DTL70SS	70	Stainless Steel
DTL70PB	70	Polished Brass



FLOOR SPRINGS

FLOOR SPRING

Top Cover Stainless Steel 202



Finish: Polished Stainless Steel (PSS)

Maximum Opening & Closing: 125°

Maximum Door Weight: 100 Kgs

Maximum Door Width: 1000 mm




Item Code	Type
DT65HO	Hold Open at 90° (either direction)
DT65NH	Non-Hold Open



FLOOR SPRING

Top Cover Stainless Steel 202
 Full Casting Iron Body
 Finish: Polished Stainless Steel (PSS)
 Maximum Opening & Closing: 360°
 Maximum Door Weight: 150 Kgs
 Maximum Door Width: 1200 mm




Item Code	Type
DT75HO	Hold Open at 90° (either direction)
DT75NH	Non-Hold Open



FLOOR SPRING

DT84

Top Cover Stainless Steel 202
 Finish: Polished Stainless Steel (PSS)
 Maximum Door Weight: 120 Kgs
 Maximum Door Width: 1100 mm





FLOOR SPRINGS

FLOOR SPRING

DT3035

Top Cover Stainless Steel 202
Finish: Polished Stainless Steel (PSS)
Hold Open at 90° (either direction)
Maximum Door Weight: 130 Kgs
Maximum Door Width: 1200 mm







DOOR CLOSERS

DT071

Color: Silver
Adjustable closing speed (2 speeds)
Applicable for Left hand and Right hand doors
It can be installed on the frame or on the panel
Tested for 300,000 times opening and closing

Door Width (mm)	Door Weight (Kgs)	Closing Force	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
800-1000	40-65	3	176	39	63	162	19





DOOR CLOSERS

DT071C

Colors: Silver | Gold | White | Black | Brown | Beige
Adjustable closing speed (2 speeds)
Applicable for Left hand and Right hand doors
It can be installed on the frame or on the panel
Tested for 300,000 times opening and closing

Door Width (mm)	Door Weight (Kgs)	Closing Force	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
800-1000	40-65	3	194	41	66	177	19




DOOR CLOSERS

DT202

Color: Silver
Adjustable closing speed (2 speeds)
Applicable for Left hand and Right hand doors
It can be installed on the frame or on the panel
Tested for 300,000 times opening and closing

Door Width (mm)	Door Weight (Kgs)	Closing Force	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
800-1000	40-65	3	215	51	45	196	31




DOOR CLOSERS

DT3000A

Color: Silver
Adjustable closing speed (2 speeds)
Applicable for Left hand and Right hand doors
It can be installed on the frame or on the panel
Tested for 300,000 times opening and closing



Door Width (mm)	Door Weight (Kgs)	Closing Force	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
900-1200	65-85	4	210	60	40.5	43	50	76




DOOR CLOSERS

CONCEALED DOOR CLOSER DT982

Color: Silver
Adjustable closing speed (2 speeds) with hold open
Applicable for Left hand and Right hand doors
It can be installed on the frame or on the panel
Suitable for all kind of superior doors
Tested for 300,000 times opening and closing




Door Width (mm)	Door Weight (Kgs)	Closing Force
800-1100	65-85	4



FIRE RATED TOUCH BAR PANIC EXIT HARDWARE

SUS 304 Cover and Latch Bolt
 Finish: Stainless Steel
 Maximum Door Weight: 200 Kgs
 Maximum Door Width: 1320 mm
 Maximum Door Height: 2133 mm
 Suitable for Single & Double Doors
 Suitable for Left-Hand or Right-Hand doors without alteration
 Certification: Fire Rated comply to UL 10C


Item Code	Type
DTPD003	Touch Bar Panic Latch
DTPD004	Touch Bar Panic Bolt



NON-FIRE RATED TOUCH BAR PANIC EXIT HARDWARE

Maximum Door Weight: 200 Kgs
 Maximum Door Width: 1320 mm

Item Code	Material	Finish
DT97-SIL	Iron	Silver
DT97-SS	Stainless Steel	Stainless Steel



LEVER TRIM

DTPD012


Stainless Steel SUS 304

Finish: Stainless Steel

3 Keys

Applicable for Wooden & Metal Doors

Suitable for Fire Rated Doors



OUTSIDE ACCESS DEVICE


DTPD013

Stainless Steel SUS 304

Finish: Stainless Steel

Applicable for Wooden & Metal Doors

Suitable for Fire Rated Doors




STANDARD PADLOCKS

Brass Body with Steel Shackle

3 Keys

Item Code	A (mm)	B (mm)	C (mm)	Pins
DTPS20	20	14.5	3.5	3
DTPS25	25	14	4	4
DTPS30	30	15.7	5	4
DTPS40	40	23	6	5
DTPS50	50	29	8	5
DTPS60	60	35	10	5




PADLOCKS WITH LONG SHACKLE

Brass Body with Long Steel Shackle

3 Keys

Item Code	A (mm)	B (mm)	C (mm)	Pins
DTPL30	30	40	5	4
DTPL40	40	60	6	5
DTPL50	50	90	8	5
DTPL60	60	120	10	5



GLASS DOOR HARDWARE






PATCH FITTINGS

BOTTOM PATCH

DT10




Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8, 10 & 12 mm
Cover Thickness: 0.8 mm



TOP PATCH

DT20




Stainless Steel SUS 304 with Powder Metallurgy Ring
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8, 10 & 12 mm
Cover Thickness: 0.8 mm



CORNER PATCH

DT30



Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8, 10 & 12 mm
Cover Thickness: 0.8 mm



PATCH FITTINGS



L SHAPE PATCH DT40

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8, 10 & 12 mm
Cover Thickness: 0.8 mm





STRIKE BOX FOR CENTER PATCH LOCK DT80

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 10, 12 & 15 mm



CORNER LOCK KEEPER DT140TW



Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8, 10 & 12 mm



GLASS DOOR LOCKS



CORNER LOCK WITH SIDE ROD DT150C

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Dust Proof Socket Included
Brass Cylinder
Keys: 5 Brass Computer Keys
Suitable for Glass Thickness: 8, 10 & 12 mm





CENTER LOCK WITH SQUARE ROD DT150D

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Brass Cylinder
Keys: 5 Brass Computer Keys
Suitable for Glass Thickness: 8, 10 & 12 mm



CORNER LOCK WITH ROUND ROD DT150RD


Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Dust Proof Socket Included
Brass Cylinder
Keys: 5 Brass Computer Keys
Suitable for Glass Thickness: 8, 10 & 12 mm



GLASS DOOR LOCKS

GLASS DOOR CENTER LOCK - KEY/KEY DT010



Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Brass Cylinder
Keys: 3 Brass Computer Keys
Suitable for Glass Thickness: 10-12 mm



GLASS DOOR LOCKS


STRIKE BOX FOR DT100 DT100G

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 10-12 mm





GLASS DOOR CENTER LOCK - KEY/TURN DT010A

Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Brass Cylinder
Keys: 3 Brass Computer Keys
Suitable for Glass Thickness: 10-12 mm



GLASS DOOR LOCK DT100


Stainless Steel SUS 304
Finish: Polished Stainless Steel (PSS)
Brass Cylinder
Keys: 5 Brass Computer Keys
Suitable for Glass Thickness: 10-12 mm



SHOWER DOOR HINGES


WALL TO GLASS HINGES 90° DT301

Zinc
Finish: Chrome Plated (CP)
Suitable for Glass Thickness: 8-12 mm




GLASS TO GLASS HINGES 180° DT303

Zinc
Finish: Chrome Plated (CP)
Suitable for Glass Thickness: 8-12 mm



GLASS TO GLASS HINGES 90° DT304


Zinc
Finish: Chrome Plated (CP)
Suitable for Glass Thickness: 8-12 mm



GLASS BRACKETS


GLASS BRACKET - FLAT DT63

Zinc
Finish: Chrome Plated (CP)
Suitable for Glass Thickness: 8-12 mm



GLASS BRACKET - CURVED DT64


Zinc
Finish: Chrome Plated (CP)
Suitable for Glass Thickness: 8-12 mm



GLASS DOOR HANDLES


SHOWER GLASS DOOR HANDLE DT826

Stainless Steel
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 6-12 mm




GLASS DOOR HANDLE DT828

Stainless Steel
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8-15 mm



GLASS DOOR HANDLE DT829


Stainless Steel
Finish: Polished Stainless Steel (PSS)
Suitable for Glass Thickness: 8-15 mm



OTHER GLASS DOOR ACCESSORIES



TOP PIVOT DT502C

Stainless Steel
Finish: Chrome



TOP PIVOT AND BOTTOM ROD DTC56 / DTA84

Steel and Iron
Suitable with Floor Springs




FURNITURE HARDWARE



FURNITURE HANDLES AND KNOBS


FURNITURE SLIDING HANDLE - OVAL DTFH009

Stainless Steel SUS 304
Finish: Satin Nickel
Accessories included: Screws
Applicable for Wooden and Metal Doors




FURNITURE SLIDING HANDLE - RECTANGLE DTFH010

Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden and Metal Doors



FURNITURE HANDLE - ROUND DTFH014

Stainless Steel SUS 304
Finish: Satin
Accessories included: Screws
Applicable for Wooden and Metal Doors



CURVE PULL HANDLE

Stainless Steel
Finish: Satin Nickel
Polished Stainless Steel
Diameter: 10 mm
Accessories Included: 2 Screws

Item Code	Size (mm)
DTFH110-96	96
DTFH110-128	128
DTFH110-160	160
DTFH110-192	192
DTFH110-224	224
DTFH110-288	288
DTFH110-352	352
DTFH110-448	448



D PULL HANDLE

Stainless Steel
Finish: Satin Nickel
Polished Stainless Steel
Diameter: 10 mm
Accessories Included: 2 Screws

Item Code	Size (mm)
DTFH210-96	96
DTFH210-128	128
DTFH210-160	160
DTFH210-192	192
DTFH210-224	224
DTFH210-288	288
DTFH210-352	352
DTFH210-448	448



T BAR PULL HANDLE

Stainless Steel
Finish: Satin Nickel
Polished Stainless Steel
Accessories Included: 2 Screws

Item Code	CTC Size (mm)	Length (mm)	Diameter (mm)
DTFH310-96	96	150	10
DTFH312-96	96	150	12
DTFH310-128	128	200	10
DTFH312-128	128	200	12
DTFH310-160	160	250	10
DTFH312-160	160	250	12
DTFH310-192	192	300	10
DTFH312-192	192	300	12
DTFH310-224	224	350	10
DTFH312-224	224	350	12
DTFH310-288	288	450	10
DTFH312-288	288	450	12
DTFH310-352	352	550	10
DTFH312-352	352	550	12
DTFH310-448	448	700	10
DTFH312-448	448	700	12



FURNITURE HANDLES AND KNOBS

FINGER KNOB

Stainless Steel
Finish: Satin Nickel
Polished Stainless Steel
Accessories Included: 1 Screw

Item Code	Diameter (mm)	Height (mm)
DTFK001-16	16	22
DTFK001-20	20	25
DTFK001-25	25	30



STAINLESS STEEL BALL KNOB

Stainless Steel
Finish: Satin Nickel
Polished Stainless Steel
Accessories Included: 1 Screw

Item Code	Diameter (mm)
DTFK002-20	20
DTFK002-25	25
DTFK002-30	30



ZINC BALL KNOB

Zinc
Finish: Satin Nickel
Polished Stainless Steel
Accessories Included: 1 Screw

Item Code	Diameter (mm)
DTFK003-20	20
DTFK003-25	25
DTFK003-30	30



CABINET HINGES

CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Full Overlay
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.3 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTHA-2P	2 holes plate
DTHA-4P	4 holes plate



CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Half Overlay
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.3 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTHB-2P	2 holes plate
DTHB-4P	4 holes plate



CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Inset
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.3 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTHC-2P	2 holes plate
DTHC-4P	4 holes plate



CABINET HINGES 165°

Steel
Finish: Nickel Plated
Type: Full Overlay
Opening Angle: 165°
Cup Diameter: 35 mm
Door Thickness: 14-23 mm

Item Code	Plate
DTH165A-2P	2 holes plate
DTH165A-4P	4 holes plate



CABINET HINGES 165°

Steel
Finish: Nickel Plated
Type: Half Overlay
Opening Angle: 165°
Cup Diameter: 35 mm
Door Thickness: 14-23 mm

Item Code	Plate
DTH165B-2P	2 holes plate
DTH165B-4P	4 holes plate



CABINET HINGES 165°

Steel
Finish: Nickel Plated
Type: Inset
Opening Angle: 165°
Cup Diameter: 35 mm
Door Thickness: 14-23 mm


Item Code	Plate
DTH165C-2P	2 holes plate
DTH165C-4P	4 holes plate



SOFT CLOSING CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Full Overlay
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.5 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTSHA-2P	2 holes plate
DTSHA-4P	4 holes plate



SOFT CLOSING CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Half Overlay
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.5 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTSHB-2P	2 holes plate
DTSHB-4P	4 holes plate



SOFT CLOSING CABINET HINGES 110°

Steel
Finish: Nickel Plated
Type: Inset
Opening Angle: 110°
Cup Diameter: 35 mm
Door Dimension: 3-7 mm
Depth of the Cup: 11.5 mm
Door Thickness: 14-21 mm

Item Code	Plate
DTSHC-2P	2 holes plate
DTSHC-4P	4 holes plate



SOFT CLOSING CABINET HINGES 165°

Steel
 Finish: Nickel Plated
 Type: Full Overlay
 Opening Angle: 165°
 Cup Diameter: 35 mm
 Door Dimension: 3-8 mm
 Depth of the Cup: 11.5 mm
 Door Thickness: 14-25 mm

Item Code	Plate
DTSH165A-2P	2 holes plate
DTSH165A-4P	4 holes plate



SOFT CLOSING CABINET HINGES 165°

Steel
 Finish: Nickel Plated
 Type: Half Overlay
 Opening Angle: 165°
 Cup Diameter: 35 mm
 Door Thickness: 14-23 mm
 Door Dimension: 3-8 mm
 Depth of the Cup: 11.5 mm
 Door Thickness: 14-21 mm

Item Code	Plate
DTSH165B-2P	2 holes plate
DTSH165B-4P	4 holes plate



SOFT CLOSING CABINET HINGES 165°

Steel
 Finish: Nickel Plated
 Type: Inset
 Opening Angle: 165°
 Cup Diameter: 35 mm
 Door Thickness: 14-23 mm
 Door Dimension: 3-8 mm
 Depth of the Cup: 11.5 mm
 Door Thickness: 14-21 mm

Item Code	Plate
DTSH165C-2P	2 holes plate
DTSH165C-4P	4 holes plate



BUTTERFLY HINGES

DTBHA

Steel
 Finish: Nickel Plated
 Type: Full Overlay



SOFT CLOSING BUTTERFLY HINGES

DTBSHA

Steel
 Finish: Nickel Plated
 Type: Full Overlay



BOX HINGES

DTBX1



Steel
 Finish: Nickel Plated



FULL EXTENSION DRAWER CHANNELS - BALL BEARING

Steel
Finish: Galvanized Iron
Width: 45 mm
Load Capacity: 45 Kgs



Item Code	A (mm)	B (mm)	C (mm)
DTF25	250	250	45
DTF30	300	300	45
DTF35	350	350	45
DTF40	400	400	45
DTF45	450	450	45
DTF50	500	500	45
DTF55	550	550	45
DTF60	600	600	45
DTF65	650	650	45
DTF70	700	700	45
DTF75	750	750	45
DTF80	800	800	45
DTF85	850	850	45
DTF90	900	900	45



SOFT CLOSING DRAWER CHANNELS - BALL BEARING

Steel
Finish: Galvanized Iron
Load Capacity: 40 Kgs

Item Code	A (mm)	B (mm)	C (mm)
DTS25	250	250	45
DTS30	300	300	45
DTS35	350	350	45
DTS40	400	400	45
DTS45	450	450	45
DTS50	500	500	45
DTS55	550	550	45
DTS60	600	600	45



OVAL PIPE AND BRACKET

OVAL PIPE

Steel
Finish: Chrome Plated
Length: 3 Meters
Diameter: 30 mm x 15 mm



BRACKET FOR OVAL PIPES


Zinc
Finish: Chrome Plated



KD FITTINGS


MINIFIX CAM DTKD2514

Zinc Alloy
Finish: Satin Nickel
Suitable for 18 mm Panel




CONNECTING BOLT DTKD2270

Steel with Plastic sleeves



DOWEL DTKD2213

Plastic



ITEM CODE	PAGE	ITEM CODE	PAGE	ITEM CODE	PAGE	ITEM CODE	PAGE	ITEM CODE	PAGE
100DK	44	DT202	85	DTDS030	66	DTFK003-25	106	DTPL50	91
100EDK	48	DT30	93	DTDS031	67	DTFK003-30	106	DTPL60	91
110DK	44	DT3000A	86	DTDS034	67	DTH165A-2P	108	DTPS20	91
120DK	44	DT301	98	DTDS035	67	DTH165A-4P	108	DTPS25	91
30-40DK	47	DT303	98	DTDV001	70	DTH165B-2P	108	DTPS30	91
30-40EDK	49	DT3035	82	DTDV002	70	DTH165B-4P	108	DTPS40	91
30-50DK	47	DT304	98	DTES001	71	DTH165C-2P	108	DTPS50	91
30-50EDK	49	DT40	94	DTES004	71	DTH165C-4P	108	DTPS60	91
30-60DK	47	DT502C	101	DTF25	112	DTHA-2P	107	DTS25	113
3441SNMLET	78	DT63	99	DTF30	112	DTHA-4P	107	DTS30	113
35-10EDK	49	DT64	99	DTF35	112	DTHB-2P	107	DTS35	113
35-55DK	47	DT65HO	79	DTF40	112	DTHB-4P	107	DTS40	113
35-65DK	47	DT65NH	79	DTF45	112	DTHC-2P	107	DTS45	113
3871PBMLET	75	DT75HO	80	DTF50	112	DTHC-4P	107	DTS50	113
3871SSMLET	75	DT75NH	80	DTF55	112	DTIK002	72	DTS55	113
3872PBMGBK	76	DT80	94	DTF60	112	DTIK003	72	DTS60	113
3872SSMLBK	76	DT826	100	DTF65	112	DTKD2213	115	DTSH001	16
3877SSMLCC	74	DT828	100	DTF70	112	DTKD2270	115	DTSH002	16
40-70DK	47	DT829	100	DTF75	112	DTKD2514	115	DTSH006	16
45EHK	49	DT84	81	DTF80	112	DTKH001	77	DTSH007	17
45HK	46	DT97-SIL	89	DTF85	112	DTL60PB	78	DTSH010	17
50-60DK	47	DT97-SS	89	DTF90	112	DTL60SS	78	DTSH017	17
54DK	44	DT982	87	DTFH009	103	DTL70PB	78	DTSH023	18
54EDK	48	DTBB32.52.5/SS201	21	DTFH010	103	DTL70SS	78	DTSH024	18
60BK	52	DTBB4.543/SS304	21	DTFH014	103	DTML005-5578	26	DTSH025	18
60CDK	43	DTBB43.53/PVD	21	DTFH110-128	104	DTML005-6078	26	DTSH165A-2P	110
60DK	44	DTBB43.53/SS304	21	DTFH110-160	104	DTML008-2092	27	DTSH165A-4P	110
60EDK	48	DTBB433/PVD	21	DTFH110-192	104	DTML008-2592	27	DTSH165B-2P	110
60ESK	48	DTBB433/SS201	21	DTFH110-224	104	DTML008-3092	27	DTSH165B-4P	110
60SK	45	DTBB433/SS304	21	DTFH110-288	104	DTML008-3592	27	DTSH165C-2P	110
70BK	52	DTBB433/SS316	21	DTFH110-352	104	DTML008R-2092	28	DTSH165C-4P	110
70CDK	43	DTBB443/PVD	21	DTFH110-448	104	DTML008R-2592	28	DTSHA-2P	109
70DK	44	DTBB443/SS304	21	DTFH110-96	104	DTML008R-3092	28	DTSHA-4P	109
70EDK	48	DTBB533/SS201	21	DTFH210-128	104	DTML008R-3592	28	DTSHB-2P	109
70ESK	48	DTBB643/SS201	21	DTFH210-160	104	DTML009-5572	29	DTSHB-4P	109
70OVAL	50	DTBC004	39	DTFH210-192	104	DTML009-6072	29	DTSHC-2P	109
70SK	45	DTBHA	111	DTFH210-224	104	DTML009-6572	29	DTSHC-4P	109
70ZDK	51	DTBSHA	111	DTFH210-288	104	DTML009-7072	29	DTSP005	61
80BK	52	DTBX1	111	DTFH210-352	104	DTML010	30	DTSPH	62
80CDK	43	DTC56 / DTA84	101	DTFH210-448	104	DTML013-5572	31	DTSPH002	63
80DK	44	DTCH003	24	DTFH210-96	104	DTML013-6072	31	DTSPM	62
80EDK	48	DTCH004	24	DTFH310-128	105	DTML014	40	DTSPM002	63
80ESK	48	DTCH005	24	DTFH310-160	105	DTML015	32	DTSPW	62
80SK	45	DTCH006	24	DTFH310-192	105	DTML026-4585	33	DTSPW002	63
8545EPB	38	DTCH008	24	DTFH310-224	105	DTML026-5085	33	DTSS016/LH	22
8545ESN	38	DTCH009	24	DTFH310-288	105	DTML026-6085	33	DTSS016/RH	22
90DK	44	DTDB001	53	DTFH310-352	105	DTML026-7085	33	DTSS030	22
90EDK	48	DTDB006	53	DTFH310-448	105	DTML028	34	DTSS033	23
D101	73	DTDB008	53	DTFH310-96	105	DTML029	35	DTSS038	23
D102	73	DTDB011	54	DTFH312-128	105	DTML031	36	DTTH001-19	13
DT010	96	DTDB013	54	DTFH312-160	105	DTML035	41	DTTH001-22	13
DT010A	96	DTDG001	68	DTFH312-192	105	DTML037	42	DTTH001D	13
DT071	83	DTDG002	68	DTFH312-224	105	DTPD003	88	DTTH002	13
DT071C	84	DTDG003	68	DTFH312-288	105	DTPD004	88	DTTH003	14
DT10	93	DTDG005	69	DTFH312-352	105	DTPD012	90	DTTH005	14
DT100	96	DTDP002	55	DTFH312-448	105	DTPD013	90	DTTH008	14
DT100G	97	DTDS001	64	DTFH312-96	105	DTPH001	56	DTTH009	15
DT140TW	94	DTDS010	64	DTFK001-16	106	DTPH001SQ	57	DTTH019	15
DT150C	95	DTDS016	64	DTFK001-20	106	DTPH015	58	DTTP001-P-72	19
DT150D	95	DTDS017	65	DTFK001-25	106	DTPH019	59	DTTP001-P-85	19
DT150RD	95	DTDS021	65	DTFK002-20	106	DTPH020	60	DTTP001WC-LH	19
DT1739	37	DTDS022	65	DTFK002-25	106	DTPH023	61	DTTP001WC-RH	19
DT1919	20	DTDS024	66	DTFK002-30	106	DTPL30	91		
DT20	93	DTDS028	66	DTFK003-20	106	DTPL40	91		

Find our products on the web
www.dorfit.co.uk

We reserve all rights in this catalogue under the copyright law.

Reproduction of this catalog, in whole or in part, in any form or by any means, and the copying of any illustrations or product images contained herein is strictly prohibited without our written consent.

All technical descriptions and dimensional details given in this catalog are non-binding. We reserve the right to make changes in the product sizes and features at any time without prior notice. Colors may vary slightly from the actual product due to photography and printing techniques.

We accept no liability for printing errors or omissions which may occur in the production of this catalog.



LA DECOR L.L.C

T: +971 4 2289841
F: +971 4 2289845
E: info@ladecorllc.com
PO BOX: 41959
Nasser Square, Deira, Dubai, UAE.

T: +971 6 5364022
F: +971 6 5364021
E: info@ladecorllc.com
Industrial Area 2,
Sharjah, UAE.