الفجر التجارية (ش.ذ.م.م)

Al Fajer Trading L.L.C

1973

BUILDING MATERIALS
Division

BUILDING MATERIALS
Division

RBAC RSi KAJ

Dutile Iron, Cast Iron Manhole Cover and Frame
Solid Top, Recessed Top, Grating Type, Channel Grating, Kerb Gully, JRC Type
Grade B-125, Grade C-250, Grade D-400, Grade E-600, Grade F-900
BS EN 124-94 ISO 1083-500/7 (made in INDIA)

pica TERREAL

Natural Clay Roof Tiles, Decorative Bricks and Cotto Floors
Antique finished, Flat, Half round, A modern roofing solution. (made in Italy)

mazarón

Natural Clay Roof Tiles, Roja Baltica, Rojo Antiguo, Adour
Garonne, Nuance, Teja Ceramica Mixta (made in Spain)

Cejatel
WAVE Roof Tiles

Glazed Roof Tiles is a semigres high efficiency and qualy ceramic glazed tiles.
Fully water proof and resistance .

ERLUS

Classic, historical or modern shapes design, a great variety of colors
in the range of Ergoldbach ceramic. (made in Germany)

Kışıklar
Natural Clay Bricks
Handmade and Machine finished

Natural Clay Bricks, Hand made and Machine made, hand made slip bricks,
terra cotta tiles and landscape tiles, brick production in different shapes,
colors and textures (made in Turkey)

Gresmanc

Terra Cotta Floor Tiles, klinker products for flooring and
ventilated façade and high resistance of tiles.
(made in Spain)

Hæmmerlin
L' Equipement des Bâtisseurs

Temporary Garbage chute,Higher Flexibility and Lower Noise Impact
(made in France)

centaure

Aluminum Ladder and Scaffolding (made in France)

ALUSEL TURKEY

Rolling Shutter for Garage and Windows (made in Turkey)

BECKER
It's that easy.

Garage and Windows Tubular Motors. (made in Germany).

About Us - Our Mission and Values

Al Fajer Trading L.L.C. was founded in "1973" and has been one of the Leading Distributor of Renowned and Reputed Brand of Products, catering to the Construction and Consumer Section from Building Materials, Security Solution, Electric Golf Carts, Decorative Paint Collections, Surveying Equipments, Home Automation, Trading & Distribution Services.

Having "47 Years" of expertise in Imports, Exports and General Trading with highly qualified, experienced and professional multi-national team players, we are dedicated to providing Superior Customer Satisfaction, by achieving, maintaining and improving the quality of our products.

AFT is known and recognized to meeting all commitments in terms of Specifications, Quality, smooth and timely delivery in every projects we undertake, irrespective of value and quantity, as we value honesty, integrity and respect for long term business relationship.

We enjoys the reputation as the biggest and largest stockists of Manhole Covers, Gully Tops & Gratings from standard sizes to ODD sizes. We maintain an inventory of approx. AED 12 Million for Manhole Cover alone. We also keep huge stock of Natural Clay Tiles, Temporary Garbage Chute and Terracotta Floor Tiles.

Also, we take pride in our wide range varieties of Natural Decorative Clay Bricks – both Handmade and Machine Made in multiple selections/collections

Dutile Iron and Cast Iron, Manhole Cover and Frame

Solid Top, Recessed Top, Grating Type, Channel Grating, Kerb Gully, JRC Type
Grade B-125, Grade C-250, Grade D-400, Grade E-600, Grade F-900
BS EN 124-94 ISO 1083-500/7 (made in INDIA)

(**RB Agarwalla & Co. / RBA Export - India** founded in **1958**
are both exclusively producing **RBAC brand only**)

Natural Clay Bricks

Handmade and Machine finished

assos

atlas-multi

toscano

dark

pica®
roof tiles

Portuguese Interlocking Roof Tile
قرميد برتغالي متداخل الألوان

Cream / Beige

Natural Red Light Shade

New Romano

Antica Montefeltro

Antica Tuscania

Vecchia Urbinio

Natural Red Dark Shade

Dark Brown

Natural Red | Antica Montefeltro | Vecchia Urbinio

TERREAL

Old Country Oldish

Old Country Dark Panache

Old Country Panache

TILE RANGE

WAVE-Green Green / Green

WAVE-Marfim Ivory / Marfil

WAVE-Blue Blue / Blue

WAVE-Branca White / Blanco

WAVE-PinhÃ£o (Caramelo)

WAVE-BordÃ´ Burgundy / Bordo

WAVE-Grafitti Graffiti / Graffiti

WAVE-Cinza Gray / Gris

PREMIER-Cinza Gra / Gris

PREMIER-Grafitti Grafitti / Grafitti

PREMIER-Marfim Ivory / Marfil

PREMIER

PREMIER

PREMIER

PREMIER-BordÃ´ Burgundy / Bordo

PREMIER-Branca White / Blanco

ERLUS

Made in GERMANY

Rot engobiert*

Brazilbraun engobiert

Autunno engobiert

E'cotta engobiert

Anthrazit engobiert*

Edelengobe Wurzelholz

Rustik engobiert

Naturrot

Edelengobe Maroon

Kupferbraun engobiert*

PAJA ENVEJECIDA / *AGED STRAW*

MARRON / *BROWN*

TOLEDO / *TOLEDO*

NEGRA / *BLACK*

CREMA / *CREAM*

NUMANCIA / *NUMANCIA*

RIANO / *RIANO*

ADOUR / *ADOUR*

ALAMEDA / *ALAMEDA*

GARONNE / *GARONNE*

ELEGANCE / *ELEGANCE*

HARMONIE / *HARMONIE*

TERRA COTTA TILES

MADE IN SPAIN

Gresmanc

BORDE PISCINA PANA

BASE

PELDAÑO FIORENTINO

BORDE PISCINA

BORDE PISCINA TÉCNICO

antideslizante
anti slip

antiácido
stain resistant

antihielo
frost resistant

no se mancha
acid resistant

Rodamanto Asper

CTE CLASE 3
antideslizante
anti slip

antihielo
frost resistant

Peldaño Fiorentino

Borde Piscina

Base

antiácido
stain resistant

no se mancha
acid resistant

ROSETÓN

ESTRELLA

PIEZAS DECORADAS

CENEFA MOSAICO

ÁNGULO CENEFA MOSAICO

BASE NEGRA

BASE AMARILLA

TRIÁNGULO NEGRO

TRIÁNGULO AMARILLO

ALFOMBRADOS

CONSUEGRA

EL TOBOSO

ROSETONES

FONTEJÓN

MOLINOS

DULCINEA

MOSAICO

GUADALERZAS

Fiche Produit

Goulotte à gravats

Utilisation	Goulotte à gravats pour le déversement rapide des gravats de chantier Longueur utile : 0,85 m
Performance du produit / plus produit	Applications - Goulotte idéale pour l'évacuation des gravats sur les chantiers. Métiers Couvreurs, métiers de la rénovation Avantages - Procédé de fabrication par injection pour un produit plus robuste, plus léger, plus élastique. - Matériau de qualité : polypropylène copolymère de premier choix. - Renfort de zones d'usure épaisseur 5 mm de paroi maximum 7,5 mm Plus produit - Nervures intérieures longitudinales pour plus de résistance.

Fixation renforcée avec gachette de sécurité (exclusivité HAEMMERLIN)

Support allège
EAN 315503181030 6

Support échafaudage
EAN 315503181045 0

Support pour dalles
EAN 315503181035 1

Trémie de chargement en situation intermédiaire

Treuil à main
EAN 315503181040 5

Caractéristiques techniques	Résistance des chaînes : 1000 kg/chaîne. Longueur totale : 1,1 m. Longueur utile : 0,85 m. Epaisseur paroi : 5 à 7,5 mm. Diamètre intérieur : 505 / 380 mm. Diamètre extérieur : 540 mm. Largeur hors-tout : 620 mm. Poids : 8,6 kg.

Goulotte à gravats
EAN 315503181010 8

Trémie de chargement
EAN 31550318020 7

Référence	Goulotte à gravats Code 318101001 Code EAN 315503181010 8

HAEMMERLIN SAS – B.P. 30045 – 67701 Saverne Cedex - France
Tél. + 33 (0)3 88 01 85 00 – Fax + 33 (0)3 88 71 18 01
E-mail : sas@haemmerlin.com - www.haemmerlin.com

Hæmmerlin® est. 1867

L' Equipement des Bâtisseurs

HSAS 06.03

Fiche Produit

RUBBISH CHUTES

مرسى دبي
DUBAI MARINA

Hæmmerlin®
est. 1867

Professional Range

Wheelbarrow

Hæmmerlin est. 1867

L' Equipement des Bâtisseurs

Wheelbarrows

Standard 1041

Basic 1039

Renovation 1061 G

Renovation 108 G

The standard professional range has withstood the test of time and forms a valuable part of the Haemmerlin product portfolio. Its special characteristics are a double shifted edge around the tray for strength and rigidity which is further enhanced by front and side ribbing, and Ø 400 mm wheel with a 4 ply pneumatic tyre (not 2 ply like many competitors).

ALUMINIUM SINGLE LADDER

Type S

GS NF EN 131

- Ladder for access to a fixed point
- Profile and treads made of aluminium

ALUMINIUM PUSH UP LADDER 2 SECTIONS

Type CM2 / NCM2

GS NF EN 131

- Ladder designed for work at medium height
- Safety locking system in the working position
- Can optionally be equipped with hooks, castors wall skids (see accessories)

ALUMINIUM PUSH UP LADDER 3 SECTIONS

Type NCM3

GS NF EN 131

- Profiles integrates the sliding system and permits an easy elevation for 5 to 10 meters height
- Ladder designed for work from 7 to 9.5 m
- Safety locking system in the working position
- Series equipped with rubber top rollers

ALUSEL®

TURKEY

INSULATED ALUMINUM ROLLING SHUTTER FOR GARAGES/ COMMERCIAL / INDUSTRIAL PURPOSE.

SEE-THRU GRILL /PERPORATED /POLYCARBONATE ROLLING SHUTTER FOR SHOP FRONTS.

WINDOWS & COUNTER SHUTTERS.

ROLLING SHUTTER & ALLIED SYSTEMS

www.chiohd.com

C.H.I. OVERHEAD DOORS

Pictured. 16' x 8' 2216 white with optional 2-4 pc sunburst windows, 9' x 8' 2216 white with optional 4 pc sunburst windows

C.H.I. OVERHEAD DOORS™
The Door to Quality.

3216

THERMALLY-BROKEN INSULATED STEEL SANDWICH DOOR

08 36 13/CHI
Buyline 3132

www.chiohd.com

C.H.I. OVERHEAD DOORS

9' x 7' 3216 white with optional 24" x 12" windows.

DURABLE.
THERMALLY-BROKEN.

BUILDING MATERIALS *Division*

RBAC · RSI · KAJ · pica · ERLUS · TERREAL · CEMPO · Cejatel · mazarrón cerámicas · Gresmanc · Favemanc Sistemas de fachada ventilada · Hæmmerlin est. 1867 · centaure · ALUSEL · C.H.I. Overhead Doors · BECKER So einfach geht das.

SECURITY SOLUTIONS & EQUIPMENTS *Division* · Consumer *Division* · Scientific *Division* · ECOCAR *Division*

ASTROPHYSICS Authorized Dealer · eia · GARRETT METAL DETECTORS www.garrett.com · SentrySafe · san marco Complete Decorative Systems · Harris Inspiration Innovation Decoration · TOUGHBUILT · TACTIX · FISKARS · SEMILLAS fito · SONAR · SMARTOOLS AL FAJER ESTABLISHMENT · TOPCON Surveying - Positioning Instruments · BIM · MAGNET Field · EXCAR · Trojan Battery Company *Clean energy for life.*

Our Certifications

ISO 9001: 2015 STANDARD OF QUALITY MANAGEMENT

ISO 14001:2015 STANDARD OF ENVIRONMENT MANAGEMENT

ISO 45001:2018 STANDARD OF OCCUPATIONAL HEALTH & SAFETY

القيمة المحلية المضافة IN-COUNTRY VALUE

Head Office - Dubai:
Tel.: +971 4 333 2985
Fax: +971 4 333 2981
P.O.Box: 1600, Dubai - U.A.E.

Dubai Airport Road:
Tel.: +971 4 282 3145
Fax: +971 4 282 3015
P.O.Box: 1600, Dubai - U.A.E.

Abu Dhabi:
Tel.: +971 2 641 1303
Fax: +971 2 641 1378
P.O.Box: 2752, Abu Dhabi - U.A.E.

Building Materials Division:
Tel.: +971 4 333 1095
Fax: +971 4 333 1548
P.O.Box: 1600, Dubai - U.A.E.

E-mail: building@fajerest.ae, Website: www.fajerest.com