




# HOUSE OF BOLTS & FASTENING

ACCESSORIES TRADING CO. LLC



Dealers In All Kinds Of  
Fasteners, Hardware, Building Materials &  
General Order Suppliers

# HOUSE OF BOLTS & FASTENING

## ACCESSORIES TRADING CO. LLC

# COMPANY PROFILE

HOUSE OF BOLTS & FASTENING ACCESSORIES Trading LLC, a Dubai-based and operated small business, was founded in 2012 as a fastener distributor for all types of industries. Through the years we have set the standard for customer service by providing creative solutions to difficult customer applications. Our sales and customer service team members work with our customers to explore and define their fastener and tooling needs.

Our success is based on our ability to provide quality products, excellent customer service and competitive pricing that is backed by engineering, application and design assistance. Each of our locations provide professional sales assistance, technical support and local product availability.

HOB offers fasteners for commercial, industrial, manufacturing and oilfield applications. We can specially fabricate any particular product to any dimension.

HOB stocks thousands of different fastener products from leading manufacturers of the world. We have a fastener to meet your needs. If we cannot meet your fastener specifications or requirements, then we shall work in conjunction with the manufacturer to get you the fastener you need. Solving customer problems is our primary goal, and is just one more reason why people come back to HOB with their fastener needs.



HEXAGON BOLTS  
DIN 931/933



CARRIAGE BOLTS  
DIN 603



ROOFING BOLTS



SOCKET CAP SCREWS  
DIN 912



LOW HEAD SKT. SCREWS  
DIN 6912



CSK SKT SCREWS  
DIN 7991



BOTTOM HEAD SKT  
SCREWS ISO 7380



SOCKET SET SCREWS  
DIN 916



PAN MACHINE SCREWS  
DIN 7985



CSK MACHINE SCREWS  
DIN 963/965



WING SCREWS  
DIN 316



T BOLT



CONVEYER BELT BOLT



GUARDRAIL BOLTS



TORQUE SHEAR BOLT



HEXAGON NUTS  
DIN 934



NYLOCK NUTS  
DIN 985



CAP NUTS  
DIN 1587



FULL THREADED STUD BOLT



SELF DRILLING SCREWS  
DIN 7504 / P / N



SELF DRILLING SCREWS  
DIN 7504 / K



THIN NUTS  
DIN 936 / 439



FLANGE NUTS  
DIN 6923



WING NUTS  
DIN 315



LAG SCREWS(COACH SCREWS)  
DIN 571



DRYWALL / GYPSUM  
SCREWS



WOOD SCREW  
DIN 97



CASTLE NUT  
DIN 935



COUPLING NUTS  
DIN 6334



CAGE NUTS



PAN/CSK SELF TAPPING  
DIN 7981 / 7982



WELD STUD



NYLON BOLTS



SQUARE WELD NUTS  
DIN 928



HEX WELD NUTS  
DIN 929



ALL METAL LOCK NUT



SQUARE NUTS  
DIN 557



SPRING NUTS



RIVETS NUTS  
UNI 9201/9202



FLAT WASHERS  
DIN 125/ DIN 9021



SPRING WASHERS  
DIN 127



TAPER WASHERS  
DIN 434



PUSH NUTS



ALL METAL CONE  
LOCK NUT



SPEED NUTS



CUP WASHERS



SERRATED WASHERS  
6798J / 6798A



LOAD INDICATING WASHER  
ASTM F959M



ANCO LOCK NUT



PAL NUTS  
DIN 7967



TEETH NUTS  
DIN 1624



CONTACT WASHERS  
NFE 25-511



WAVE WASHERS



BELLEVILLE / DISC WASHERS  
DIN 2093



SPRING TOGGLES



SQUARE WASHER



NORD LOCK WASHER



SAFETY WASHERS



DOWTY WASHERS



TAB WASHERS  
DIN 463



SLEEVE ANCHORS



DROP IN ANCHORS



CHEMICAL ANCHORS



SOLID DOWEL PINS  
DIN 6325



R PINS



TAPER PINS  
DIN 1



L TYPE ANCHORS



J TYPE ANCHORS



WEDGE ANCHORS



INT CIRCLIPS  
DIN 472



BLIND RIVETS  
DIN 7337



SLOTTED SPRING PIN  
DIN 1481



U BOLTS  
DIN 3570



RAWL / BOLTS



DOWEL SCREWS



EXT CIRCLIPS  
DIN 471



SPLIT PINS  
DIN 94



CLEVIS PIN



METAL FRAME ANCHORS



CEILING ANCHORS



CAVITY ANCHORS



THREADED RODS  
DIN975



HILLSIDE WASHER



ENGG. STUDS



LINK CHAINS




TURN BUCKLES



LONG D SHACKLES



PVC SCREW CAP



SWIVEL JAW TO JAW



PVC HEX CAP



LIFTING EYE BOLT/NUTS  
DIN 580/582



SNAP HOOKS



WIRE ROPES



BEAM CLAMP



THREAD INSERTS



SHEAR STUD



EYE BOLTS



WIRE ROPE CLIPS




S.S. QUICK LINK



THIMBLE



TAM SHIELD



CONCRETE  
ANCHOR BOLT



S.S. SWIVEL



TWISTED SHACKLES



BOW SHACKLES



SWIVEL EYE TO JAW



S.S. SWIVEL EYE TO EYE



TEFLON SHEETS  
NYLON/PTFE RODS



RED PU H/D CASTER



TEFLON/NYLON H/D CASTER



BLACK RUBBER CASTER H/D



SCAFFOLDING WHEEL  
BLACK RUBBER



SCAFFOLDING WHEEL  
RED PU



RED ABS CASTER



WHITE PP CASTER



TPU FURNITURE CASTER



BLACK PU CASTER  
DOUBLE BEARING



SLIDING GATE WHEEL  
HALF BRACKET



SLIDING GATE WHEEL



SLIDING GATE WHEEL  
FULL BRACKET



SLIDING TRACK WHEELS



PNEUMATIC WHEELS 12"



PNEUMATIC WHEELS 10"

BRANDS WE DEAL



Fixing Systems



Sochet Products



Stainless Steel  
Fasteners



Castor Wheels



Castor Wheels



SS Fasteners



High Tensile  
Fasteners



Fasteners

LIST OF DIN GERMAN SPECIFICATION FOR FASTENERS

S.No.	DIN	ISO	PARTICULARS
1.	1	2339	Taper Pin.
2.	7	2338	Parallel Pins.
3.	83	-----	Slotted Countersunk head screws, Metric thread.
4.	84	1207	Slotted Cheese Head Screws.
5.	85	1580	Slotted Pan Head Screws.
6.	87	-----	Slotted Countersunk head screws, Metric thread.
7.	88	-----	Slotted Raised Countersunk head screws, Metric thread.
8.	91	-----	Slotted Raised Countersunk head screws, Metric thread.
9.	93	-----	Washers with Tap.
10.	94	1234	Split Pins
11.	95	-----	Slotted Raised Countersunk (Oval) head wood screws
12.	96	-----	Slotted Round Head Wood Screws
13.	97	-----	Slotted countersunk (flat) head wood screws
14.	101	R1951	Rivets, technical specifications
15.	124	R1951	Round head rivets, nominal diameters 10 to 36
16.	125	7095	Medium washers for hexagonal bolts and nuts
17.	126	7091	Coarse washers for Hexagonal Bolts & Nuts
18.	127	-----	Single Coil Spring Washers, positive pattern & plan pattern
19.	128	-----	Spring Washers, Curved Crinkled.
20.	137	-----	Spring Washers
21.	188	-----	Tee-Head bolts with square neck
22.	258	-----	Taper pins with thread and constant taper length
23.	261	-----	Tee Head Bolts
24.	302	R1951	Countersunk head rivets, nominal diameters 10 to 36mm
25.	315	-----	Wing Nuts
26.	316	-----	Wing Screws
27.	404	-----	Slotted drilled Filister head machine screws
28.	417	7435	Slotted set screws with full dog point.
29.	427	427	Slotted headless screws with chamfered end
30.	432	-----	Washers with external tab
31.	433	-----	Washers for cheese head screws
32.	434	-----	square taper/beveled) washers for channels
33.	435	-----	Round washers for wood constructions
34.	436	-----	Eye bolts
35.	438	438	Washers with two tabs
36.	439	-----	Knurled thumb screws
37.	440	7094	Round washers for wood constructions
38.	444	-----	Eye bolts
39.	483	-----	Washers with two tabs
40.	484	-----	Knurled thumb screws
41.	485	-----	Slotted knurled thumb screws
42.	486	-----	knurled Nuts
43.	487	-----	Flat Knurled Nuts
44.	478	-----	Square Head bolts with collar
45.	478	-----	Square head bolts with half dog point, metric thread, metric fine thread
46.	480	-----	Square head bolts with collar and half dog point with rounded end.
47.	508	-----	Nuts for T-slots
48.	522	4759/3	Washers technical specifications
49.	525	-----	Stud for welding
50.	529	-----	Stone bolts
51.	548	-----	Slotted round nuts
52.	551	4786	Slotted set screws with chamfered ends
53.	553	7434	Slotted sets screws with cone end
54.	555	4034	Hexagon Nuts, Metric thread, finish g
55.	561	-----	Hexagon screws with full dog point, metric thread
56.	562	-----	Square thin nuts
57.	564	-----	Hexagon set screws with half dog point and cone end, metric thread
58.	571	-----	Hexagon head wood screws
59.	580	-----	Lifting eye bolts
60.	582	-----	Lifting eye nuts
61.	601	4016	Hexagon bolts without and with nut, finishing

LIST OF DIN GERMAN SPECIFICATION FOR FASTENERS

S.No.	DIN	ISO	PARTICULARS
62.	603	-----	Cup square bolts without and with nut
63.	604	-----	Countersunk nip bolts without and with nut.
64.	605	-----	countersunk square bolts with log square without and with nut.
65.	607	-----	Round head nip bolts without and with nut
66.	609	-----	Hexagon fitting bolts with long threaded portion.
67.	610	-----	Hexagon fitting bolts with short threaded portion.
68.	633	-----	Flat knurled thumb screws.
69.	660	R1951	Round head rivets, nominal diameters 1 to 8mm.
70.	661	R1051	Countersunk head rivets, nominal diameters 1 to 8 mm.
71.	662	R1051	Mushroom head rivets , nominal diameters 1.6 to 6 mm.
72.	675	R1051	Flat Countersunk head rivets, nominal diameters 1.6 to 6 mm.
73.	792	-----	Cylindrical countersunk screws.
74.	797	-----	Special foundation bolts
75.	798	-----	Special foundation nuts.
76.	835	-----	Studs, metal end 2 d.
77.	911	2936	Sockets screw keys.
78.	912	4762	Hexagon socket head cap screws: ISO 4762 modified.
79.	913	4026	Hexagon socket set screws with flat point.
80.	914	4027	Hexagon socket set screws with cone point.
81.	915	4028	Hexagon socket set screws with dog point.
82.	916	4029	Hexagon socket set screws with cup point.
83.	917	-----	Hexagon cap nuts.
84.	918	-----	Fasteners, terminology and nomenclature , definitons abbreviations.
85.	920	-----	Slotted pan head screws with small head.
86.	921	-----	Slotted pan head screws with large head.
87.	922	-----	Slotted pan head screws with small head and full dog point.
88.	923	-----	Slotted pan head screws with shoulder.
89.	924	-----	Slotted countersunk (oval) head screws with full dog point.
90.	925	-----	Slotted countersunk (flat) head screws with dog point.
91.	926	-----	Slotted headless screws with full dog point.
92.	927	-----	Slotted shoulder screws.
93.	928	-----	Square weld nuts.
94.	929	-----	Hexagon weld nuts.
95.	931	4014	Hexagon bolts, finish m and mg, metric coarse thread.
96.	933	4017	Hexagon screws, finish m and mg, metric fine thread.
97.	934	4032	Hexagon nuts, metric thread, finish m and mg.
98.	935	-----	Castle nuts.
99.	936	-----	Hexagon thin nuts.
100.	937	-----	Hexagon thin slotted and castelated nuts.
101.	939	-----	Studs, metal end - 1, 2, 5 d.
102.	960	4014	Hexagon bolts, metric fine thread, finish m and mg.
103.	961	4017	Hexagon screws, finish m and mg.
104.	963	-----	Slotted counter sunk (flat) head screws.
105.	964	-----	Slotted raised countersunk (oval) head screws.
106.	965	-----	Cross recessed countersunk head screws.
107.	966	-----	Cross recessed countersunk (oval) head screws.
108.	975	-----	Threaded rods.
109.	976	-----	Threaded pins.
110.	979	-----	Thin slotted and castle nuts.
111.	980	-----	Prevailing torque type self locking nuts.
112.	982	-----	Prevailing torque type self locking nuts.
113.	992	-----	Hexagon nuts, self-locking nuts, regular type (heavy type)
114.	985	-----	Self-locking hexagon nuts, regular type.
115.	986	-----	Self-locking domed cap nuts.
116.	1151	-----	Round plain head nails.
117.	1168	-----	Wire nails extra large head.
118.	1448	-----	Washers, type Medium for Bolts.
119.	1587	-----	Hexagon domed cap nuts.
120.	1804	-----	Slotted round nut for hook spanner.
121.	250772	-----	Bolts for Pipelines, directives for selection.
122.	2509	-----	Double end studs.
123.	990371	-----	Fish bolts with round head and oval neck.



LIST OF DIN GERMAN SPECIFICATION FOR FASTENERS

S.No.	DIN	ISO	PARTICULARS
124.	596312	-----	Fish bolts with square head.
125.	6303	-----	Knurled nuts.
126.	6330	-----	Thick hexagon nuts.
127.	6331	-----	Thick hexagon nuts with collar.
128.	6791	R1951	Semi-tubular pan head rivets nominal diameter 1.6 to 10 mm.
129.	6792	R1951	Semi-tubular countersunk head rivets, nominal diameters 1.6 to 10 mm.
130.	6796	-----	Council spring washers for screwed connections.
131.	6797	-----	Toothed lock washers.
132.	6798	-----	Serrated lock washers.
133.	6900	-----	Screw and washer assemblies.
134.	6901	-----	Tapping Screw assemblies.
135.	6902	-----	Washers for screw assemblies.
136.	6903	-----	Washers for tapping screw assemblies.
137.	6904	-----	Curved spring washers for screw assemblies.
138.	6905	-----	Spring washers for screw assemblies.
139.	6906	-----	Lock washers for screw assemblies.
140.	6907	-----	Serral lock washers for screw assemblies.
141.	6908	-----	Conical spring washers for screw assemblies.
142.	6912	-----	Hexagon socket head cap screws shallow head and pilot recess for wrench key.
143.	6913	-----	Spring washers with safety rings.
144.	6914	DIS 7412	Hexagon bolts with large widths across flats.
145.	6915	DIS 7414	Hexagon nuts with large widths across flats for high tensile structural bolting.
146.	6916	DIS 7416	Washers for high-tensile structural bolting.
147.	6917	-----	Square taper washers for I-sections in high-tensile structural bolting.
148.	6918	-----	Square taper washers for channels in high-tensile structural bolting.
149.	7331	-----	Compression rivets.
150.	7339	-----	Tubular rivets (one piece), drawn from strip.
151.	7340	-----	Tubular rivets, cut from the tube.
152.	7341	R1951	Rivet pins.
153.	7348	-----	Washers for bolts with heavy type spring pins.
154.	7513	-----	Thread forming screws, hexagon and slotted head screws.
155.	7516	-----	Thread forming screws, cross recessed head screws.
156.	7964	-----	Hexagon bolts with reduced shank.
157.	7965	-----	Screw inserts.
158.	7967	-----	Self locking counter nuts.
159.	7968	-----	Hexagon fit bolts for sheet structures.
160.	7969	-----	Countersunk head bolts with forged slot for sheet structures.
161.	7971	-----	Pan head tapping screws with slot.
162.	7972	-----	Countersunk (flay) head tapping screws with slot.
163.	7973	-----	Raised countersunk (oval) head wood screws.
164.	7975	-----	Recessed countersunk (oval) head wood screws.
165.	7676	-----	Hexagon head tapping screws.
166.	7677	-----	Taper pins with thread and constant threaded part.
167.	7978	-----	Taper pins with internal thread.
168.	7979	-----	Parallel pins with internal thread.
169.	7980	-----	Single coils square section spring washers for screws with cylindrical heads.
170.	7981	-----	Pan head tapping screws with cross recessed.
171.	7982	-----	Countersunk (flat) head tapping screws with cross recessed.
172.	7983	-----	Raised Countersunk (oval) head tapping screws with cross recessed.
173.	7984	-----	Hexagon socket head cap screws with reduced height on head.
174.	7985	-----	Cross recessed raised cheese head screws.
175.	7987	-----	Cross recessed countersunk (flat) head Screws.
176.	7988	-----	Cross recessed raised countersunk (oval) head screws.
177.	7989	-----	Washers for steel constructions.
178.	7990	-----	Hexagon bolts and nuts for steel structures.
179.	7991	-----	Hexagon socket countersunk head screws metric thread.
180.	7992	-----	TEE-head bolts with large heads.
181.	7995	-----	Cross recessed raised countersunk (oval) head wood screws.
182.	7996	-----	Cross recessed round head wood screws.
183.	7997	-----	cross recessed countersunk (fat) head wood screws.
184.	7999	-----	Slotted cheese head screws for fine mechanics, M 0.3 to M 1.4
185.	8243	-----	Hexagon fitted bolts with large widths across flats for steel structures.

Size	Equivalent to mm	BSF			UNC			UNF		M.M			
		TPI	Inch	Metric	TPI	Inch	Metric	TPI	Inch	Metric	Basic dia	Pitch	TPI
No.1	1.854	--	--	--	64	.016	0.397	72	.014	0.353	3	0.5	50.8
No.2	2.184	--	--	--	56	.018	0.454	64	.016	0.397	3.5	0.6	42.3
No.3	2.515	--	--	--	48	.021	0.529	56	.018	0.454	4	0.7	36.2
No.4	2.845	--	--	--	40	.025	0.635	48	.021	0.529	4.5	0.75	33.8
No.5	3.175	--	--	--	40	0.25	0.635	44	0.23	0.577	5	0.8	31.7
No.6	3.505	--	--	--	32	0.31	0.794	40	0.25	0.635	6	1	25.4
No.8	4.166	--	--	--	32	0.31	0.794	36	0.28	0.706	7	1	25.4
No.10	4.826	--	--	--	24	0.41	1.058	32	0.31	0.794	8	1.25	20.3
No.12	5.486	--	--	--	24	0.41	1.058	28	0.36	0.907	9	1.25	20.3
1/8"	3.175	--	--	--	--	--	--	--	--	--	10	1.5	16.9
3/16"	4.762	32	.031	0.794	--	--	--	--	--	--	11	1.5	16.9
1/4"	6.350	26	0.38	0.977	20	.050	1.270	28	.036	0.907	12	1.75	14.5
5/16"	7.938	22	0.45	1.154	18	.055	1.411	24	.041	1.058	14	2	12.7
3/8"	9.525	20	.050	1.270	16	.062	1.588	24	.041	1.058	16	2	12.7
7/16"	11.112	18	.055	1.411	14	.071	1.814	20	.050	1.270	18	2.5	10.1
1/2"	12.700	16	.062	1.588	13	.077	1.954	20	.050	1.270	20	2.5	10.1
9/16"	14.288	16	.062	1.588	12	.083	2.117	18	.055	1.411	22	2.5	10.1
5/8"	15.875	14	.071	1.814	11	.091	2.309	18	.055	1.411	24	3	8.4
11/16"	17.462	14	.071	1.814	--	--	--	--	--	--	25	3	8.4
3/4"	19.050	12	.083	2.117	10	.100	2.540	16	.062	1.588	27	3	8.4
7/8"	22.225	11	.091	2.309	9	.111	2.822	14	.071	1.814	30	3.5	7.2
1"	25.400	10	.100	2.540	8	.125	3.175	12	.083	2.117	33	3.5	7.2
1.1/8"	28.575	9	.111	2.872	7	.143	3.629	12	.083	2.117	36	4	6.3
1.1/4"	31.750	9	.111	2.872	7	.143	3.629	12	.083	2.117	39	4	6.3
1.3/8"	34.925	8	.125	3.175	6	.166	4.233	12	.083	2.117	42	4.5	5.6
1.1/2"	38.100	8	.125	3.175	6	.166	4.233	12	.083	2.117	45	4.5	5.6
1.5/8"	41.275	8	.125	3.175	--	--	--	--	--	--	48	5	5.1
1.3/4"	44.450	7	.143	3.629	5	.200	5.080	--	--	--	52	5	5.1
2"	50.800	7	.143	3.629	4.5	.222	5.644	--	--	--	56	5.5	4.6
2.1/4"	57.150	6	.166	4.233	4.5	.222	5.644	--	--	--	60	5.5	4.6
2.1/2"	63.500	6	.166	4.233	4	.250	6.350	--	--	--	64	6	4.2
2.3/4"	69.850	6	.166	4.233	4	.250	6.350	--	--	--	68	6	4.2
3"	76.200	5	.200	5.080	4	.250	6.350	--	--	--	72	6	4.2
3.1/2"	88.900	--	--	--	--	--	--	--	--	--	76	6	4.2
4"	101.600	--	--	--	--	--	--	--	--	--	80	6	4.2
5"	127.000	--	--	--	--	--	--	--	--	--	90	6	4.2
6"	152.400	--	--	--	--	--	--	--	--	--	100	6	4.2

MECHANICAL PROPERTIES OF BOLTS, SCREWS AND STUDS

Mechanical Properties		4.6	4.8	5.6	5.8	6.8	<	>	9.8	10.9	12.9
Tensile Strength, R/MN/mm <sup>2</sup>	Nom	400	400	500	500	600	800	800	900	1000	1200
	Min	400	420	500	520	600	800	830	900	1040	1220
Vickers Hardened HV	Min	120	130	155	160	190	230	255	280	310	372
	Max	220	220	220	220	250	300	336	360	382	434
Brinell Hardness, F-3002 HB	Min	114	124	147	152	181	219	242	266	295	353
	Max	209	209	209	209	238	285	319	342	362	412
Rockwell Hardness HR	Min	HR	67	71	79	82	89	--	--	--	--
		HRC	--	--	--	--	--	20	23	27	31
		HRB	95	95	95	95	99	--	--	--	--
	Max	HRC	--	--	--	--	--	30	34	36	39
Surface Hardness HV Max		--	--	--	--	--	320	356	380	402	454
Yield Stress, Rel, N/mm <sup>2</sup>	Nom	240	320	300	400	480	--	--	--	--	--
	Min	240	340	300	420	480	--	--	--	--	--
Stress at perman set N/mm <sup>2</sup> Limit, R	Nom	--	--	--	--	--	640	640	720	900	1080
	Min	--	--	--	--	--	640	660	720	940	1100
Stress under proof load, S	Sp/Rel	0.94	0.91	0.94	0.91	0.91	0.91	0.91	0.91	0.88	0.88
	N/mm <sup>2</sup>	225	310	280	380	440	580	600	650	630	970
Elongation after fracture A%	Min	22	14	20	10	8	12	12	10	9	8
Strength under wedge load	The Values for full size bolts and screws (not studs) should equal the minimum values for tensile strength shown in 4.2										
Impact Strength	Min	--	25	--	30	30	25	20	15		
Head Soundness	No fracture										
Minimum Height On Non Decarburized thread zone, E						1/2H1		2/3H1	3/4H1		
Minimum depth of complete Decarburized thread zone, E	0.015										

SPANNER & HEX KEY SIZES FOR SETS/BOLTS AND SOCKET CAPS

SIZE	SPANNER SIZE	HEX KEY SIZE
M8	13mm	6mm
M10	17mm	8mm
M12	19mm	10mm
M14	22mm	12mm
M16	24mm	14mm
M18	27mm	14mm
M20	30mm	17mm
M24	36mm	19mm
M27	40mm	19mm
M30	45mm	21mm
M33	49mm	23mm
M36	54mm	26mm
M39	59mm	27mm
M42	64mm	31mm
M45	69mm	32mm
M48	72mm	35mm
M52	78mm	----
M56	83mm	----

OUR SHOWROOM





PVC CONDUIT



CONDUIT FITTINGS



CABLE TIES



ALL TYPES OF CABLES



BATTEN FITTINGS



PANEL/BUILDING WIRE



PULLING BENDING SPRING



CABLE LUGS/GLANDS



PVC STRIP CONNECTOR



SWITCH/SOCKET



MCB / ELCB



METAL HALIDE FITTINGS



COMBINATION SPANNERS



PIPE WRENCH



TAP SET



SCREW DRIVERS



TOOLS BOX



LOCKING PLIER  
COMBINATION PLIER



SPIRIT LEVELS



HAMMERS



ANGLE GRINDER



CORDLESS DRILL  
IMPACT WRENCH



BELT SANDER



CUT OFF MACHINES



DRILL MACHINES



JIG SAW



SCREWDRIVERS



CHAIN SAW



PVC STEEL TROWEL



PAINT BRUSH/ROLLERS



PVC TARPULIN



WIRE NAIL



BINDING WIRE



SAFETY GLOVES



SAFETY JACKETS



COVERALLS



GI PIPE FITTINGS



PVC/PPR PIPES



PVC FITTINGS



PPR FITTINGS



Tel. : 02-550 7872  
P.O. Box : 133172  
Musaffah 34, Shop No.33  
Abu Dhabi - U.A.E.