



KOLOWA ventilation

MADE
IN
TAIWAN



FRP ROOF VENTILATOR



- FRP material – No corrosion • Low Electrical consumption • Two door system to avoid birds, dust enter inside factory
- SMC Propeller • Less weight • Noiseless

The base and cowl are manufactured in Glass fibre reinforced resin and are impervious to weather; as such the product will have a long life under normal weather condition.

Resistant to UV light . Temp up to 70 deg C.

TECHNICAL SPECIFICATION:

MODEL	KF54 – 2P
SPEED	600 RPM
MOTOR CAPACITY	2HP, 3 Phase
CAPACITY	46,500CMH
WEIGHT	105 kgs
PROPELLER	48" SMC Propeller
SIZE	240x161(67,123) cm
POWER CONSUMPTION	1.49kW

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



FRP ROOF VENTILATOR



- FRP material – No corrosion • Low Electrical consumption • Less weight
- Rain guard is provided to protect water and direct sunlight entering to the Factory.

TECHNICAL SPECIFICATION:

MODEL	KF 36
SPEED	800 RPM
POWER	1 HP, 3 Phase
CAPACITY	17,000 CMH
WEIGHT	60 kgs
PROPELLER	36" Propeller
SIZE	120 x 152 (96,55) cm

Sole distributor for Middle East.



شركة بريستو الكهرو ميكانيكية ذ.م.م.
Presto Electromechanics Co. L.L.C.

Tel: +9716 5321002, Fax: +971 5321815
P.O.BOX: 6510, Sharjah - UAE. Email: pecolco@gmail.com, Web: www.prestoae.com



ص.ب. : ٦٥١٠، الشارقة- ا.ع.م.، فليفون : +٩٧١٦-٥٣٢١٠٠٢، فاكس : +٩٧١٦-٥٣٢١٨١٥
P.O. Box : 6510 Sharjah - U.A.E., Tel.: +9716-5321002, Fax: +9716-5321815
E-mail: info@prestoae.com www.prestoae.com





KOLOWA ventilation

MADE
IN
TAIWAN



FRP ROOF VENTILATOR



- FRP material – No corrosion • Low Electrical consumption • Less weight
- Rain guard is provided to protect water and direct sunlight entering to the Factory.

TECHNICAL SPECIFICATION:

MODEL	KF 20
SPEED	1100 RPM
MOTOR CAPACITY	0.5HP, 3 Phase
CAPACITY	5,400 CMH
WEIGHT	28.5Kgs
PROPELLER	20" Aluminium alloy
SIZE	122x94(60,64)cm

Sole distributor for Middle East.



شركة بريستو الكهرو ميكانيكية ذ.م.م.
Presto Electromechanics Co. L.L.C.

Tel: +9716 5321002, Fax: +971 5321815
P.O. BOX: 6510, Sharjah - UAE. Email: pecolc@gmail.com, Web: www.prestoae.com





KOLOWA ventilation

MADE
IN
TAIWAN



WALL MOUNTED FAN




- Low Electrical consumption • Less weight • Less noise

TECHNICAL SPECIFICATION:

MODEL	KGW-A24
SPEED	850-860 RPM
POWER	1/2 HP
CAPACITY	6,000 CMH(3,531 CFM)
WEIGHT	33.5 kgs
PROPELLER	24" Aluminum Alloy
SHUTTER	PVC
NET	Steel Net
FAN SIZE	80.5x80.5x35cm

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



48" FRP SHUTTER FAN




- Maintenance free • Low Electrical consumption • Less weight • Less Noise

TECHNICAL SPECIFICATION:

MODEL	LFS 54-3DS
SPEED	600 RPM
MOTOR CAPACITY	2HP, 3 Phase
CAPACITY	45,000CMH / 26,500 CFM
WEIGHT	80Kgs
PROPELLER	48" SMC Propeller
SIZE	137.5x137.5x38cm

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



FRP WALL MOUNTED HEAVY DUTY INDUSTRIAL EXHAUST FAN



- Direct run without belt • Maintenance free • Low Electrical consumption • Less weight
- FRP material – No corrosion • Gravity Shutter is provided to avoid birds, dust enter inside factory • SMC Propeller • Less weight • Noiseless

The base manufactured in Fiber glass reinforced resin and are impervious to weather; as such the product will have a very long life under normal weather condition.

Resistant to UV light . Temp up to 70 deg C.

TECHNICAL SPECIFICATION:

MODEL	LR 54-3DS
SPEED	600 RPM
MOTOR CAPACITY	2HP, 3 Phase
CAPACITY	46,500 CMH / 27,500 CFM
WEIGHT	80Kgs
PROPELLER	48" SMC
SIZE	146x146x80cm

Sole distributor for Middle East.



شركة بريستو الكهرو ميكانيكية ذ.م.م.
Presto Electromechanics Co. L.L.C.

Tel: +9716 5321002, Fax: +971 5321815
P.O. BOX: 6510, Sharjah - UAE. Email: peccollo@gmail.com, Web: www.prestoae.com



ص.ب. : ٦٥١٠، الشارقة-ع.م. فليفون : +٩٧١٦-٥٣٢١٠٠٢، فاكس : +٩٧١٦-٥٣٢١٨١٥
P.O. Box : 6510 Sharjah - U.A.E., Tel.: +9716-5321002, Fax: +9716-5321815
E-mail: info@prestoae.com www.prestoae.com





KOLOWA ventilation

MADE
IN
TAIWAN



WALL MOUNTED SHUTTER FAN



- Low Electrical consumption • Less weight • Less noise
- Gravity Shutter is provided to prevent dust to come inside

TECHNICAL SPECIFICATION:

MODEL	LGS32 - 6D
SPEED	600 RPM
POWER	1 HP
SOUND LEVEL	70dB
CAPACITY	10,000 CMH(5889 CFM)
WEIGHT	49 kgs
PROPELLER	28" SMC
FAN SIZE	91.5x91.5x30 cm

Sole distributer for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



WALL MOUNTED SHUTTER FAN



- Low Electrical consumption • Less weight • Gravity Shutter is provided to prevent dust to come inside • Less noise

TECHNICAL SPECIFICATION:

MODEL	LGS42-6D
SPEED	600 RPM
POWER	1 HP
SOUND LEVEL	70dB
CAPACITY	18,000 CMH(10594 CFM)
WEIGHT	54 kgs
PROPELLER	36" Galvanized Steel (Aluminium Alloy Rim)
FAN SIZE	107.5x107.5x30 cm

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



FRP CONNECTING ROD SHUTTER FAN



• Maintenance free • Low Electrical consumption • Less weight • Less Noise

TECHNICAL SPECIFICATION:

MODEL	FS42 - 5D
SPEED	500 RPM
MOTOR CAPACITY	1Hp 3 Phase
CAPACITY	18,000CMH
WEIGHT	70Kgs
PROPELLER	36" GS Or SS
SIZE	107.5x107.5x30cm
OPENING REQUIRED	110x110cm

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



54" FRP FAN



• Maintenance free • Low Electrical consumption • Less weight • Less Noise

TECHNICAL SPECIFICATION:

MODEL	LF 54-7D
SPEED	500 RPM
MOTOR CAPACITY	1-1.5HP, 3 Phase
CAPACITY	45,000 CMH
WEIGHT	73Kgs
PROPELLER	48" 7-Blades
SIZE	148x148x45cm
OPENING REQUIRED	139x139cm

Sole distributor for Middle East.





KOLOWA ventilation

MADE
IN
TAIWAN



WALL MOUNTED SHUTTER FAN



- Low Electrical consumption • Less weight • Gravity Shutter is provided to prevent dust to come inside • Less noise

TECHNICAL SPECIFICATION:


MODEL	LGS42-6A
SPEED	600 RPM
POWER	1/2 HP
SOUND LEVEL	70dB
CAPACITY	18,000 CMH(10594 CFM)
WEIGHT	54 kgs
PROPELLER	36" Galvanized Steel(Aluminium Alloy Rim)
FAN SIZE	107.5x107.5x30 cm
OPENING REQUIRED	110x110cm

Sole distributor for Middle East.





190" SUPER FAN



15M	10M	5M	0M	5M	10M	15M
Wind Speed: 0.1-0.3M/S	Wind Speed: 0.2-0.4M/S	Wind Speed: 2.5-3.2M/S	Wind Speed: 0.2-0.5M/S	Wind Speed: 2.5-3.2M/S	Wind Speed: 0.2-0.4M/S	Wind Speed: 0.1-0.3M/S

Model No.: SF-190

Propeller: 4.8M

HP:2HP

Electricity consumption:

2.0 ~ 5.0A

Speed: 10RPM-55RPM

Speed Adjuster



Sole distributor for Middle East.



شركة بريستو الكهرو ميكانيكية ذ.م.م.

Presto Electromechanics Co. L.L.C.

Tel: +9716 5321002, Fax: +971 5321815

P.O.BOX: 6510, Sharjah - UAE. Email: pecollic@gmail.com, Web: www.prestoae.com

