



INSECT-O-CUTOR®

MADE IN UK




Plus Zap




Edge



Halo Peak



Halo Curve Side




IND-41




Hygiene M11/D11



Aura



FlyTrap



GluePad



UV Lamps



Washroom
Hand dryers



Aerosol 270 ml



Bin



Automatic and Manual
Soap Dispenser



Nappy Bin 60



Sanitary Bin 20 Litre

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae



TECHNICAL & TRADING LLC

www.tte.ae



HIKVISION



FUJIHD Elevator



INSECT-O-CUTOR®

MADE IN UK



Dubai

19 AL Taif Building | 23rd Street Near Union Metro Station | Deira
Tel: +971 4 316 8000 / 050/051 | Fax: +971 4 227 9325 | email: sales@tte.ae | web: www.tte.ae

Abu Dhabi

P.O. Box 130940 | Mussaffah Sector M26
Tel: +9712 557 50 05 | Fax: +9712 557 50 04 | Mob: +971 55 786 53 53 | email: tteauh@tte.ae | web: www.tte.ae

Fujairah

PO Box 645 | Al Madhab | Behind GMC Car Showroom | Mohd Bin Mattar Raod
Tel: +971 4 316 8049 | Mob: +971 55 925 5431 | email: ttefuj@tte.ae | web: www.tte.ae



Refrigeration Controls



Refrigeration & Air Conditioning Controls & Valves

Danfoss has a very wide range of refrigeration and airconditioning controls such as pressure controls, expansion valves, shutt-off valves, filter drier, thermostats & solenoid valves etc.



Danfoss Compressor

Danfoss Compressor range goes from small direct current hermetic compressors for mobile application up to large scroll compressor for commercial air-conditioning and industrial applications.



Electronics Controls



Scroll Refrigeration Compressor

Compressor



Waneurop
RECIPROCATING COMPRESSORS

Condensing Unit



Optyma™ Subassembled A/C

Condensing units for light commercial application like display counters, small cold rooms and catering appliance. Available for use with refrigerant R134a, R404a, R407C and R290, for 115V60Hz and 230V, 50/60 Hz

Motion Controls (VFD)

A Leader in Drives Solutions
VLT® electronic drives control speed, torque, acceleration, synchronization, positioning and overall performance of AC motors as efficient and reliable.



Danfoss VLT® Drives

Danfoss Industrial Controls

Danfoss' industrial controls are found in applications from booster pumps to windmills. Other applications of Danfoss industrial controls are: Air, Water, Boilers, and District heating and for marine applications.



Industrial Controls

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae

ENGINEERING
TOMORROW

Danfoss



Vaccum / Recovery Device



ROFIRE®- SET
Torch Multigas 300



Butane gas cartridge & Burner



Drain Inspection Cameras



Mapp Gas

ROTHENBERGER
pipetool technologies at work

MADE IN GERMANY



Digital Manifold



Tube Cutter



ROCUT®



Pliers Set



Nylon Tool Bag

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae

Seamless Copper Tubes and Coils
for Air-Conditioning & Refrigeration



Guaranteed
Thickness

ETIHAD ULTRA ASTM B280 & B88 PAN CAKE COILS SPECIFICATIONS

Outside Diameter		Wall Thickness	Length	Weight	Tensile Strength	Elongation
inch	mm	mm	m	kg/pc		
1/4"	6.35	0.61	15	1.48	228.94	50.00
5/16"	7.94	0.61	15	1.88	246.10	48.20
3/8"	9.52	0.61	15	2.29	230.28	52.63
1/2"	12.7	0.71	15	3.59	250.40	44.80
5/8"	15.88	0.71	15	4.54	251.10	45.30
3/4"	19.05	0.81	15	6.22	249.00	49.00
7/8"	22.23	0.89	15	8.00	249.00	50.60

ETIHAD CLASSIC ASTM B280 & B88 PAN CAKE COILS SPECIFICATIONS


Outside Diameter		Wall Thickness	Length	Weight	Tensile Strength	Elongation
inch	mm	mm	m	kg/pc		
1/4"	6.35	0.51	15	1.26	232.92	52.00
3/8"	9.52	0.56	15	2.11	230.28	52.63
1/2"	12.7	0.61	15	3.11	227.71	52.00
5/8"	15.88	0.66	15	4.23	225.70	50.79
3/4"	19.05	0.71	15	5.49	226.00	52.00

ETIHAD HARD LENGTHS ASTM B280 & B88 SPECIFICATIONS

Outside Diameter		Wall Thickness	Length	Weight	Tensile Strength	Temper
inch	mm	mm	m	kg/pc		
3/8"	9.52	0.61	5.80	0.88	420.76	110.76
1/2"	12.70	0.71	5.80	1.38	411.56	119.54
5/8"	15.88	0.71	5.80	1.75	409.84	122.74
3/4"	19.06	0.71	5.80	2.11	398.52	126.34
7/8"	22.22	0.81	5.80	2.82	415.26	121.28
1-1/8"	28.58	0.91	5.80	4.09	386.18	119.56
1-3/8"	34.93	1.10	5.80	6.04	350.74	122.33
1-5/8"	41.28	1.20	5.80	7.81	320.76	127.71

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae

POLYCRYSTALLINE SOLAR MODULES



Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae



HIKVISION



LMDF



LIRDC



FISHEYE



LBK



DVR



LBW



NVR WIFI



MADE IN ITALY



Gate Barriers



Automatic Swing Gate



Touch Control System

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae



FUJIHD Elevator



乘客系列电梯
Passenger elevator

OBSERVATION ELEVATOR

HD-GA01

Upper / lower hood: Painted steel
Panorama wall: 180 circular safety laminated glass
Decorative top: Painted steel framework, acrylic arch top plate
Car wall: Hairline stainless steel
Car door: Hairline stainless steel
Handrail: Stainless steel tube
Floor: PVC



HD-GA03

Upper / lower hood: Mirror stainless steel press sill, red acrylic decoration cover
Panorama wall: Laminated glass three pieces
Decorative top: Painted steel framework, acrylic lighting decoration
Car wall: Hairline stainless steel
Car door: Hairline stainless steel
Handrail: Stainless steel double-tube
Floor: PVC

HD-GA02

Upper / lower hood: Painted steel
Panorama wall: Laminated glass (3-PCS)
Decorative top: Painted steel framework, acrylic lighting decoration board (#), acrylic strip lighting decoration
Car wall: Hairline stainless steel
Car door: Hairline stainless steel
Handrail: Stainless steel double-tube
Floor: PVC



PASSENGER ELEVATOR

We Apply One Style of HENGDA FUJI Hairline Stainless Steel
Car With The Distinctive Ceiling To Create The Strong Visual Impact And Bright & Modern Flavor.



HD JX12

Ceiling	Diamond silver painted steel with acrylic photic board
Car wall	Hairline stainless steel
(HD-DB04) Flooring	PVC
Car door	Hairline stainless steel



Landing door and jamb. Hairline stainless steel is adopted the first floor and plastic jet steel plate is adopted for other floors.



扶梯/人行道
Escalator/
Moving walk

Tel.: +971 4 316 8000 | Fax: +971 4 227 9325 | E-mail: sales@tte.ae | Web: www.tte.ae



Technical & Trading LLC

CCTV – Security System – Access Controls – Parking Barriers – Garage Doors

TTE offers Security solutions to Residential, Commercial Buildings, Villas, Offices, Warehouses, Industries & Shopping Malls.

Quality & customer satisfactions are the guidelines of TTE, starting from the selection of components, pre-installation, start up, through the installation quality is maintained.

We have a dedicated team of Engineers, Technicians & Installers for smooth implementation of Projects.



APPROVED DUBAI POLICE INSTALLER & SOLUTION PROVIDER FOR CCTV IN UAE.



CCTV Cameras & Security Systems

HIKVISION

NETWORK CAMERA RANGE



DS-2CD2085FWD-I 8 MP Network Bullet Camera • Up to 8 megapixel high resolution • Max. 3840 × 2160@20fps • 2.8 mm/4mm/6 mm/8 mm/12 mm fixed lens



DS-2CD2185FWD-I(S) 8 MP Network Dome Camera • Up to 8 megapixel high resolution • Max. 3840 × 2160@20fps • 2.8 mm/4 mm/6 mm/8 mm/12 mm fixed lens



DS-2CD2385FWD-I 8 MP Network Turret Camera • Up to 8 megapixel high resolution • Max. 3840 × 2160@20fps • 2.8 mm/4 mm/6 mm/8 mm/12 mm fixed lens



DS-2CD2385FWD-I 8 MP Network Turret Camera • Up to 8 megapixel high resolution • Max. 3840 × 2160@20fps • 2.8 mm/4 mm/6 mm/8 mm/12 mm fixed lens

NETWORK CAMERA RANGE



DS-2CD2H85FWD-IZS 8 MP WDR Vari-focal Network Turret Camera • 1/2.5" Progressive Scan CMOS • 3840 × 2160 resolution • 2.8 to 12 mm focal length • H.265, H.265+, H.264+, H.264 • 120dB Wide Dynamic Range



DS-2CD2785FWD-IZS 8 MP WDR Vari-focal Network Dome Camera • 1/2.5" Progressive Scan CMOS • 3840 × 2160 resolution • 2.8 to 12 mm focal length • H.265, H.265+, H.264+, H.264 • 120dB Wide Dynamic Range



DS-2CD2685FWD-IZS 8 MP WDR Vari-focal Network Bullet Camera • 1/2.5" Progressive Scan CMOS • 3840 × 2160 resolution • 2.8 to 12 mm focal length • H.265, H.265+, H.264+, H.264 • 120dB Wide Dynamic Range • BLC/3D DNR/ROI

ANALOG CAMERAS



DS-2CE55C2P(N)-IRP 720TVL PICADIS Dome Camera • 1/3" PICADIS • 1.3 Megapixel sensor • True day / night • Compact design • Smart IR



DS-2CE55C2P(N) 720TVL PICADIS Dome Camera



DS-2CE55A2P(N)-VFIR 700TVL DIS IR Dome Camera • 1/3" DIS • 700TVL horizontal resolution • True day/night • Up to 30m IR distance • 2.8-12mm vari-focal Lens Wide operating

PTZ & THERMAL CAMERAS



DS-2DF8836IX-AEL(W) 8MP 36× Network IR Speed Dome • 2/3" HD CMOS sensor • Up to 3840 × 2160 resolution • 36X Optical Zoom • Min. Illumination: Color: 0.005 Lux @(F1.5, AGC ON) B/W: 0.0005 Lux @(F1.5, AGC ON) 0 Lux with IR



DS-2DF7232IX-AEL(W) 2MP 32× Network IR Speed Dome • 1/2.8" Progressive Scan CMOS, up to 1920x1080 • Ultra-low temperature with -40° • Smart Tracking, Smart Defog • 32X Optical Zoom • Smart IR, 150m IR distance • 3D DNR, 120dB WDR, HLC/BLC



DS-2TD8166-180ZE2F Thermal & Optical Bi-spectrum Network Stable PTZ Camera Smart Function (Thermal Imaging) | Leading image processing technology Adaptive AGC, DDE, 3D DNR, NETD < 40mk (@25°C, F#=1.0) | Smart tracking: Panorama tracking, Event tracking and .Multi-scene patrol tracking

Contact: Phone: +971-4-316 8000, 316 8013 Fax: +971-4-227 9325 – Mobile: +971 52 699 5963
EMAIL : cctv@tte.ae Website: www.tte.ae
P.O Box 325, Dubai, UAE.

Tel: +971 4 316 8000 – Mobile +971 52 699 5963 – Email: cctv@tte.ae Web_ www.tte.ae



Parking Barriers & Access Controls



An automated garage door is the response to your need for practicality and convenience. Forget the bother and effort of having to lift heavy doors: with Nice, you can open and close your garage door hassle-free



Parking Barriers & Access Controls solutions for Commercial & Residential buildings.



With an automated sliding gate, everything is more comfortable: no effort, all it takes is a click to open and close the gate, without getting out of the car. Simplify your life and add more value to your home.



Nice control systems let you control and manage all your home automation and lighting simply and safely. Practical and functional solutions, with an exciting design: enjoy your living space even more, by simplifying your everyday movements!



BFT Parking Barriers & Bollards



MAXIMA – Automatic - road barriers for busy use developed to operate in large parking lots.



Parking and traffic bollards complete range of automatic Electromechanical retractable bollards.



TIZIANO - Automation systems for garage doors the most compact operators And can be installed easily with the radio receiver incorporated in the control unit.



PROJECTS LIST



AL NAHDA TWIN TOWER

CCTV INSTALLATIONS

1. AL GURG TWIN TOWERS AL NAHDA, DUBAI
2. GULF ENGINEERING INDUSTRY – DUBAI
3. BRITISH AMERICAN TOBACCO – DUBAI
4. AL GURG CHARITY – DUBAI
5. KIZAD WAREHOUSE ADMMI – ABU DHABI
6. LAFARGE CEMENTS - RAK



AL MANAR HOTEL

GATE BARRIERS & ACCESS CONTROLS

1. AL MANAR HOTEL – DUBAI
2. AL GURG CHARITY – DUBAI
3. AVIATION DISTRICT– DUBAI
4. KIBSON BUILDING – DUBAI
5. DUBAI MUNICIPALITY - NAD AL SHIBA – DUBAI
6. MOHAMED BIN ZAYED CITY – ABU DHABI