



H&X  
Artificial turf

## ABOUT US

H&X Artificial turf

HYXC international trading FZE was established in 2002, JINAN H&X Artificial Turf industry Co.,LTD is a professional manufacturer of sports and landscaping artificial turf. HYXC Turf owns a large-scale modern production base in JINAN, Shandong province, North China while setting up its marketing center of Beijing. Now HYXC Turf has taken the lead in artificial turf industry and joined the top 3 rank in the global artificial turf industry.

HYXC Turf has passed ISO9001 international Quality Management System certificate, ISO 14001 international Environmental Management System certificate, and China Environmental labeling certificate. It is the first turf manufacturer in China that acquires the FIFA field certification and the first one in China that gets the product certification issued by FIH (Federation International Hockey). HYXC Turf is also the first company that gets the approval from General Administration of Sport of China. Moreover, we are proudly to be a Chinese Artificial Turf Standards designer.

HYXC can manufacture nearly all kinds of artificial turf, turf gauge 5/32, 3/16, 5/16, 3/8, 5/8, 3/4, 1/2 with pile heights ranging from 8mm to 75mm and roll width up to 5 meters. We own both latex and PU coating lines. The advanced tufting technology enables HYXC to produce stitch line with the shape of 'Z', 'S' and straight line. HYXC products have been qualified to be used in plenty of international sports events and equipped many professional teams.

HYXC Turf is engaged in providing high-quality products, competitive price and superior services for our customers.

And according to the customer requires, HYXC also supply lots of safety items, as the safety shoes, uniform and safety ladders.

Stick to the business philosophy of integrity, HYXC has established good reputation among the turf industry and won the faith and support from our partners both at home and abroad.

## ENTERPRISE CULTURE

H&X Artificial turf

### Build Brand

Based on the market



**Enterprise tenet:** Science & Technology-Oriented and Green World.

**Enterprise Vision:** To take the lead in the global artificial turf industry.

**Core Value:** Integrity, innovation, economy and high-efficiency.

**Enterprise Spirit:** To be a down-to-earth enterprise, grasping the opportunity with keen determination and create miracles.

Various Kinds of Honour Won by the Company since its Establishment

H&X Artificial turf



# Achievement & Certificates

- FIFA 2 Star Field Certification
- FIFA 2 Star Field Certification
- FIH (Federation International Hockey) product certification
- ISO9001 International Quality Management System certificate
- ISO14001 International Environmental Management System certificate
- International PONY Test Report
- TSI Test Report
- LabSports Test Report
- ISA Test Report



Stretching Equipments >>>



## Stretching Equipments


Stretching production line



## STRETCHING EQUIPMENTS

H&X 's stretching technology reaches the global leading standard with all production process automated. The stretching machine and parts are purchased from Starlinger in Austria, SAHM in German and RIETER in France, which enable H&X to produce the high quality yarn.

H&X Artificial turf







## Tufting Equipments



Tufting Equipments >>>  
H & X owns a world-class tufting machine designed by British company Cobble. Its tufting line is fully controlled by computer system. The unique production technology and superior equipment performance quality H & X to meet various demands.


## H&X Artificial turf

Tufting Equipments i >>>





## Coating Equipments



### Coating Equipments >>>

H&X owns two kind coating lines, latex and PU coating. The PU coating machine is produced by Perpetual who has the experience of acquiring equipment technology for over 120 years and machine production for 52 years. Apart from regular PU coating, H&X is able to produce secondary foaming coating.





## The product structure >>> TORCH TURF



## THE PRODUCT STRUCTURE

H&X Artificial turf

H&X  
Artificial turf

**Synthetic Grass**




**Infill**  
and/or sand crumbrubber



**Backing**  
with built in weed barrier



**Natural soil**  
and/or decomposed granite



the perfect combination of rubber infill and sand infill reduces the shock to the joints and ankles

soft but durable yarns designed to simulate natural grass in color and performance, delivering fast pile recovery and superior bill behavior

multilayer backing structure for dimensional stability, which extends the life span of the whole system

# Products



## HYXC-12mm-Green

**Pile Height :** 12mm  
**Color :** Olive Green  
**Material/DTEXT :** PE & PP 8900  
**Type of Fibre :** Mono Grass Mixed (C Type + J)  
**Stitches/per meter square:** 14175  
**Application :** Landscaping



## HYXC-26mm-Brown

**Pile Height :** 26mm  
**Color :** 4 Colors  
**Material/DTEXT :** PE & PP 8900  
**Type of Fibre :** Mono Grass Mixed (C Type + J)  
**Stitches/per meter square:** 14175  
**Application :** Landscaping



## HYXC-26mm-Green

**Pile Height :** 26mm  
**Color :** 3 Colors  
**Material/DTEXT :** PE & PP 8900  
**Type of Fibre :** Mono Grass Mixed (C Type + J)  
**Stitches/per meter square:** 14175  
**Application :** Landscaping



## HYXC-30mm-Brown

**Pile Height :** 30mm  
**Color :** Brown  
**Material/DTEXT :** PE & PP 7800  
**Type of Fibre :** Mono Grass Mixed (C Type + J)  
**Stitches/per meter square:** 14175  
**Application :** Landscaping



## HYXC-30mm-Green

**Pile Height :** 30mm  
**Color :** 3 Colors  
**Material/DTEXT :** PE & PP 7800  
**Type of Fibre :** Mono Grass Mixed  
**Stitches/per meter square:** 14175  
**Application :** Landscaping



## HYXC-36mm-Brown

**Pile Height :** 36mm  
**Color :** 4 Colors  
**Material/DTEXT :** PE & PP 9000  
**Type of Fibre :** Mono Grass Mixed  
**Stitches/per meter square:** 14175  
**Application :** Landscaping

## Products



### HYXC-36mm-Green

**Pile Height:** 36mm  
**Color:** 3 Colors  
**Material(DTEX):** PE & PP 9000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches/per meter square:** 14175  
**Application:** Landscaping



### HYXC-36mm-Brown

**Pile Height:** 36mm  
**Color:** 4 Colors  
**Material(DTEX):** PE & PP 9000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches/per meter square:** 14175  
**Application:** Landscaping



### HYXC-40mm-Brown

**Pile Height:** 40mm  
**Color:** 4 Colors  
**Material(DTEX):** PE & PP 9000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches/per meter square:** 14175  
**Application:** Landscaping



### HYXC-40mm-Brown-DR

**Pile Height:** 40mm  
**Color:** 4 Colors  
**Material(DTEX):** DR72 + PP4400  
**Type of Fibre:** Tencate Thilon DR72,  
 Straight (Field Green/Lime Green) + (Curly  
 Yellow & Green)  
**Stitches/per meter square:** 25200  
**Application:** Landscaping



### HYXC-40mm-Brown-MMC

**Pile Height:** 40mm  
**Color:** 4 Colors  
**Material(DTEX):** PE & PP 8000  
**Type of Fibre:** C Shape, Field/Lime Green,  
 Curly Yellow Green  
**Stitches/per meter square:** 15750



### HYXC-40mm-Brown-Oasis

**Pile Height:** 40mm  
**Color:** 4 Colors  
**Material(DTEX):** Oasis + PP4400  
**Type of Fibre:** Tencate Thilon Oasis,  
 Straight (Field Green/Lime Green) + (Curly  
 Brown & Green)



## Products



### HYXC-40mm-Brown-MMC

**Pile Height :** 40mm  
**Color :** 4 Colors  
**Material(DTEX):** PE 5 PP 8000  
**Type of Fibre:** C-Shape, Field/Lime Green, Curly Yellow Green  
**Stitches(per meter square):** 5750  
**Application :** Landscaping



### HYXC-40mm-Brown-Oasis

**Pile Height :** 40mm  
**Color :** 4 Colors  
**Material(DTEX):** Oasis + PP400  
**Type of Fibre:** Tenate Thicker Oasis, Straight (Field Green/Lime Green) + Curly Brown & Green  
**Stitches(per meter square):** 5000  
**Application :** Landscaping



### HYXC-40mm-Green

**Pile Height :** 40mm  
**Color :** 2 Colors  
**Material(DTEX):** PE 5 PP 9000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches(per meter square):** 4175  
**Application :** Landscaping



### HYXC-45mm-Brown

**Pile Height :** 45mm  
**Color :** 4 Colors  
**Material(DTEX):** PE 4 PP 8000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches(per meter square):** 1475  
**Application :** Landscaping



### HYXC-45mm-Brown-Thick

**Pile Height :** 45mm  
**Color :** 4 Colors  
**Material(DTEX):** PE 5 PP 8000  
**Type of Fibre:** Thick Mono Grass Mixed  
**Stitches(per meter square):** 5750  
**Application :** Landscaping



### HYXC-45mm-Green

**Pile Height :** 45mm  
**Color :** 3 Colors  
**Material(DTEX):** PE 4 PP 8000  
**Type of Fibre:** Mono Grass Mixed  
**Stitches(per meter square):** 1475  
**Application :** Landscaping

# Products



## HYXC-50mm-FIFA

**Pile Height :** 50mm  
**Color :** Filled Green  
**Material(DTEX):** Tencate Thiolon  
 MSPRO8800  
**Type of Fibre:** Tencate Thiolon  
**Stitches/per meter square:** 9450  
**Application :** Football Ground



## HYXC-50mm-L. Green

**Pile Height :** 50mm  
**Color :** Light Green  
**Material(DTEX):** PE & PP 8000  
**Type of Fibre:** Mono Grass  
**Stitches/per meter square:** 10395  
**Application :** Football Ground



## HYXC-50mm-O. Green

**Pile Height :** 50mm  
**Color :** Olive Green  
**Material(DTEX):** PE & PP 8000  
**Type of Fibre:** Mono Grass  
**Stitches/per meter square:** 10395  
**Application :** Football Ground



## HYXC-50mm-Red

**Pile Height :** 50mm  
**Color :** Red  
**Material(DTEX):** PE & PP 8000  
**Type of Fibre:** Mono Grass  
**Stitches/per meter square:** 10395  
**Application :** Football Ground



## HYXC-50mm-White

**Pile Height :** 50mm  
**Color :** White  
**Material(DTEX):** PE & PP 8000  
**Type of Fibre:** Mono Grass  
**Stitches/per meter square:** 10395  
**Application :** Football Ground

# Mobile Evaporative Air Cooler



<b>Model</b>	<b>LCS-1A</b>
<b>Max Airflow</b>	<b>6000M<sub>3</sub>/H</b>
<b>Effective Area</b>	<b>20-25M<sub>2</sub></b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>110W</b>
<b>Weight</b>	<b>12KG</b>
<b>Water Capacity</b>	<b>33L</b>
<b>Water Consumption</b>	<b>2-3L/H</b>
<b>Noise</b>	<b>50/54/58</b>
<b>Dimension</b>	<b>500*365*975MM</b>





<b>Model</b>	<b>LCS-2B</b>
<b>Max Airflow</b>	<b>7500M<sub>3</sub>/H</b>
<b>Effective Area</b>	<b>30-40M<sub>2</sub></b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>230W</b>
<b>Weight</b>	<b>13.9KG</b>
<b>Water Capacity</b>	<b>50L</b>
<b>Water Consumption</b>	<b>3-4L/H</b>
<b>Noise</b>	<b>53/57/61</b>
<b>Dimension</b>	<b>615*420*1020MM</b>



<b>Model</b>	<b>LCS-2A</b>
<b>Max Airflow</b>	<b>7000M<sub>3</sub>/H</b>
<b>Effective Area</b>	<b>30-40M<sub>2</sub></b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>230W</b>
<b>Weight</b>	<b>18KG</b>
<b>Water Capacity</b>	<b>45L</b>
<b>Water Consumption</b>	<b>3-4L/H</b>
<b>Noise</b>	<b>53/57/61</b>
<b>Dimension</b>	<b>680*425*1050MM</b>

# Mobile Evaporative Air Cooler

TORCH TURF



<b>Model</b>	<b>LCB-1B</b>
<b>Max Airflow</b>	<b>12000M3/H</b>
<b>Effective Area</b>	<b>50-60M2</b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>340W</b>
<b>Weight</b>	<b>32.5KG</b>
<b>Water Capacity</b>	<b>60L</b>
<b>Water Consumption</b>	<b>4-6L/H</b>
<b>Noise</b>	<b>53/58/63</b>
<b>Dimension</b>	<b>885*490*1400MM</b>

<b>Model</b>	<b>LCB-1A</b>
<b>Max Airflow</b>	<b>9000M3/H</b>
<b>Effective Area</b>	<b>40-50M2</b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>310W</b>
<b>Weight</b>	<b>32KG</b>
<b>Water Capacity</b>	<b>60L</b>
<b>Water Consumption</b>	<b>4-6L/H</b>
<b>Noise</b>	<b>53/58/63</b>
<b>Dimension</b>	<b>885*490*1400MM</b>

<b>Model</b>	<b>LCB-2A</b>
<b>Max Airflow</b>	<b>15000M<sub>3</sub>/H</b>
<b>Effective Area</b>	<b>80-100M<sub>2</sub></b>
<b>Rated Voltage/Frequency</b>	<b>220-240V,50Hz/60Hz</b>
<b>Power</b>	<b>440W</b>
<b>Weight</b>	<b>43KG</b>
<b>Water Capacity</b>	<b>70L</b>
<b>Water Consumption</b>	<b>8-10L/H</b>
<b>Noise</b>	<b>56/60/65</b>
<b>Dimension</b>	<b>925*580*1440MM</b>

## HYXC INTERNATIONAL TRADING LLC



### 密目式安全立网

密目式安全立网（建筑安全网\脚手架安全网）

材质：HDPE（高密度聚乙烯）

执行标准：GB5725-2009

用途：广泛用于高层建筑施工工地、桥梁建筑和其他的施工现场

主要作用有：

1. 防坠落、保护施工人员
2. 防尘、美化施工现场
3. 包围施工场地，保护周围人员
4. 降低噪音

特性：抗冲击性能良好，结实耐用，美观。

尺寸：常用尺寸为1.8×6m&1.5×6m，

也可根据客户要求定做。

颜色：绿色、深绿色、蓝色、黑色，其他颜色可根据客户要求定做。

包装：编织袋，也可按客户要求包装。

唛头按客户要求定做。

### CONCENTRATED SAFETY NET /DEBRLS NET

Fine Mesh Safety Vertical Net(construction safety net/scaffolding net)

Material:HDPE(high-density polyethylene)

Standard- GB5725-2009

Application-used in building , bridge or other project constructions

- 1.falling object protection,protect the workers
- 2.wind and dust control,beautify the construction site
- 3.enclosure system to protect people around
- 4.reduce sound pollution

Features- Good impact resistance and thermal cracking resistance, enduring for use, neat and tidy.

Size- normal sizes are 1.8\*6 m & 1.5\*6m


it also can be to the order of the customers.

Color- green, dark green, blue, black (all with orange line or not)

others can be to the order of the customers.

Packing- woven bag or cylinder paper inside and polybag /OPP bag outside or on your requirement.

## HYXC INTERNATIONAL TRADING LLC



## Shade Net/ Safety Net

### HYXC INTERNATIONAL TRADING LLC



材质: HDPE

用途: 夏季覆盖后起到一种挡光、挡雨、保湿、降温的作用; 冬季春季覆盖后还有一定的保温增湿作用。

主要用于作物的保护性栽培和水产家禽养殖业等, 对提高产量等有明显的效果。

特性: 具用抗拉力强、耐老化、耐腐蚀、耐辐射、轻便等特点。

尺寸: 长度 10 米 -500 米  
宽度 1 米 -8 米

克重: 80 克 / 平米 -300 克 / 平米

颜色: 绿色, 深绿色, 蓝色, 黑色 ( 每种都可加橙色部分 ) 其他颜色可根据客户要求定做。

包装: 编织袋或内纸管外塑料袋, 也可按客户要求包装。唛头按客户要求做。

Material- HDPE

Application- light-proof, rain-proof, cooling, preserves moisture in summer and preserves heat, moistening in winter. Mainly used in protective planting and poultry breeding, helping increasing the productivity.

Features- it is of light weight, superior resistance of rub, mildew, acid alkali and anti-aging.

Sizes- Length- 10m-500m Width- 1m-8m

Weight- 80g/sqm-300g/sqm

Color- green, dark green, blue, black (all with orange line or not) others can be to the order of the customers.

Packing-woven bag or cylinder paper inside and polybag /OPP bag outside or on your requirement.

The mark label as guest's requirements.

Due to its multitude of benefits, shade nets find a very strong usage in:

- (1) Floriculture.
- (2) Indoor plants, fruit plants nursery.
- (3) Tea, Coffee, Cardamom, Pepper, Spices, Vegetables growing.
- (4) Forest nursery growing.
- (5) Cattle sheds, Fish Ponds, Poultry Farming etc.
- (6) General purpose shading.
- (7) Soil support.
- (8) Drying of various Agro products.
- (9) Wind breaker applications.
- (10) As protection fabric in construction sites.



### HYXC INTERNATIONAL TRADING LLC




Shade net- HMSN001  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>




Shade net- HMSN002  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN003  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN004  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN005  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN006  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN007  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN008  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN009  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN010  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN011  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>



Shade net- HMSN012  
Material: HDPE. UV3-6%  
Width :10M--500M  
Length : 1M--8M  
Weight : 80-300 g/m<sup>2</sup>

## Shade Net/ Safety Net

### HYXC INTERNATIONAL TRADING LLC


**恒迈化纤**  
 Hengmai Chemical Fabric



**Shade net- HMSN013**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN014**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>




**Shade net- HMSN015**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN016**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN017**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN018**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN019**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN020**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>



**Shade net- HMSN021**  
 Material: HDPE. UV3-6%  
 Width :10M--500M  
 Length : 1M--8M  
 Weight : 80-300 g/m<sup>2</sup>




### HYXC INTERNATIONAL TRADING LLC


**恒迈化纤** 其它网类  
 Hengmai Chemical Fabric OTHER NETS



遮阳帆 --Shade sail



防风网 --Windbreak nets



防鸟网 --Bird Nets

# Shade Net/ Safety Net

HYXC INTERNATIONAL TRADING LLC



材质: 丙纶 \ 涤纶 \ 锦纶 (工业丝)  
 用途: 是高空作业时用于保护人员和物品安全的绳索, 适用于外线电工、建筑工人、电信工人作业、电线维修等相似工种。  
 特性: 强度大、耐磨、耐用、耐酸碱, 简易轻便。  
 直径: 4 毫米 -35 毫米  
 长度: 10 米 -500 米  
 颜色: 白色或客户要求的其他颜色。

Material-Polypropylene fiber\polyester fiber\nylon  
 Application-Usage for people and goods in aerial work site,applicable to the perimeter electrician,construction workers,telecom workers,wire maintenance and similar type's protection.  
 Feature-It is of high strength and light weight, so it is durable. Superior resistance or rub,mildew,acid and alkali.  
 Specifications:  
 Diameter- 4mm-35mm  
 Length- 10m-500m  
 Color- white mainly or according to guest's requirements.

HYXC INTERNATIONAL TRADING LLC



规格: 500D—5000D  
 材质: PP  
 颜色: 白色或根据客户要求  
 产品用途: 工业吊装带、水管线、水带、绳网、土工布、安全带、过滤布、工程纤维等的生产原料;

Specification - 500D-5000D  
 Material-PP  
 Color-white and to the order of the customer.  
 Application -widely used in making industrial ribbons, thread for pipe, water hose, safety net and safety rope, geotextile, safety belt, and engineering fiber, and so on.





## Projects



HYXC International Trading LLC



Latifa Hospital Situated at Cud Maitha Road project  
Handed over on Dated:- 31-Oct-2016



HYXC International Trading LLC



Project from DUBAI Municipality situated at ABU HAIL  
Metro Station Handed over on Dated:- 17-Jul-2017



HYXC International Trading LLC



Project at Emirates Hills Villa No:- 175 completed  
on dated:- 07-Jun-2017

## Projects



**HYXC international trading LLC**



Project at Jumeirah Island Mosque with collaboration Gulf Landscape & Irrigation systems completed on dated:- 30-Aug-2017



**HYXC International Trading LLC**



Project for MAGRABI Villa Situated at Jumeirah Handed over on Dated:- 20-Jun-2017



**HYXC International Trading LLC**



Latifa Hospital Situated at Oud Maitha Road project Handed over on Dated:- 31-Oct-2016

## Projects



HYXC international trading LLC



Football Field Project Situated At OMAN Completion & Handed over on Dated :- 15-Apr-2017



HYXC International Trading LLC



Dubai Municipality Devised road project going on collaborated with Green Scapes at Oud Maitha Road.



HYXC International Trading LLC



Football Field project for Beijing Sport University at China Successfully completed & handed over on Dated:- 25-Sept-2017

## Projects



HYXC international trading LLC



Football Field Project Situated At OMAN Completion & Handed over on Dated :- 15-Apr-2017



HYXC international trading LLC



Dubai Police International SWAT Championship Project at Dubai & Handed over on Feb-2019



HYXC international trading LLC



Dubai Municipality 5 Parks Project At Dubai Handed Over on December 2018

## Projects



HYXC international trading LLC



HYXC international trading LLC



Dubai Municipality indoor Park Project at Dubai Handed Over on Oct 2018 AI Twar Ladies Club at Dubai Project Handed Over on May 2018




## Projects



HYXC international trading LLC



HYXC international trading LLC





**Dubai Properties Project at Reemram Mosque hand over on May 2019**

**Oman Project Handed Over on May 2019**

## JOB REFERENCES

H&X  
Artificial turf



Estadio Ernesto Rohrmoser with Taishan Turf



Weifang Lu Neng Taishan Football School



11th National Games Hockey Competition Fields



Moli Dawaqi, Mongolia



Airport Turf



Landscaping Turf

## JOB REFERENCES



New York, America



COSTA RICA



California America



Mascat, Oman



California, America



New Delhi, India

## SERVICE & MARKET

H&X Artificial turf



H&X  
Artificial turf



We firmly believe that to make a perfect product is not only to make the product itself but its performance as good as possible. Only the excellent and high quality after-sale service is provided, can we achieve the maximized satisfaction from our customers.

No Perfect Project  
but comprehensive service  
We create industry new service  
standard



Visit us : [torchturf.com](http://torchturf.com)



Office:

HYXC International Trading LLC

Add: 904, Indigo Optima, International  
City, Dubai- UAE.

Tel: +971-45520319

Fax: +971-45520317

Our Branches

Oman

Address:

1. G33, Sohar China Downtown Fazal Al  
Qabil, Sohar, Oman

2. New China Mall Barqa Ar Rumays, Oman.

Bahrain

438 & 023, Gate No-2, Dragon City Road  
No-6347, Block No, Dyar Al Muharraq 263,

Bahrain.



# TORCH TURF