
























































Product Catalogue













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		AS18240320 AS18240620 AS18240720 AS18240820 AS18240920 AS18241020 AS18241220	GUARD	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/safety-helmet/</p> <p>SAFETY VENTILATED HELMET WITH TEXTILE RATCHET SUSPENSION FEATURES : 4 Points Ratchet Textile Suspension With Foam Sweat Band, Short Brim For Broader Field Of View, Customized Logo Options, Comfortable, Tuff And Light Weight. MATERIAL : EN397:2000 Tested, Material From Germany, Rigid High Density Polyethylene (HDPE) Shell That Will Help To Protect From Falling Objects. COLORS : White, Red, Orange, Grey, Green, Blue, Yellow RATCHET : Ratchet Harness With Quick Action Ratchet Wheel, Ultimate In Safety & Wearer Comfort. 1 Touch Nylon Suspension System Inside The Hat That Acts As A Shock Absorber EARMUFF SLOT : Universal Slot For Earmuff To Attach With The Helmet. Six Points Ventilation On To Support Air Flow. Sweat Band With Soft Cushion & Special Absorbent Material. Peak & Sides Designed For Rain/Water Drainage.</p>	Piece	CE EN 397:2000 ANSI/ISEA Z89.1-2009	1 Piece	30 Pieces	China	10.6	11.86	57.50 x 46.50 x 41	0.10962375	65061010
		A130680820	Chin Strap	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chin-strap/</p> <p>Cup Shaped Adjustable Chin Strap</p>	Piece		1 Piece	2000 Pcs	China		19.55	57.50 x 46.50 x 41		65061010
		A106950511	RATCHET SUSPENSION	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ratchet-suspension/</p> <p>TEXTILE FITTING FOR AMERIZA HELMETS 4 Points, Ratchet Type Textile Suspension With Foam Sweat Band.</p>	Piece		1 Piece	180 Pieces	CHINA		15.125	50 x 59 x 43		65061010
			ORBIT R MULTIPRO	<p>Description: A high performance, robust Safety Helmet with HDPE Shell and rotary ratchet type adjustment system. Features: • 6 point support for maximum impact absorption • Highly absorbent sweatband with embedded foam • Universal slots on both sides for accessories • Provisions for chin trap fastenings* • Vented option: Sufficient no. of venting holes for air circulation. Applications & Industries: • Construction • Demolition • Oil & Gas • Shipping • Steel & Iron Works • Fabrication Specifications: Shell material: HDPE - Impact grade Headband: PE-LP material Circumference: 52 - 64 cm Webbing: Strong 25mm Nylon webbing. Adjustment system: High-Impact Polycarbonate housing for adjustment of upto 52-64 cm Colors: Green, Red, Blue, Yellow, White</p>	PCS	CE, EN 397		20	UAE	5.25				
			ORBIT R MULTIPRO-V	<p>Description: A high performance, robust Safety Helmet with HDPE Shell and rotary ratchet type adjustment system. Features: • 6 point support for maximum impact absorption • Highly absorbent sweatband with embedded foam • Universal slots on both sides for accessories • Provisions for chin trap fastenings* • Vented option: Sufficient no. of venting holes for air circulation. Applications & Industries: • Construction • Demolition • Oil & Gas • Shipping • Steel & Iron Works • Fabrication Specifications: Shell material: HDPE - Impact grade Headband: PE-LP material Circumference: 52 - 64 cm Webbing: Strong 25mm Nylon webbing. Adjustment system: High-Impact Polycarbonate housing for adjustment of upto 52-64 cm</p>	PCS	CE, EN 397		20	UAE	5.25				













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
			Ranger Browguard		PC									
		3M H-700R Series	WHITE 3MH-701R YELLOW 3MH-702R BLUE 3MH-703R GREEN 3MH-704R RED 3MH-705R ORANGE 3MH-706R	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hard-hat/</p> <p>3M™ HELMET WITH RATCHET SUSPENSION CLASS C,G & E ELECTRICAL PROTECTION AGAINST 20000 VOLTS FEATURES : 4 Points Ratchet Suspension, Accessory Slots, Replaceable Brow Pad, Short Brim For Better Upward Visibility, Customized Logo Options, Comfortable, Tough and Lightweight. MATERIAL : HDPE COLOR : White, Yellow, Blue, Red, Orange, Green</p>	Piece	ANSI / ISEA 289.1 - 2009	1 PIECE	20 PIECES	U.S.A.	7.70	8.70	56 x 46 x 42	0.1082	65061010
		3M H-700V Series	WHITE 3MH-701V	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vented-hard-hats/</p> <p>3M™ VENTILATED HELMET WITH RATCHET SUSPENSION CLASS C FEATURES : Ventilated, 4 Points Ratchet Suspension, Accessory Slots, Replaceable Brow Pad, Short Brim For Better Upward Visibility, Customized Logo Options, Comfortable, Tough and Lightweight. MATERIAL : HDPE COLOR : White</p>	Piece	ANSI / ISEA 289.1 - 2009	1 PIECE	20 PIECES	U.S.A.	7.70	8.70	56 x 46 x 42	0.1082	65061010
		N118240199 N118240699 N118240814 N118241099 N118241299	MSA V-GARD - NON VENTED	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/v-gard/</p> <p>MSA SAFETY HELMET WITH RATCHET SUSPENSION Features UV stabilised ABS helmet shell offering good resistance to scratches Provides lateral crush protection Built-in rain gutter for outdoor operations Ideal design for adapting earmuffs, visors or attaching headband of MSA Colors: White, Yellow, Blue, Orange, Green, Red Material: HDPE with UV Inhibitor Type I, Class G, E & C GOST certified (-50°C) Applications: For many Industrial applications the ideal and most economic solution</p>	Piece	ANSI/ISEA 289.1-2009 (Class E), and CSA 294.1-2005	1 Piece	20	USA	6	9	24 x 18 x 17		65061010
		N118240812 N118240999 N118242199	MSA V GARD 500-VENTED HARD HAT	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-hard-hat/</p> <p>MSA VENTED SAFETY HELMET WITH RATCHET SUSPENSION Comfort and protection UV stabilised ABS helmet shell offering good resistance to scratches Provides lateral crush protection Built-in rain gutter for outdoor operations Ideal design for adapting earmuffs, visors or attaching headband of MSA V-Gard 500 helmet can be delivered with a badge holder on the front Ventilation holes on the upper part for optimized airflow Material: HDPE Colors: White Type 1 Class C</p>	Piece	ANSI/ISEA 289.1-2014 CSA 294.1-2015	1 Piece	20	USA	7	10	24 x 18 x 17		65061010
		M218240825	3MH801R	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/full-brim-hard-hat/</p> <p>3M™ FULL BRIM HELMET WITH RATCHET SUSPENSION FEATURES : Comfortable Suspension Fits Lower On Head To Reduce Pressure Points, 4-Points Smooth And Easy Turning Ratchet Suspension, Absorbent Brow Pad, Offers Extra Shielding From The Sun, Splashes, Rain, Sleet, Snow etc, Often Preferred In Hot And Sunny Locations, APPLIED INDUSTRIES : Heavy And Light Industrial, Construction, Oil And Gas, Road Works, Utilities, Forestry, Mining Etc. Color: White</p>	Piece	ANSI/ISEA 289.1-2009 Type 1, Class C, G and E	1 Piece	20 PIECES	USA	7.70	8.70	56 x 46 x 42		65061010













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N118240899	MSA FULL BRIM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/safety-hat/</p> <p>MSA V-Gard Full Brim helmet W/Ratchet suspension Superior top impact protection Fas-Trac III suspension is the most comfortable CLASSIFICATION Type I, Class E APPLICATION(S) General Purpose SHELL MATERIAL Virgin high-density polyethylene (HDPE) with UV inhibitor Colors: White, Yellow</p>	Piece	ANSI/ISEA Z89.1-2014 CSA Z94.1-2014	1 Piece	15	Shell: Mexico Ratchet: USA	5	10	24 x 18 x 17		65061010
		B210241220	BULLARD LTX SERIES	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/firefighter-helmet/</p> <p>BULLARD HELMET (FIRE FIGHTING HELMET) Heat-Resistant Thermoplastic, Ratchet Adjustment, Hard-Coated High Heat Thermoplastic, Material Faceshield, Meets Standard for Eye and Face Protection</p>	Piece	NFPA 1971 ANSI Z87.1-2003	1 Piece	3	USA	5	6.12	62 x 34 x 32		
	X-MARK	N114250820	FACE SHIELD	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/face-shield/</p> <p>FACE SHIELD VISOR POLYCARBONATE WITH RATCHET HEAD GEAR FEATURES : Adjustable Ratchet Type, Provides Face Protection against Liquid splashes, Flying Objects, grinding Chips etc. Light weight-visor gives high impact resistance.</p>	Piece		1 Piece	40 PCS	China					90049090
			RANGER VISOR	<p>Features: Safety Visor with polycarbonate lens Full face protection against particles, splashes and sparks Meets EN166 level 8 far Medium Impact Protection [1120 m/s] Meets EN166 level 2 for Intermittent Use Works in conjunction with RANGER Brow Guard and Brackets Applications & Industries: Automotive, Construction, Light Industry Heavy Industry Logistics</p>										
	X-MARK		WELDING HELMET HEAVY DUTY	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/welding-helmet/</p> <p>WELDING HELMET WITH RATCHET FITTING. (HEAVY DUTY) FEATURES : Light Weight, Comfortable, Lift Up Front Lens, Fully Assembled, Protects Upper Chest And Throat From Sparks And Spatter, Durable, Adjustable Ratchet Suspension, Curved Top Extends Well Over The Head For Added Protection.</p>	Piece		1 Piece		Taiwan					65061010
	X-MARK	N123240111 N123240411 N123240711 N123241211	BUMP CAP	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/bump-cap/</p> <p>SAFETY BUMP CAP COLORS : NAVY BLUE, BLACK, RED, GREY</p>	Piece	E9 397 CE EN 812:2012 TYPE : FZL	1 Piece	72 Pcs	CHINA	13.8	14.8	60 x 54 x 38		













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS) L x W x H	CBM PER CTN	HS CODE
		E114221321	Fargo Clear Grey (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-clear/</p> <p>Fargo Clear Grey WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, dual 9.75 base curve, closely fits various facial contour. The lens provides light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114221322	Fargo Clear Orange (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-clear-orange/</p> <p>Fargo Clear Orange WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114221421	Fargo Smoke Grey (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-smoke-grey/</p> <p>Fargo Smoke Grey WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114221422	Fargo Smoke Orange (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-smoke-orange/</p> <p>Fargo Smoke Orange WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114224621	Fargo Amber (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-amber/</p> <p>Fargo Amber WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114224521	Fargo Indoor/Outdoor Mirror (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-mirror-indoor-outdoor/</p> <p>Fargo IO Mirror WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114221521	Fargo Silver Mirror (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-mirror-silver/</p> <p>Fargo Silver Mirror WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114224720	Fargo Bronze Mirror (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fargo-mirror-bronze/</p> <p>Fargo Bronze Mirror WEIGHT : Lightweight, 22g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, dual 9.75 base curve, closely fits various facial contour. The lens provides users with clearest and the most panoramic view without obstruction. NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type with soft insert TEMPLE TIP : TPR Inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.1	10.9	82*61*23		90049090
		E114221320	Ryder Clear (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ryder-clear/</p> <p>Ryder Clear MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Snug-fitting wrap around lens provides perfect impact protection around the eyes. Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.7	11.5	83*61*22		90049090
		E114221420	Ryder Smoke (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ryder-smoke/</p> <p>Ryder Smoke MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Snug-fitting wrap around lens provides perfect impact protection around the eyes. Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.7	11.5	83*61*22		90049090
		E114224620	Ryder Amber (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ryder-amber/</p> <p>Ryder Amber MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Snug-fitting wrap around lens provides perfect impact protection around the eyes. Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.7	11.5	83*61*22		90049090
		E114224520	Ryder Indoor/Outdoor Mirror (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ryder-mirror/</p> <p>Ryder Indoor / Outdoor Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Snug-fitting wrap around lens provides perfect impact protection around the eyes. Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision NOSE PIECE : Universal, Integral to lens TEMPLE : Modern Temple Design and Spatula type SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs,	25 Pkts	Taiwan	7.7	11.5	83*61*22		90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS) L x W x H	CBM PER CTN	HS CODE
		E114221520	Ryder Silver Mirror (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ryder-silver-mirror/</p> <p>Ryder Silver Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Snug-fitting wrap around lens provides perfect impact protection around the eyes. Close-fitting unitary front with dual 9.75 base curvature offers wide and unobstructed vision NOSE PIECE : Universal, integral to lens TEMPLE : Modern Temple Design and Spatula type SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.7	11.5	83*61*22		90049090
		E114221924	Hawk Clear (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hawk-clear/</p> <p>Hawk Clear MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. Wraparound with angle side protection FRAME : Nylon Built In brow protection NOSE PIECE : Universal nose bridge TEMPLE : Nylon 4-length position adjust, Modern Temple Design and Spatula Extendable. SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	14.4	60.50*82*22.50		90049090
		E114221424	Hawk Smoke (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hawk-smoke/</p> <p>Hawk Smoke MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. Wraparound with angle side protection FRAME : Nylon Built In brow protection NOSE PIECE : Universal nose bridge TEMPLE : Nylon 4-length position adjust, Modern Temple Design and Spatula Extendable. SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	14.4	60.50*82*22.50		90049090
		E114225020	Hawk CE Green (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hawk-ce-green/</p> <p>Hawk CE Green MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. Wraparound with angle side protection FRAME : Nylon Built In brow protection NOSE PIECE : Universal nose bridge TEMPLE : Nylon 4-length position adjust, Modern Temple Design and Spatula Extendable. SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	14.4	60.50*82*22.50		90049090
		E114225120	Hawk Shade 5 - Welding (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hawk-shade/</p> <p>Hawk Shade 5 - Welding MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. Wraparound with angle side protection FRAME : Nylon Built In brow protection NOSE PIECE : Universal nose bridge TEMPLE : Nylon 4-length position adjust, Modern Temple Design and Spatula Extendable. SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	14.4	60.50*82*22.50		90049090
			VALPRO Universal	<p>Features: High brow guard for extra protection and unimpeded view Flexible Light weight Nylon frame for extra comfort Single lens design with integral side shields for greater orbital seal PC lens with integral sideshields protects against impact Hard coated and Scratch resistance lens filter out more than 99.9% of harmful UV rays</p> <p>Product specifications: Lens_Material: Polycarbonate Thickness: 2.2 MM Temple Material: Nylon Nose Piece Material: Polycarbonate Total Weight: 31 G Bridge Width / Height 33 MM / 28 MM Overall Width Height to Hinge 148 MM Overall Length Lens to Tip 128-148 MM</p> <p>Applications & Industries: Construction, Mining, Manufacturing, Oil & Gas, Medical, Heavy Engineering, Drilling</p>		EN 166:2002, ANSI Z87.4		300			8.5		0.083	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114221423	Edge Smoke (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/edge-smoke/</p> <p>OVER SPECTACLE - Edge Smoke Fits most prescription glasses MATERIAL : POLYCARBONATE LENS COATING : Full front, side and top protection, High velocity impact resistant, Anti UV Light LENS : Polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. FRAME : Nylon Built in brow protection NOSE PIECE : Integral to lens TEMPLE : Ventilated, Wide spatula with side protection Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	14	19.24	87 x 36 x 23		90049090
		E114221323	Edge Clear (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/edge-clear/</p> <p>OVER SPECTACLE - Edge Clear Fits most prescription glasses MATERIAL : POLYCARBONATE LENS COATING : Full front, side and top protection, High velocity impact resistant, Anti UV Light LENS : Polycarbonate lens filters out more than 99.9% of harmful UV light. Optical class 1 lens, low energy impact resistant. FRAME : Nylon Built in brow protection NOSE PIECE : Integral to lens TEMPLE : Ventilated, Wide spatula with side protection Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	14	19.24	87 x 36 x 23		90049090
		E114231320	Vision Clear (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vision-clear/</p> <p>SAFETY GOGGLE - VISION CLEAR Fits over prescription glasses MATERIAL : POLYCARBONATE LENS COATING : LENS : Polycarbonate Lens protects against Splash and Dust. High impact resistance against flying particles BODY : Soft vinyl goggle body conforms to facial contours for a very comfortable fit. NOSE PIECE : PVC Universal Integral to Frame HEADBAND : Fully adjustable Textile elastic band</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	12 Pkts	Taiwan	10.2	13.91	57 x 50 x 36		90049090
		E114231321	Vision Grey (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vision-grey/</p> <p>SAFETY INDIRECT-VENTED GOGGLE - VISION GREY Single Poly Bag Packing STYLE : Specific design on the sides of goggle body for fitting over prescription glasses. MATERIAL : POLYCARBONATE LENS COATING : Anti Fog and Anti Scratch polycarbonate lens filters out more than 99.9% of harmful UV light LENS : Polycarbonate Lens protects against Splash and Dust. High velocity and impact resistance against flying particles BODY : Cushion-soft vinyl goggle body & ultra-wide elastic headband for comfortable fitting. NOSE PIECE : PVC Universal Integral to Frame HEADBAND : Fully adjustable Textile elastic band FRAME : Translucent frame for a maximum field of vision</p>	Piece	EN166 F CE ANSI Z87.1	6 Pcs.	15 Pkts	Taiwan	12.4	16.21	58 x 37 x 53		90049090
		E114231322	Vision Gray Visor Combo (BASIC PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vision-grey-visor-combo/</p> <p>SAFETY INDIRECT-VENTED GOGGLE - VISION GREY STYLE : Specific design on the sides of goggle body for fitting over prescription glasses. MATERIAL : POLYCARBONATE LENS COATING : Anti Fog and Anti Scratch polycarbonate lens filters out more than 99.9% of harmful UV light LENS : Polycarbonate Lens protects against Splash and Dust. High velocity and impact resistance against flying particles BODY : Cushion-soft vinyl goggle body & ultra-wide elastic headband for comfortable fitting. NOSE PIECE : PVC Universal Integral to Frame HEADBAND : Fully adjustable Textile elastic band FRAME : Translucent frame for a maximum field of vision</p>	Piece	EN166 F CE ANSI Z87.1	1 Pc	30 Pieces	Taiwan	6.3	7.69	51 x 40 x 30		90049090
		E114224527	Active Indoor / Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-mirror-indoor-outdoor/</p> <p>Active Indoor / Outdoor Mirror WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft Finger-Type Design TEMPLE : Black/Orange Co-molded, Non-slip, ventilated temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114221530	Active Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-silver/</p> <p>Active Silver Mirror WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft Finger-Type Design TEMPLE : Black/Grey Co-molded, Non-slip, ventilated temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090
		E114224726	Active Bronze Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-bronze/</p> <p>Active Bronze Mirror WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft Finger-Type Design TEMPLE : Black/Brown Co-molded, Non-slip, ventilated temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090
		E114221330	Active Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-clear/</p> <p>Active Clear WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft Finger-Type Design TEMPLE : Black/Red Co-molded, Non-slip, ventilated temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090
		E114221430	Active Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-smoke/</p> <p>Active Smoke WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft Finger-Type Design TEMPLE : Black/Grey Co-molded, Non-slip, ventilated temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090
		E114224622	Active Amber (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/active-amber/</p> <p>Active Amber WEIGHT : Ultra Lightweight, 19g only / MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 9.5 base curved lens with integral extension of side shield offering the best fit. FRAME : Rim-Less NOSE PIECE : Soft PVC Nose Bridge, Soft Finger-Type Design TEMPLE : Black/Yellow Co-molded, Ventilated, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	6.6	10.8	83 x 62.50 x 22.50	0.117	90049090
		E114221327	Elite Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/elite-clear/</p> <p>Elite Clear MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 7 base curved lens with integral extension of side shield offering the best fit. FRAME : High impact resistant brow-bar guards your eyes from flying particles & large dust from top side. NOSE PIECE : TPR REACH compliance; glued onto the nose bridge TEMPLE : Black/Light Grey Co-molded and Vented Temple, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	15.09	82 x 23.5 x 63	0.1214	90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114221427	Elite Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/elite-smoke/</p> <p>Elite Smoke MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 7 base curved lens with integral extension of side shield offering the best fit. FRAME : High impact resistant brow-bar guards your eyes from flying particles & large dust from top side. NOSE PIECE : TPR REACH compliance; glued onto the nose bridge TEMPLE : Black Grey/Grass Green Co-molded and Vented Temple, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	15.09	82 x 23.5 x 63	0.1214	90049090
		E114221527	Elite Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/elite-silver/</p> <p>Elite Silver Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 7 base curved lens with integral extension of side shield offering the best fit. FRAME : High impact resistant brow-bar guards your eyes from flying particles & large dust from top side. NOSE PIECE : TPR REACH compliance; glued onto the nose bridge TEMPLE : Black Grey/Grass Green Co-molded and Vented Temple, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	15.09	82 x 23.5 x 63	0.1214	90049090
		E114224524	Elite Indoor / Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/elite-mirror-indoor-outdoor/</p> <p>Elite Indoor / Outdoor Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 7 base curved lens with integral extension of side shield offering the best fit. FRAME : High impact resistant brow-bar guards your eyes from flying particles & large dust from top side. NOSE PIECE : TPR REACH compliance; glued onto the nose bridge TEMPLE : Black/Light Grey Co-molded and Vented Temple, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	15.09	82 x 23.5 x 63	0.1214	90049090
		E114224723	Elite Bronze Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/elite-bronze-mirror/</p> <p>Elite Bronze Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. One-piece lens, 7 base curved lens with integral extension of side shield offering the best fit. FRAME : High impact resistant brow-bar guards your eyes from flying particles & large dust from top side. NOSE PIECE : TPR REACH compliance; glued onto the nose bridge TEMPLE : Bronze/Yellow Co-molded and Vented Temple, Non-slip temple for snug fitting. TEMPLE TIP : TPE Co-Molded inserted into temple end SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	10.6	15.09	82 x 23.5 x 63	0.1214	90049090
		E114221928	Metallic Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/metallic-clear/</p> <p>Metallic Clear MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti Fog, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Streamline dual lens design 9.5 base curved lens. FRAME : Lens clipped to frame. NOSE PIECE : Bridge -Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black Fashion design with thin and comfortable fitting. SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.1	12.3	63 x 89.50 x 23	0.121	90049090
		E114221428	Metallic Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/metallic-smoke/</p> <p>Metallic Smoke MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti Fog Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Streamline dual lens design 9.5 base curved lens. FRAME : Lens clipped to frame. NOSE PIECE : Bridge -Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black Fashion design with thin and comfortable fitting. SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.1	12.3	63 x 89.50 x 23	0.121	90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114221528	Metallic Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/metallic-silver-mirror/</p> <p>Metallic Silver Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Streamline dual lens design 9.5 base curved lens. FRAME : Lens clipped to frame. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black Fashion design with thin and comfortable fitting. SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.1	12.3	63 x 83.50 x 23	0.121	90049090
		E114224525	Metallic Indoor / Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/metallic-mirror-indoor-outdoor/</p> <p>Metallic Indoor / Outdoor Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Streamline dual lens design 9.5 base curved lens. FRAME : Lens clipped to frame. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black Fashion design with thin and comfortable fitting. SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.1	12.3	63 x 89.50 x 23	0.121	90049090
		E114224724	Metallic Bronze Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/metallic-bronze/</p> <p>Metallic Bronze Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, hard coated polycarbonate lens filters out more than 99.9% of harmful UV light. Streamline dual lens design 9.5 base curved lens. FRAME : Lens clipped to frame. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black Fashion design with thin and comfortable fitting. SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.1	12.3	63 x 83.50 x 23	0.121	90049090
		E114221326	Sporty Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-clear/</p> <p>Sporty Clear WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Fog, Anti-Scratch, Anti UV Light LENS : High Impact resistance, Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black/Grey dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090
		E114221426	Sporty Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-smoke/</p> <p>Sporty Smoke WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Fog, Anti-Scratch, Anti UV Light LENS : High Impact resistance, Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black/Blue dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090
		E114221526	Sporty Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-silver-mirror/</p> <p>Sporty Silver Mirror WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : High Impact resistance , Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge –Polycarbonate Assemble to the frame, Nose Pad-TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black/Blue dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090










PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114224523	Sporty Indoor/Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-mirror-indoor-outdoor/</p> <p>WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : High impact resistance, Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge -Polycarbonate Assemble to the frame, Nose Pad- TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Silver/Orange dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090
		E114224821	Sporty Blue Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-mirror-blue/</p> <p>Sporty Blue Mirror WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : High impact resistance, Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge -Polycarbonate Assemble to the frame, Nose Pad- TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Black/Blue dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090
		E114224722	Sporty Bronze Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sporty-mirror-bronze/</p> <p>Sporty bronze Mirror WEIGHT : 28g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : High impact resistance, Lenses provide 99.9% of UV protection, Full wrap around with 9 curved base lens provides more coverage, without the distraction of seams or traditional type side shields FRAME : Brow guard-TPE Co-Moulded, Semi-frame & slim temple design. NOSE PIECE : Bridge -Polycarbonate Assemble to the frame, Nose Pad- TPR Soft nose pad provides pressure-free fitting, Flexible nose bridge for universal fit. TEMPLE : Brown/Yellow dual-material temples – Polycarbonate temple with ultra soft TPR tip for all day comfort SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	7.9	12.49	83 x 24 x 63	0.12	90049090
		E114224820	Super-Fit Blue Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-mirror-blue/</p> <p>Super-Fit Blue Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Black/Blue Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090
		E114221525	Super-Fit Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-mirror-silver/</p> <p>Super-Fit Silver Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Black/Grey Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 F CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090
		E114221425	Super-Fit Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-smoke/</p> <p>Super-Fit Smoke MATERIAL : POLYCARBONATE LENS COATING : Anti-Fog, Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Black/Grey Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS) L x W x H	CBM PER CTN	HS CODE
		E114221325	Super-Fit Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-clear/</p> <p>Super-Fit Clear MATERIAL : POLYCARBONATE LENS COATING : Anti-Fog, Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Bronze/Yellow Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090
		E114224522	Super-Fit Indoor/Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-mirror-indoor-outdoor/</p> <p>Super-Fit Indoor/Outdoor Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Bronze/Yellow Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090
		E114224721	Super-Fit Bronze Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/superfit-bronze/</p> <p>Super-Fit Bronze Mirror MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Scratch-resistant, polycarbonate lens provide 99.9% of UV protection, Full wrap around with 9.5 curved base lens provides full front & side eye protection. FRAME : Lens snapped in the frame. NOSE PIECE : Soft TPE Universal fit. TEMPLE : Bronze/Yellow Co-moulded Unique temple width adjustable and rotatable design for customized fitting SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	8.7	13.025	84 x 23 x 64	0.108	90049090
		E114221329	Vista Clear (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vista-clear/</p> <p>Vista Clear Single Poly Bag Packing Air Ventilated Lens WEIGHT : 35.50g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : Thickness 2.2 mm , Optical Class 1 polycarbonate lens provide 99.9% of UV protection, Full wrap around with 8 base lens provides full front & side eye protection. FRAME : Full Frame, Black. NOSE PIECE : Soft TPR Glued on nose bridge TEMPLE : Black, length(lens-tip): 160 mm, TPE Soft tips for comfort. HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI, CE, AS and MCEPS	12 Pcs.	25 Pkts.	Taiwan	9.6	14.75	83 x 31 x 59	0.164	90049090
		E114221429	Vista Smoke (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vista-smoke/</p> <p>Vista Smoke Single Poly Bag Packing Air Ventilated Lens WEIGHT : 35.50g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : Thickness 2.2 mm , Optical Class 1 polycarbonate lens provide 99.9% of UV protection, Full wrap around with 8 base lens provides full front & side eye protection. FRAME : Full Frame, Black. NOSE PIECE : Soft TPR Glued on nose bridge TEMPLE : Black, length(lens-tip): 160 mm, TPE Soft tips for comfort. HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI, CE, AS and MCEPS	12 Pcs.	25 Pkts.	Taiwan	9.6	14.75	83 x 31 x 59	0.164	90049090
		E114221529	Vista Silver Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vista-silver-mirror/</p> <p>Vista Silver Mirror Single Poly Bag Packing Air Ventilated Lens WEIGHT : 35.50g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Thickness 2.2 mm , Optical Class 1 polycarbonate lens provide 99.9% of UV protection, Full wrap around with 8 base lens provides full front & side eye protection. FRAME : Full Frame, Black. NOSE PIECE : Soft TPR Glued on nose bridge TEMPLE : Black, length(lens-tip): 160 mm, TPE Soft tips for comfort. HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI, CE, AS and MCEPS	12 Pcs.	25 Pkts.	Taiwan	9.6	14.75	83 x 31 x 59	0.164	90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E114224526	Vista Indoor / Outdoor Mirror (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vista-indoor-outdoor/</p> <p>Vista Indoor / Outdoor Mirror Single Poly Bag Packing Air Ventilated Lens WEIGHT : 35.50g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Thickness 2.2 mm , Optical Class 1 polycarbonate lens provide 99.9% of UV protection, Full wrap around with 8 base lens provides full front & side eye protection. FRAME : Full Frame, Black. NOSE PIECE : Soft TPR Glued on nose bridge TEMPLE : Black, length(lens-tip): 160 mm, TPE Soft tips for comfort. HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI, CE, AS and MCEPS	12 Pcs.	25 Pkts.	Taiwan	9.6	14.75	83 x 31 x 59	0.164	90049090
		E114224725	Vista Bronze (PREMIUM)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vista-bronze/</p> <p>Vista Bronze Single Poly Bag Packing Air Ventilated Lens WEIGHT : 35.50g MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : Thickness 2.2 mm , Optical Class 1 polycarbonate lens provide 99.9% of UV protection, Full wrap around with 8 base lens provides full front & side eye protection. FRAME : Full Frame, Black. NOSE PIECE : Soft TPR Glued on nose bridge TEMPLE : Black, length(lens-tip): 160 mm, TPE Soft tips for comfort. HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw. Spec Pouch & Cord (Optional)</p>	Piece	CE EN166 ANSI, CE, AS and MCEPS	12 Pcs.	25 Pkts.	Taiwan	9.6	14.75	83 x 31 x 59	0.164	90049090
 Pouch & Cord Included		E114221433	Flash Smoke (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-smoke/</p> <p>Flash Smoke Single Poly Bag Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : 8 base curved lens filters out more than 99.9% of harmful UV light FRAME : Dual lens style, Full Frame, Gloss Black color. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : Gloss Black, Air Vented, Straight back temples provide secure fit. Flexible temples with soft temple tips HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	13.3	17.59	83 x 32 x 59		90049090
 Pouch & Cord		E114224920	Flash Sky Red Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-mirror-sky-red/</p> <p>Flash Sky Red Mirror Single Poly Bag Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 8 base curved lens filters out more than 99.9% of harmful UV light FRAME : Dual lens style, Full Frame, Gloss Black color. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : Gloss Pearl Black, Air Vented, Straight back temples provide secure fit. Flexible temples with soft temple tips HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	13.3	17.59	83 x 32 x 59		90049090
 Pouch & Cord Included		E114221532	Flash Silver Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-mirror-silver/</p> <p>Flash Silver Mirror Single Poly Bag Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 8 base curved lens filters out more than 99.9% of harmful UV light FRAME : Dual lens style, Full Frame, Gloss Black color. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : Gloss Black, Air Vented, Straight back temples provide secure fit. Flexible temples with soft temple tips HINGES : Nickle Silver 5 barrel type, inserted to frame & temples SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 CE ANSI Z87.1	12 Pcs.	25 Pkts	Taiwan	13.3	17.59	83 x 32 x 59		90049090
 Pouch & Cord		E114221331	Maxima Clear (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-clear/</p> <p>Maxima Clear Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Black Grey, Air Vented, Lens clip in frame, Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
 Pouch & Cord		E114221431	Maxima Smoke (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-smoke/</p> <p>Maxima Smoke Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Navy Blue/Orange Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090
 Pouch & Cord		E114224623	Maxima Amber (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-amber/</p> <p>Maxima Amber Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti-Fog & Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Black/Grey Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090
 Pouch & Cord		E114221531	Maxima Silver Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-silver-mirror/</p> <p>Maxima Silver Mirror Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Navy Blue/Orange, Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090
 Pouch & Cord		E114224528	Maxima I/O Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-mirror-indoor-outdoor/</p> <p>Maxima I/O Mirror Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Black/Grey/Grass Green, Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090
 Pouch & Cord		E114224822	Maxima Blue Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-mirror-blue/</p> <p>Maxima Blue Mirror Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Light Grey Blue, Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090
 Pouch & Cord		E114224727	Maxima Bronze Mirror (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/maxima-mirror-bronze/</p> <p>Maxima Bronze Mirror Single Window Box Packing Includes Pouch and Cord MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch, Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Black/Grey Air Vented, Lens clip in frame,Co-injected brow cushion comfort and protects from injury. Half-frame & slim temple design. NOSE PIECE : Non-slip and ventilated nose piece. TEMPLE : In/out and Up/Down 3 position Temple adjustments, Ultra Soft TPR Tip, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	EN166 F CE ANSI Z87.1	10 Pcs.	10 Pkts	Taiwan	7.2	9.86	65 x 36 x 41		90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
 Pouch & Cord		E114231323	RX ULTRA GOGGLE CLEAR (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/rx-ultra-goggle-clear/</p> <p>RX ULTRA GOGGLE CLEAR Single Poly Bag Packing includes Pouch and Cord Removable RX insert included- To fit prescription lenses (less than -4.0 diopter) MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch,Anti-Fog & Anti UV Light LENS : 9 base curved lens filters out more than 99.9% of harmful UV light FRAME : Black, Nylon Foam padded frame for dust protection. Lens and frame vented to increase air flow NOSE PIECE : Nylon with CR foam Universal, integral to frame TEMPLE : Black, Interchangeable temples and headband type, Ultra Soft TPR Tip, Air Vented, Straight back temples provide secure fit. SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	ANSI Z87.1 CE EN166	12 Pcs.	10 Pkts	Taiwan	9.8	12.6	37*37*63		90049090
 Pouch & Cord Included		E114221492	Tactical Spoggle Smoke (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/tactical-spoggle-smoke</p> <p>Tactical Spoggle Smoke Single Poly Bag Packing includes Pouch and Cord Spoggle design combines the advantages of spectacle and goggle MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch,Anti-Fog & Anti UV Light LENS : Single Lens Full wraparound 8-curved base lens offers superior impact protection & coverage. Single lens filters out more than 99.9% of harmful UV light Sponge : EVA foam Soft cushion, Fire retardant FRAME : Black, Nylon Foam padded frame for dust protection. Lens and frame vented to increase air flow NOSE PIECE : Nylon with CR foam Universal, integral to frame TEMPLE : Black/orange, Interchangeable temples and headband type, Unique temple design with co-injection temple tips for extra comfort SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	ANSI Z87.1 CE EN166	12 Pcs.	25 Pkts	Taiwan	17.7	22.5	84*31*58.5		90049090
 Pouch & Cord Included		E114221332	Tactical Spoggle Clear (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/tactical-spoggle-clear/</p> <p>Tactical Spoggle Clear Single Poly Bag Packing includes Pouch and Cord Spoggle design combines the advantages of spectacle and goggle MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch,Anti-Fog & Anti UV Light LENS : Single Lens Full wraparound 8-curved base lens offers superior impact protection & coverage. Single lens filters out more than 99.9% of harmful UV light Sponge : EVA foam Soft cushion, Fire retardant FRAME : Black, Nylon Foam padded frame for dust protection. Lens and frame vented to increase air flow NOSE PIECE : Nylon with CR foam Universal, integral to frame TEMPLE : Black/orange, Interchangeable temples and headband type, Unique temple design with co-injection temple tips for extra comfort SCREW : Stainless Steel Standard Hinge screw.</p>	Piece	ANSI Z87.1 CE EN166	12 Pcs.	25 Pkts	Taiwan	17.7	22.5	84*31*58.5		90049090
		E114231325	UltraSonic Goggle (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ultrasonic-goggle-grey/</p> <p>UltraSonic Goggle Single Window Box Packing Fully adjustable headband fits most users MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch,Anti-Fog & Anti UV Light LENS : Single Lens Full wraparound 6-curved base lens offers superior impact protection & coverage. Single lens filters out more than 99.9% of harmful UV light Head Band : Black/Grey/Black, Nylon Elastic Adjustable FRAME : Indirect ventilation and dust prevention simultaneously. Co-material frame PP (polypropylene) & TPE. NOSE PIECE : Universal fit nose bridge conforms to facial contours to ensure a comfortable fit. TEMPLE : Black/orange Unique temple design with co-injection temple tips for extra comfort</p>	Piece	ANSI Z87.1 CE EN166	10 Pcs.	5 Pkts	Taiwan	7	10.17	52 x 41 x 51	0.1066	90049090
		E114231324	UltraSonic Goggle (PREMIUM PLUS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ultrasonic-goggle-orange/</p> <p>UltraSonic Goggle Single Window Box Packing Fully adjustable headband fits most users MATERIAL : POLYCARBONATE LENS COATING : Anti-Scratch,Anti-Fog & Anti UV Light LENS : Single Lens Full wraparound 6-curved base lens offers superior impact protection & coverage. Single lens filters out more than 99.9% of harmful UV light Head Band : Orange/Light Grey/Black, Nylon Elastic Adjustable FRAME : Indirect ventilation and dust prevention simultaneously. Co-material frame PP (polypropylene) & TPE. NOSE PIECE : Universal fit nose bridge conforms to facial contours to ensure a comfortable fit. TEMPLE : Black/orange Unique temple design with co-injection temple tips for extra comfort</p>	Piece	ANSI Z87.1 CE EN166	10 Pcs.	5 Pkts	Taiwan	7	10.17	52 x 41 x 51	0.1066	90049090
		E143640120	Spec-Cord	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/spectacle-cord/</p> <p>Spec-Cord Nylon cord with loops to attach with Spectacles</p>	Piece		12 Pcs.		Taiwan	13	14.6			













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E143640121	Spec-Pouch	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/spectacle-pouch/</p> <p>Spec-Pouch Premium Pouch with Velvet touch fabric and adjustable Strap for tightening.</p>	Piece		10 Pcs.		Taiwan	9.2	11.6			
			NECK CORD		Set									
			CLEANING CLOTH		Set									
			MICROFIBER STORAGE POUCH		Set									
		M214231301	3M40661-00000-10 3M5344F	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-splash-goggle/</p> <p>3M™ SPLASH GOGGLE LENS : CLEAR, Impact Resistant Polycarbonate Lens With 99.9 % UV Protection. COATING : Anti-Fog FEATURES : Indirect-Venting System Designed To Circulate Air and Help Minimize Fogging While Keeping Liquids Out, Adjustable Elastic Strap, Over-The-Glass Coverage, Economical.</p>	PIECE	ANSI Z87.1 - 2003	1 PIECE	10 PIECES	CHINA	0.90	1.00	38 x 20 x 9.5 CMS.	0.0072	90049090
		M214231302	3M2890SA	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-safety-goggle-2890-series/</p> <p>3M™ SAFETY GOGGLE LENS : CLEAR, Impact Resistant Acetate Lens With UV Protection. COATING : Anti-Fog FEATURES : Optical Clarity Class 1 To Allow Prolonged Comfortable Wear, Sealed Design Helps Provide Protection Against Liquids, Dust, Gases And Vapours, Acetate Lens For Excellent Chemical Resistance, Reliable Protection Against Specified Levels Of Hazardous UV Radiation.</p>	PIECE	EN 166 : 2001 / EN 170 : 2002 / CE 230.1 Lens Marking : 2C-1.2.3M.L.N.F.T	1 PIECE	10 PIECES	TAIWAN	1.44	1.54	30 x 20 x 25	0.015	90049090











PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M214220721	3M Linte Cinza Trans	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-linte-cinza-trans/</p> <p>3M™ SPECTACLE - VIRTUA SERIES LENS : CLEAR, Impact Resistant Polycarbonate Lens With 99.9 % UV Protection. FRAME : Frameless Design. TEMPLE : Lens Colored Spatula Type Temple. FEATURES : Integrated Nose Bridge, Highly Flexible Single Lens Design, Light Weight.</p>	PIECE	ANSI Z87.1 : 2003	1 PIECE	25 PIECES	BRAZIL	0.80	0.90	29*19*27	0.0149	90049090
	3M	M214220722	3M Linte Cinza Grey	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-linte-cinza-grey/</p> <p>3M™ SPECTACLE - VIRTUA SERIES LENS : GREY, Impact Resistant Polycarbonate Lens With 99.9 % UV Protection. FRAME : Frameless Design. TEMPLE : Lens Colored Spatula Type Temple. FEATURES : Integrated Nose Bridge, Highly Flexible Single Lens Design, Light Weight.</p>	PIECE	ANSI Z87.1 : 2003 / CSA Z94.3 - 2007	1 PIECE	25 PIECES	BRAZIL	0.80	0.90	29*19*28	0.0154	90049090
	3M	M214220720	3M11815-00000-20	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m11815-00000-20/</p> <p>3M™ SPECTACLE - VIRTUA AP SERIES LENS : GREY, Impact Resistant Polycarbonate Lens With 99.9 % UV Protection. COATING : Anti-Scratch. FRAME : Frameless Design. TEMPLE : Lens Colored Soft Temple. FEATURES : Light Weight, High Wrap Lens, Integral Side Shields and Brow Guard.</p>	PIECE	CSA Z94.3-2007, ANSI Z87.1-2003	1 PIECE	20 PIECES	TAIWAN	0.90	1.00	37*17*16	0.0101	90049090
	3M	M214221321	3M11819-00000-20	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/spectacle-virtua-ap-series/</p> <p>3M™ SPECTACLE - VIRTUA AP SERIES LENS : CLEAR, Impact Resistant Polycarbonate Lens With 99.9 % UV Protection. COATING : Anti-Scratch. FRAME : Frameless Design. TEMPLE : Lens Colored Soft Temple. FEATURES : Light Weight, High Wrap Lens, Integral Side Shields and Brow Guard.</p>	PIECE	ANSI Z87.1 - 2010	1 PIECE	20 PIECES	TAIWAN	0.70	0.75	36*17*15.5	0.0095	90049090
	AMERIZAE	A114221402	Ryder Dark	<p>SAFETY SPECTACLE - SMOKE FINISH LENS : Smoke (Dark) Impact Resistant Polycarbonate Lens With 99.9 % UV Protection COATING : Anti-Scratch FRAME : Smoke (Dark) TEMPLE : Comfortable Temple FEATURES : Sleek Unisex Styling Designed To Appeal Both Male & Female Wearer. The Wrap Around Design Features Integral Side Shield For Improved Safety, Greater Protection & Very Flexible. Optical Class 1 Lens For High Optical Clarity.</p>	Piece	ANSI Z87.1 EN166:2001 CE ISO 9001:2000	12 Pieces	25 Packets	Taiwan		14.2	80 X 26 X 53		90049090
	AMERIZAE	A114221502	Ryder Mirror	<p>SAFETY SPECTACLE - SMOKE FINISH WITH MIRROR TOUCH LENS : Smoke (Dark) Mirror Finish Impact Resistant Polycarbonate Lens With 99.9 % UV Protection COATING : Anti-Scratch FRAME : Smoke (Dark) TEMPLE : Comfortable Temple FEATURES : Sleek Unisex Styling Designed To Appeal Both Male & Female Wearer. The Wrap Around Design Features Integral Side Shield For Improved Safety, Greater Protection & Very Flexible. Optical Class 1 Lens For High Optical Clarity.</p>	Piece	ANSI Z87.1 EN166:2001 CE ISO 9001:2000	12 Pieces	25 Packets	Taiwan		10.42	80 X 26 X 53		90049090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		A114221403	Hawk Dark	<p>SAFETY SPECTACLE - SMOKE FINISH</p> <p>LENS : Smoke (Dark) Impact Resistant Polycarbonate Lens With 99.9 % UV Protection COATING : Anti-Scratch FRAME : Black TEMPLE : Black In/Out Adjustable Temple</p> <p>FEATURES : Sleek Unisex Styling Designed To Appeal Both Male & Female Wearer. The Wrap Around Design Features Integral Side Shield For Improved Safety, Greater Protection & Very Flexible. Optical Class 1 Lens For High Optical Clarity.</p>	Piece	ANSI Z87.1 EN166:2001 CE ISO 9001:2000	12 Pieces	25 Packets	Taiwan		14.07	85 X 25 X 54		90049090
		A114221401	FARGO SMOKE	<p>SAFETY SPECTACLE</p> <p>LENS : Smoke (Dark) Impact Resistant Polycarbonate Lens With 99.9 % UV Protection COATING : Anti-Scratch FRAME : Black TEMPLE : Comfortable Temple with orange flexible tips at both ends.</p> <p>FEATURES : Sleek Unisex Styling Designed To Appeal Both Male & Female Wearer. The Wrap Around Design Features Integral Side Shield For Improved Safety, Greater Protection & Very Flexible. Optical Class 1 Lens For High Optical Clarity.</p>	Piece	ANSI Z87.1 EN166:2001 CE ISO 9001:2000								
		A114221302	RYDER CLEAR	<p>SAFETY SPECTACLE</p> <p>LENS : Transparent Impact Resistant Polycarbonate Lens With 99.9 % UV Protection COATING : Anti-Scratch FRAME : Transparent (Clear) TEMPLE : Comfortable Temple</p> <p>FEATURES : Sleek Unisex Styling Designed To Appeal Both Male & Female Wearer. The Wrap Around Design Features Integral Side Shield For Improved Safety, Greater Protection & Very Flexible. Optical Class 1 Lens For High Optical Clarity.</p>	Piece	ANSI Z87.1 EN166:2001 CE ISO 9001:2000								
		E103010101	TITAN	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/titan/</p> <p>PREMIUM METAL FREE SAFETY SHOE - HIGH ANKLE</p> <p>LEATHER : Water Resistant Heavy Duty Genuine Breathable Leather With Cool Vent Technology. SOLE : Water, Oil, Fuel Impact, Slip Resistant, PU/PU Double Density Dual Color Sole, Antistatic, Shock Absorber, 200 Joules Broad Composite Toe & Anti-Perforation Puncture Resistant SJ Flex INSOLE : Premoulded, Anti-Fungal, Anti-Bacterial and Anti-Odor. LINNING: Mesh Nylon Grey Textured COLOR : Black / SIZES : 38 - 46 6 Months Warranty Against Manufacturing Defects Warranty Voids, If Used In Cement</p>	Pair	EN20345	1 Pair	10 PAIRS	China	14kg	38-18kg 39-17.6kg 40-17.7kg 41-17.6kg 42-17.6kg 43-17.6kg 44-17.7kg 45-17.6g 46-17.6kg	62*48*34		64034000
		A145014401	HONEY SUPREME	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/honey-supreme/</p> <p>HEAVY DUTY SAFETY SHOES HIGH ANKLE</p> <p>FEATURES S3 Water Resistant, Steel Toe, Steel Plate, Anti-Bacterial Soft Insole</p> <p>APPLICATION : OFFICE, CONSTRUCTION, OIL N GAS, M.E.P WORK. 6 Months Warranty Against Manufacturing Defects</p>	Pair	S3 CE EN20345	1 Pair	10 PAIRS	China	38-14kg 39-14kg 40-8.8kg 41-14kg 42-14kg 43-14kg 44-14kg 45-14kg 46-14kg	38-18kg 39-17.6g 40-11g 41-17.6g 42-17.6kg 43-17.6kg 44-17.7kg 45-17.7kg 46-17.5kg	62*48*34		64034000
		E103040101 E103040201	EXECUTIVE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/executive-safety-shoes-metal-free/</p> <p>(METAL FREE) EXECUTIVE SAFETY SHOES</p> <p>PROMINENT FEATURES- S3 Water Resistant, Composite Toe, Kevlar Plate, Anti-Bacterial Soft Insole APPLICATIONS : AIRPORT, SECURITY POINTS, OFFICE, CONSTRUCTION, OIL N GAS, M.E.P WORK.. ETC COLOR - BROWN & BLACK 6 Months Warranty Against Manufacturing Defects</p>	Pair	S3 CE EN20345	1 PAIR	10 PAIRS	China	Brown - 11.20kg Black - 12.67kg		60*41*38		64034000













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		G102030201	STRONGO	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/strongo/</p> <p>WELDING RIGGER BOOT LEATHER : Genuine Leather With Baton Print, Cool Vent Technology. SOLE : Slip Resistant, PU/PU Double Density Sole, Antistatic, Shock Absorber, 200 Joules Broad Steel Toe & Flexible Steel Plate. COLOR : Tan SIZES : 38 - 46 6 Months Warranty Against Manufacturing Defects</p>	Pair	S1P CE CAT 1 EN20345	1 Pair	10 Pairs	China	14.4	38 - 17.50 39 - 17.70 40 - 18.00 41 - 19.10 42 - 19.35 43 - 19.79 44 - 20.20 45 - 20.50 46 - 21.60	65.00 X 61.00 X 36.00 66.50 X 61.00 X 35.50 66.00 X 62.00 X 36.00 66.00 X 60.00 X 34.50 65.00 X 61.00 X 35.00 69.50 X 63.50 X 36.50 69.50 X 64.00 X 37.50 69.50 X 64.00 X 38.00	0.13629	64034000
		A102030201	RHINO	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/rhino/</p> <p>HEAVY DUTY WELDING RIGGER BOOT WITH TOUGH DOUBLE DENSITY RUBBER SOLE LEATHER : Sil Finish Genuine Leather, Cool Vent Technology. TESTED - 150° Heat Resistant (Test Report Available) SOLE : Slip Resistant, PU/RUBBER Double Density Sole, Antistatic, Shock Absorber, 200 Joules Broad Steel Toe & Flexible Steel Plate. COLOR : BROWN SIZES : 38 - 46 6 Months Warranty Against Manufacturing Defects</p>	Pair	S1P EN20345	1 Pair	10 Pairs	China	15.2	38 - 18.50 39 - 18.70 40 - 19.20 41 - 19.50 42 - 20.30 43 - 21.10 44 - 21.60 45 - 22.20 46 - 22.60	66.00 X 60.00 X 35.00 66.00 X 61.50 X 35.00 66.00 X 61.50 X 35.00 66.00 X 63.00 X 35.50 70.00 X 62.50 X 36.50 70.00 X 63.00 X 39.00	0.13629	64034000
		B310700904 B210700905	BULLDOZER	<p>Follow Below Link For More Info / Technical Data Sheet https://sams-solutions.com/product/heavy-duty-welding-rigger-boot/</p> <p>Bulldozer Fire Fighting Shoe - B09788 Feature: Vulcanized Rubber Upper and Sole, Hypalon Lacquer type finishing, Chemical Resistant - Upper - Resistant towards mild acids and alkali, Sole - Resistant towards mild acids. Sole Protection : Black in Colour, 80% Chloroprene Rubber & 20% Nitrile Rubber Oil Resistant - Immersion in iso-octane (22 hours at 22 °C) 12% max change in volume. Abrasion Resistant - DIN 53516 : 250mm3 max. Hardness Shore A : 65 ± 5. Sole Protection Electric Shock Resistant, meets CSA - 2195-M92 Steel Toe : Meets EN 345 Impact and Compression. COLOR : Black /Yellow SIZES : 38 - 46</p>	Pair	CSA, CE Approved - EN 345-2:1996	1 Pair	6	MALAYSIA	18	19	42*42*42	64034000	
		S502022901 S502022902 S502022903 S502022904 S502022905 S502022906 S502022907 S502022908 S502022909	Best Run (L-7222)	<p>Follow Below Link For More Info / Technical Data Sheet https://sams-solutions.com/product/best-run/</p> <p>Water resistant cow leather Category - S3 SRC Blanket: Mesh new oxford design Inside: Aerated anti-static EVA Inner sole: PU / PU Injection, double density Tested By the UK Intertek lab (Approved body: 0362) Foot: 200 Joules steel ferrule Toe: - Steel Toe Cap to resist 200 Joules Impact Penetration: - Steel Plate to resist 1100 newtons Puncture Applications - 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Water Resistant, Oil Resistant, Electro Static Discharge Color - Black Sizes - 38-46 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345: 2011	1 Pair	10 pairs	China	14.49	62 x 45 x 35	0.09765	64034000	
		S502023301 S502023302 S502023303 S502023304 S502023305 S502023306 S502023307 S502023308 S502023309	Best Sport (L-7296)	<p>Follow Below Link For More Info / Technical Data Sheet https://sams-solutions.com/product/best-sport/</p> <p>Best Sport Low Ankle shoe Category - S1 SRC Upper:- Brown suede cow leather Lining: - Air mesh lining & amp; Resistant to Abrasion Insock: - Anti-static, and ventilated EVA Outsole: - PU/PU dual density injection Tested By: - UK Intertek lab (Approved body:0362) Toe: - Composite Toe, Steel toecap 200 Joules Penetration: - Steel plate 1100 newtons Applications - 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Oil Resistant, Electro Static Discharge Color - Camel Sizes - 38-46 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	15.62	60 x 45 x 34.5	0.09915	64034000	
		S502023401 S502023402 S502023403 S502023404 S502023405 S502023406 S502023407 S502023408 S502023409	Best Jogger (L-7326)	<p>Follow Below Link For More Info / Technical Data Sheet https://sams-solutions.com/product/best-sport/</p> <p>Best Jogger Low Ankle Shoe Category - S1P SRC Cross Design Both Side Reflectives Features - 200 Joule TOECAP - Slip-Resistant - Shock Absorption - Oil Resistant - Petrol & Chemical Resistant - Anti-Nail Midssole Color- Blue Sizes - 38-46 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	14.74	60 x 44 x 34	0.08976	64034000	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		SS02013001 SS02013002 SS02013003 SS02013004 SS02013005 SS02013006 SS02013007 SS02013008 SS02013009	Best Slip-On (M 8025)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-slip-on/</p> <p>Best Slip On Lace-up safety shoes Category - S3 SRC Upper: Black smooth cow leather Lining:- Air mesh lining & amp; Resistant to Abrasion Insock:- Anti-static, and ventilated EVA Outsole:- PU/PU dual density injection Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Steel plate 1100 newtons Color:- Black Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Water Resistant, Oil Resistant, Electro Static Discharge Sizes - 38-46 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pairs	China	15.78		62.5 x 49 x 36	0.11025	64034000
		SS02012801 SS02012802 SS02012803 SS02012804 SS02012805 SS02012806 SS02012807 SS02012808 SS02012809	Best Boy (M 8027)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-boy/</p> <p>Best Boy High Ankle Shoe with Side Reflectors Category - S3 SRC Upper: Black embossed cow leather Lining:- Air mesh lining & amp; Resistant to Abrasion Insock:- Anti-static, and ventilated EVA Outsole:- PU/PU dual density injection Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Steel plate 1100 newtons Color - Black Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Petrol and Chemical Resistant, Anti-nail Mid sole, Oil Resistant Sizes - 38-46</p>	Pair	S3 SRC EN ISO 20345:2011	1 Pair	10 Pair	China	15.96		61.5 x 44 x 34	0.092	64034000
		SS02013601 SS02013602 SS02013603 SS02013604 SS02013605 SS02013606 SS02013607 SS02013608 SS02013609	Best Worker (M 8138)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-worker/</p> <p>Category - S1P SRC Upper: Black embossed cow leather Lining:- Air mesh lining & amp; Resistant to Abrasion Insock:- Anti-static, and ventilated EVA Outsole:- PU/PU dual density injection Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Steel plate 1100 newtons Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Petrol and Chemical Resistant, Anti-nail Mid sole, Oil Resistant Color - Grey Sizes - 38-46 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	13.74		64 x 46.5 x 34	0.101184	64034000
		SS02013101 SS02013102 SS02013103 SS02013104 SS02013105 SS02013106 SS02013107 SS02013108 SS02013109	Best Cat (M 8173)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-cat/</p> <p>Category - SBP SRC Upper: Brown nubuck cow leather Lining:- Air mesh lining & amp; Resistant to Abrasion Insock:- Anti-static, and ventilated EVA Outsole:- Goodyear welted rubber Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Steel plate 1100 newtons Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Oil Resistant, Electro Static Discharge Color - Honey 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	21		65 x 57 x 37.5	0.13894	64034000
		SS02013201 SS02013202 SS02013203 SS02013204 SS02013205 SS02013206 SS02013207 SS02013208 SS02013209	Best Titan (M 8179)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-titan/</p> <p>Best Titan High Ankle Shoe Category - SBP SRC Upper: Black smooth cow leather Lining:- Air mesh lining & amp; Resistant to Abrasion Insock:- Anti-static, and ventilated EVA Outsole:- Goodyear welted rubber cement Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Steel plate 1100 newtons Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Oil Resistant, Electro Static Discharge Sizes - 38 - 46 Color - Black</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	18.66		64 x 48 x 34.5	0.10598	64034000
		SS02033501 SS02033502 SS02033503 SS02033504 SS02033505 SS02033506 SS02033507 SS02033508 SS02033509	Best Welder (H-0430)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/best-welder/</p> <p>Best Welder Rigger Boots Category - S3 SRC Upper: Black embossed cow leather Lining:- Breathable lining EVA & Abrasion resistant Insock:- Antistatic, breathable EVA Outsole:- PU/PU dual density injection Tested By:- UK Intertek lab (Approved body:0362) Toe:- Steel toe cap 200 Joules Penetration:- Zero-penetration steel plate 1100 newtons Applications – 200 Joule Toe Cap, Slip-Resistant, Shock Absorption, Anti-static, Petrol and Chemical Resistant, Anti-nail Mid sole, Water Resistant, Oil Resistant, Electro Static Discharge Size - 38 - 46 Color - Brown 6 Months Warranty Against Manufacturing Defect</p>	Pair	EN ISO 20345:2011	1 Pair	10 Pair	China	20.54		72 x 66 x 37	0.17582	64034000











PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		G1040503	Vital - C	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vital-c/</p> <p>65/35 POLYCOTTON GOOD FINISHED COVERALL FEATURES : Two Way Zipper With Storm Flap And 1 Upper Chest Button 1 Chest Pocket With Button Flap And 1 Pen Pocket On The Left Arm. Trousers With 2 Swing Pockets And 2 Patch Pockets FABRIC WEIGHT : 135 Gsm COLOR : Petrol Blue / Navy Blue / Khaki / Orange / Red / Grey / Green / White / Yellow SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	40 Pieces	China	17kg	S - 17.69 M - 17.90 L - 18.79 XL - 19.40 2XL - 20.15 3XL - 20.95 4XL - 21.60	52.00 X 39.00 X 38.00 52.00 X 39.50 X 39.00 52.00 X 39.00 X 39.00 52.00 X 39.00 X 39.00 52.00 X 39.00 X 41.00 52.00 X 39.00 X 41.00 52.00 X 39.00 X 42.00		62113290
		G1040603	Vital - PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vital-ps/</p> <p>65/35 POLYCOTTON GOOD FINISHED PANT/SHIRT SHIRT : 2 Chest Pockets With Button Flap. PANT : 2 Swing Pockets, 2 Back With Belt Loops, Elasticated Waist Band At The Back For Improved Comfort. Sanforized, Mercerized & Pre-Shrunk FABRIC WEIGHT : 135 Gsm COLOR : Petrol Blue / Navy Blue / Khaki / Orange / Red / Grey / Green / White SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	40 Pieces	China	Red-17kg	S-19.1 M-19.5 L-20.3 XL-20.8 2XL-21.7 3XL-22.3 4XL-23.22	52.00 X 39.00 X 38.00 52.00 X 39.00 X 39.00 52.00 X 39.00 X 39.00 52.00 X 39.00 X 39.00 52.00 X 39.00 X 40.00 52.00 X 39.00 X 40.00 52.00 X 39.00 X 40.00		62113290
		A1050503	Chief - C	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chief-c/</p> <p>100% TWILL COTTON COVERALL FEATURES : Two Way Zipper With Storm Flap, Pen pocket on arm And 1 Upper Chest Snap 2 Chest Pockets With Velcro Flap, Trousers With 2 Swing Pockets, 2 Side Pockets With Velcro Flaps And 2 Patch Pockets. Sanforized, Mercerized & Pre-Shrunk. FABRIC WEIGHT : 195 Gsm COLOR : Petrol Blue / Navy Blue / Royal Blue / Khaki / Orange / Red / Grey / Green / White / Yellow SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	25 Pieces	China	19kg	S - 16.33 M - 16.8 L - 17.5 XL - 18.0 2XL - 18.7 3XL - 19.4 4XL - 20.38	51.50 X 39.00 X 32.50 51.00 X 38.00 X 34.00 51.50 X 39.00 X 34.50 53.00 X 39.00 X 33.50		62113290
			Chief - C Tape	<p>100% TWILL COTTON COVERALL FEATURES : Two Way Zipper With Storm Flap, Pen pocket on arm And 1 Upper Chest Snap 2 Chest Pockets With Velcro Flap, Trousers With 2 Swing Pockets, 2 Side Pockets With Velcro Flaps And 2 Patch Pockets. Sanforized, Mercerized & Pre-Shrunk. FABRIC WEIGHT : 195 Gsm COLOR : Petrol Blue / Navy Blue / Khaki / Grey SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	25 Pieces	China	19kg	S - 16.33 M - 16.8 L - 17.5 XL - 18.0 2XL - 18.7 3XL - 19.4 4XL - 20.38	51.50 X 39.00 X 32.50 51.00 X 38.00 X 34.00 51.50 X 39.00 X 34.50 53.00 X 39.00 X 33.50		62113290
		A1050603	Chief - PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chief-ps/</p> <p>100% TWILL COTTON PANT/SHIRT SHIRT : 2 Chest Pockets With Button Flap & 2 Lower Swing Pockets PANT : 2 Swing Pockets, 2 Side Pockets With Velcro Flap And 2 Back Pockets. Sanforized, Mercerized & Pre-Shrunk FABRIC WEIGHT : 195 Gsm COLOR : Royal Blue / Petrol Blue / Navy Blue / Royal Blue / Khaki / Orange / Red / Grey / Green / White / Yellow SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	25 Pieces	China	19KG	S - 18.24 M - 18.8 L - 19.8 XL - 20.2 2XL - 20.9 3XL - 21.8 4XL - 22.45	54.50 X 39.50 X 32.50 54.50 X 39.50 X 32.50 54.00 X 39.50 X 33.00 54.00 X 39.00 X 32.50 54.00 X 39.00 X 34.50 54.00 X 40.50 X 34.00 55.00 X 39.00 X 34.50		62113290
			Chief - PS Tapes	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chief-ps/</p> <p>100% TWILL COTTON PANT/SHIRT SHIRT : 2 Chest Pockets With Button Flap & 2 Lower Swing Pockets PANT : 2 Swing Pockets, 2 Side Pockets With Velcro Flap And 2 Back Pockets. Sanforized, Mercerized & Pre-Shrunk FABRIC WEIGHT : 195 Gsm COLOR : Petrol Blue / Navy Blue / Khaki / Grey SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	25 Pieces	China		19	51*39*28	0.0557	62113290













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E306050502	Comfort -C	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/boiler-suit/</p> <p>100% PREMIUM COTTON COVERALL WITH 6 REFLECTIVE TAPES FEATURES : Adjustable Velcro Cuff, 2 Way Heavy Duty Zipper With Metal Snap, 3 Chest Pockets With Velcro Flap & 1 Pen Pocket On Left Arm, 2 Front Swing Pockets & 2 Back Pockets In Trousers With Button. Sanforized And Mercerized FABRIC WEIGHT : 270 Gsm COLOR : Petrol Blue / Navy Blue / Royal Blue / Khaki / Orange / Red / Grey / Green / White / Yellow SIZES : S - 4XL</p>	Piece	EN CAT 1	1 Piece	20 Pieces	China	17.5kg	18.5kg	60 x 40 x 32	0.0768	62113290
		E106062502	EUROPEAN -PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/comfort-ps-european/</p> <p>235 GSM 100% COTTON EUROPEAN PANT / SHIRT (Designed In Germany) Material - 100% Genuine Cotton Pant/Shirt WEIGHT - 235 GSM FEATURE : Dual Color Touch Metal Buttons with HD Zipper, Four Pockets Front Side 2 Sided Reflectives Tapes, Shoulder, Sleeves and Legs. Sanforized/Mercerized (Pre-Shrink) COLORS : Navy Blue With Orange Touch Grey With Orange Touch</p>	Piece	CE Cat 1 OHSAS 18001 ISO 14001	1 Piece	20 Pieces	China	26kg		39*39*32		62113290
		E10606210	EUROPEAN -PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/comfort-ps-european-royal-blue/</p> <p>235 GSM 100% COTTON EUROPEAN PANT / SHIRT FEATURES: Shirt: Full piece front closure with zipper and button., Patch pockets with zipper and sides. One tape on each shoulder / sleeve and back., One pen pocket on the left chest pocket., Two pockets at the bottom with flap and Velcro with contrast color. Cuffs with button. Pant: Plastic zipper closure., Two layer insert pockets. Two button pockets with flap and Velcro under contrast flap & pocket. Attach mobile pocket with flap on left pocket. Inner waist & loops with contrast fabric, two sides elastic. Two knee pockets with flap and Velcro with contrast color. warning ribbon. Tool pocket on the back right leg. Size: S - 4XL</p>	Piece	CE Cat 1 OHSAS 18001 ISO 14001	1 Piece	20 Pieces	China		22.84	60.00 x 40.00 x 35.00	0.0084	
		E119782801	SPARTAN I / Grey/Orange Khaki/Black Blue/Black	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/spartan-i/</p> <p>Pantalón Cargo Pants, 65/35 Polyester/Cotton Fabric, 235gsm Features: 65/35 Polyester/Cotton Fabric. 5 front waist pockets with side openings. 2 side pockets on the left leg with velcro, flap and reflector. Tool loops on the right leg. 1 large side pocket for tools on back side of right leg. Front closure with zipper. Contrast bartacks. Large belt loops. Waistband with elastic inserts. Abrasion resistant antiwear Inserts in the inside part of the lower legs. Color: Grey/Orange, Khaki/Black, R.Blue/Black Size: Small to 4XL</p>	PIECE	CAT I	1 Piece	30 Pieces	China	17	18	51 x 39 x 35	0.0617	
		E106782801	SPARTAN II / Grey Khaki Blue	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/spartan-ii/</p> <p>Cargo Pants, 100% Cotton Canvas, 240gsm Features: 100% Cotton Canvas Fabric Side pocket on the left leg with velcro & flap + pen & mobile pocket Double reinforced side pocket on the right leg with velcro & flap Large belt loop with waist band Abrasion resistant antiwear with keep pad Insert Color: Grey/Black, Khaki/Grey, N.Blue/R.Blue Size: Small to 4XL</p>	PIECE	CAT I	1 Piece	30 Pieces	China	21	22	51 x 39 x 35	0.07	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E1060603	Comfort -PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/comfort-ps/</p> <p>270 GSM 100% PREMIUM COTTON PANT / SHIRT FEATURES : Material 100% Premium Cotton (METAL FREE) Specification Nylon Buttons, Dual color Shade, Front Four Pockets, One Arm side Pen pocket, 4 pockets in Pant. 2 sided Reflective tapes on Sleeves and Legs. Sanforized And Mercerized FABRIC WEIGHT : 270 Gsm COLOR : Navy Blue / Khaki / Red / Grey / Yellow SIZES : S - 4XL</p>	PIECE	EN CAT 1	1 Piece	20 Pieces	China	25kg	S - 20.45 M - 21.39 L - 21.96 XL - 22.64 2XL - 23.4 3XL - 24.1 4XL - 24.84	60.00 X 40.00 X 30.00 60.00 X 40.00 X 30.50 61.00 X 41.50 X 31.50 61.50 X 41.50 X 32.00 60.00 X 41.50 X 34.50 62.00 X 40.50 X 34.00 61.00 X 40.50 X 34.00		62113290
		E1060603	Comfort -PS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/comfort-ps/</p> <p>270 GSM 100% PREMIUM COTTON PANT / SHIRT FEATURES : Material 100% Premium Cotton (METAL FREE) Specification Nylon Buttons, Dual color Shade, Front Four Pockets, One Arm side Pen pocket, 4 pockets in Pant. 2 sided Reflective tapes on Sleeves and Legs. Sanforized And Mercerized FABRIC WEIGHT : 270 Gsm COLOR : Petrol Blue / Orange SIZES : S - 4XL</p>	PIECE	EN CAT 1	1 Piece	20 Pieces	China	25kg	S - 20.45 M - 21.39 L - 21.96 XL - 22.64 2XL - 23.4 3XL - 24.1 4XL - 24.84	60.00 X 40.00 X 30.00 60.00 X 40.00 X 30.50 61.00 X 41.50 X 31.50 61.50 X 41.50 X 32.00 60.00 X 41.50 X 34.50 62.00 X 40.50 X 34.00 61.00 X 40.50 X 34.00		62113290
		E310052801 E310052901 E310053001 E310053101 E310053201	Safeguard PRO	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/safeguard-pro-fire-retardant-</p> <p>Fire ReTardant Coverall 260 GSM - EUROPEAN STYLE With 2 Inches Dual Tone (Grey/Flourescent Yellow) FR Reflective Tape FIVE Colors : Royal Blue, Navy Blue, Red, Orange, Khaki 11 REFLECTIVE TAPES 4 Reflective Tapes On Sleeves - 4 Reflective Tapes On Leg - 2 Reflective Tapes On Shoulder - 1 Reflective Tape On Walst Fabric Weight - Heavy Duty 260 Gsm Sizes - S - 4XL Sanforized / Mercerized APPLICATIONS & PROPERTIES : Welding, Heat & Limited Flame Spread, Electrostatic Properties COLORS : NAVY BLUE / KHAKI / ORANGE / RED / ROYAL BLUE</p>	PIECE	NFPA 2112: 2012, EN ISO 11612:2015, EN ISO 11611:2015	1 Piece	20	China	25	26.28	60 X 40 X 34	0.082	62113290
		E31005040 E31005050 E31005060 E31005120 E31005210	Safeguard -C	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/safeguard-c/</p> <p>Fire ReTardant Coverall 320 GSM - EUROPEAN STYLE With 2 Inches Dual Tone (Grey/Flourescent Yellow) FR Reflective Tape FIVE Colors : Royal Blue, Navy Blue, Red, Orange, Khaki 11 REFLECTIVE TAPES 4 Reflective Tapes On Sleeves - 4 Reflective Tapes On Leg - 2 Reflective Tapes On Shoulder - 1 Reflective Tape On Walst Fabric Weight - Heavy Duty 320 Gsm Sizes - S - 4XL Sanforized / Mercerized APPLICATIONS & PROPERTIES : Welding, Heat & Limited Flame Spread, Electrostatic Properties COLORS : NAVY BLUE / KHAKI / ORANGE / RED / ROYAL BLUE</p>	PIECE	EN11612 EN11611 EN14116 EN11419	1 Piece	20	China	29KG	30KG	63*40*34		62113290
		E134052101	DuPONT Nomex	<p>DuPont Nomex Fire Retardant Coverall Features : Nomex - 95%, Kevlar - 5%, 2% Static dissipative Does not Melt or Drip, No chemical treatment High Mechanical Strength and Thermal Protective barrier Anti-Stat! Properties, 200 Washes. Fabric Weight : 4.5 OZ Light Weight and comfortable Sizes : S - 3XL Color : Royal Blue</p>	PIECE	NFPA 2112 : 2012	1 Piece	20 Pieces	China					62113290
		B210060403 B210060404	BDUSP2-2-BU	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fire-fighting-suit/</p> <p>BULLDOZER FIRE FIGHTING SUIT Cotton fabric 100% - DI O/2/150N assigned for protective clothing for the fireman, non inflammable finish (Pyrovctex), waterproof, oil proof, and surface mass 270 gsm, fabric made in CIBA-GEIGY technology, in possession of ISO9001 and ISO 14001 quality certificates</p>	Piece	EN 469	1 Piece	5	UNITED KINGDOM	18	20	60 x 40 x 50	0.12	62113310













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E107272804	Labcoat	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/lab-coat-non-woven/</p> <p>PP Non-Woven Lab Coat - 30 GSM Features: PP Non Woven to protect from fluids, non toxic and do not cause irritation on Skin. Light Weight and Comfortable to Wear, Breathable. Application: Laboratory, Schools, Dental, Hospitals. Material: PP Non-Woven Style: Single Classic Collar with 4 Button Fastener at front Weight: 30 GSM Color: White Size: 110cm X 140 Cm</p>	Piece	EN CAT 1	1 Piece	50 Pieces	China	3.62	4.26	49 x 32 x 33.5	0.0525	6210103000
		G106350511 G106350911	Face Cover	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/face-cover/</p> <p>100% COTTON HEAD COVER To Protect From Sun & Dust COLOR : PETROL BLUE / KHAKI</p>	Piece	CE CAT I	1 Pc	100 Pcs	China	12	13	50 x 39 x 26		
		E107052802	Disposable 40	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/disposable-40/</p> <p>PP COVERALL 40gsm, Non-Woven Breathable Polypropylene Features: Excellent Quality, Durable and Long-Lasting Protection, Soft and Light Weight, Full Body Coverage with Protection from Dust, Grittling Paint, Liquid, Light Chemical. Elasticated Cuff, Ankles, waist design, Zipper with Front Closure Flap, Serged seams and attached hood. Application: Spray Painting, Manufacturing, Food Services, Industrial and Pharmaceutical Processing, Medical, Clean Room, Asbestos Inspection, Insulation Laying, Vehicle and Machine Maintenance. Material: PP Non-Woven Style: Disposable Coverall With Hood and elastic Wrist Weight: 40 GSM Color: White</p>	Piece	EN CAT 1	1 Piece	50 Pieces	China	4.88 (M) 5 (L) 5.10 (XL) 5.38 (2XL) 5.50(3XL)	5.52 (M) 5.64 (L) 5.76 (XL) 6.06 (2XL) 6.20 (3XL)	49 x 34 x 27 (M & L) 49 x 34 x 28.5 (XL - 2XL) 49 x 34 x 30 (3XL)	0.0475	6210103000
		E107052902	Disposable 50	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/disposable-50/</p> <p>PP COVERALL 50gsm - Non-Woven breathable Polypropylene Features: Excellent Quality, Durable and Long-Lasting Protection, Soft and Light Weight, Full Body Coverage with Protection from Dust, Grittling Paint, Liquid, Light Chemical. Elasticated Cuff, Ankles, waist design, Zipper with Front Closure Flap, Serged seams and attached hood. Application: Spray Painting, Manufacturing, Food Services, Industrial and Pharmaceutical Processing, Medical, Clean Room, Asbestos Inspection, Insulation Laying, Vehicle and Machine Maintenance. Material: PP Non-Woven Style: Disposable Coverall With Hood and elastic Wrist Weight: 50 GSM Color: Blue Size: M - 3XL</p>	Piece	EN CAT 1	1 Piece	50 Pieces	China	6.28	7	49 x 34 x30 (M) 49*34*32.5 (L) 49*34*34(XL - 2XL) 49*34*31.5 (3XL)	0.0566	6210103000
		F507053002	PROGUARD Type 5/6	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/proguard-type-5-6/</p> <p>PROGUARD Type 5/6 SMS Coverall Features: Coverall with Elastic Hood/Waist/Ankle. Zipper front with storm flap. 3 thread stitching Serged SEAM WEIGHT: 55 GSM COLOR: White SIZES : M - 3XL</p>	Piece	EN13982-1(&2):2004(Type 5) EN13034:2005:A1:2009(Type 6) EN1073-2:2002	Piece	50 Pieces	China	9.8	10.8	21.5 x 14.5 x 19	0.006	
		F507053102	PROGUARD Type 4/5/6	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/proguard-type-4-5-6-microporous-</p> <p>PROGUARD Type 4/5/6 Microporous Coverall Features: Coverall with TAPED Seam, Hood, Elastic Wrist/Waist/Ankle. Zipper front with storm flap. 3 thread stitching Serged SEAM WEIGHT: 63 GSM COLOR: White SIZES : M - 3XL</p>	Piece	Type 4 EN14605:2005+A1:2009 Type 5 EN13982-1(&2):2004/A1:2010 Type 6 EN13034:2005:A1:2009 EN14126:2003 EN1073-2:2002 EN1149-5:2008 With EN1149-1:2006	Piece	50 Pieces	China	12.5	13.5	21.5 x 14.5 x 19	0.006	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		D107050801	DUPONT TYVEK CLASSIC	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>DUPONT TYVEK® COVERALL Style & Design: Disposable coveralls protect workers from dry particulates in asbestos and lead abatement, paint spraying, maintenance, and more. Comfortable, disposable Tyvek® coveralls feature an improved fit and elastic waist in the back for easy movement. Deliver this excellent protection to workers today. 3-piece hood fits tightly, even when wearers move their head. Exterior stitched seams for a high level of protection from the outside in. With a 3-piece gusset and elastic waist, the Tyvek® garment ensures optimal fit with better freedom of movement. Zipper with self-adhesive double zip flap. Color: White. Sizes - M - 2XL</p>	Piece	ANSI 101-1996	Piece	100 Pcs	Cambodia	19.2	20.1	62 x 38 x 44	0.1037	62101010
		P1320610	PVC CHEMICAL PANT/SHIRT	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>CHEMICAL RESISTANT / FLAME RETARDANT SUIT WITH HOOD COLOR : Green</p>	Set	EN CAT 1	1 Piece	20 Pieces	China		S - M - L - XL - 2XL - 3XL - 4XL -			
		P1320510	PVC CHEMICAL COVERALL	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>CHEMICAL RESISTANT / FLAME RETARDANT COVERALL Promax PVC clothing Chemical & Flame resistant 0.45mm thickness Heavy duty Attached hood Ultrasonically welded seams Elastic inner strap on hands & legs 2way plastic zipper COLOR : Green</p>	Piece	EN CAT 1	1 Piece	20 Pieces	China	19	M - L - XL - 2XL -	53 x 35 x 25		
		E104550601 E104550901	ARCTIC	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>3M PARKA WINTER JACKET (WATER PROOF) 3M REFLECTIVE TAPE WITH 50 WASHES WARRANTY FEATURES : 100% Polyester With Polyurethane Coating, Water Resistant Shell With Multiple Interior And Exterior Pockets With Flap And Velcro Closures, Zipper Front Closure With a Snap Storm Flap. Tuck away Hood In Collar With Drawstring And Inner Sleeve Cuffs. 3M Reflective Stripes : 2 Vertical, 2 Horizontal & 2 Stripes On Each Sleeves. COLOR : Fluorescent Yellow / Fluorescent Orange SIZES : S - 3XL</p>	Piece	CE EN471	1 Piece	10 Pieces	China	11.5	12.5	67 x 45 X 28	0.084	62113390
		E304550601 E304550901	ARCTIC	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>PARKA WINTER JACKET (WATER PROOF) REFLECTIVE TAPE WITH 50 WASHES WARRANTY FEATURES : 100% Polyester With Polyurethane Coating, Water Resistant Shell With Multiple Interior And Exterior Pockets With Flap And Velcro Closures, Zipper Front Closure With a Snap Storm Flap. Tuck away Hood In Collar With Drawstring And Inner Sleeve Cuffs. Reflective Stripes : 2 Vertical, 2 Horizontal & 2 Stripes On Each Sleeves. COLOR : Fluorescent Yellow / Fluorescent Orange SIZES : S - 3XL</p>	Piece	CE EN471	1 Piece	10 Pieces	China	12	13	67 x 45 X 28	0.084	62113390
		E3045520	ARCTIC II	<p>Follow Below Link For More Info / Technical Data Sheet :</p> <p>Fabric: 300D Oxford, water Pressure 500mm. Lining: 210T Black polyester taffeta 10*10cm twill slant stich. Padding: Spraying collodion cotton 160g. Reflective tape: Polyester hi-vis retro-reflective tape, 380cd/lx/m2. Cuff: Black swimming cloth. Zip: #black tow-way separating resin zip #black nylon zip. Button: Plastic hasp Application: Water Prof: Impenetrable moisture barrier to guarantee dryness. Insulated: Traps hot air from releasing and which increases the warmth. COLOUR: Yellow. Size: S till 3XL</p>	Piece	CE EN343	1 Piece	20 Pieces	China	21	22	67*46*61	0.1188	62113390













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E104550401	ARCTIC	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/arctic-3/</p> <p>3M PARKA WINTER JACKET (WATER PROOF) 3M REFLECTIVE TAPE WITH 50 WASH WARRANTY FEATURES : 100% Polyester With Polyurethane Coating, Water Resistant Shell With Multiple Interior And Exterior Pockets With Flap And Velcro Closures, Zipper Front Closure With a Snap Storm Flap, Tuck away Hood In Collar With Drawstring And Inner Sleeve Cuffs. 3M Reflective Stripes : 2 Vertical, 2 Horizontal & 2 Stripes On Each Sleeves. COLOR : Navy Blue SIZES : S - 3XL</p>	Piece	CE EN471	1 Piece	10 Pieces	China	11.5	12.5	67 x 45 X 28	0.084	62113390
		E304550401	ARCTIC	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/arctic-4/</p> <p>PARKA WINTER JACKET (WATER PROOF) REFLECTIVE TAPE FEATURES : 100% Polyester With Polyurethane Coating, Water Resistant Shell With Multiple Interior And Exterior Pockets With Flap And Velcro Closures, Zipper Front Closure With a Snap Storm Flap, Tuck away Hood In Collar With Drawstring And Inner Sleeve Cuffs. Reflective Stripes : 2 Vertical, 2 Horizontal & 2 Stripes On Each Sleeves. COLOR : Navy Blue SIZES : S - 3XL</p>	Piece	CE EN471	1 Piece	10 Pieces	China	11.5	12.5	67 x 45 X 28	0.084	62113390
			0525R	Cooler Wear™ Jacket	PCS				China					
			0526R	Cooler Wear™ Trousers	PCS				China					
		E104799101	POLO II - Yellow/Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/polo-2-t-shirt/</p> <p>Material: 100% Polyester birdeye Fabric Pocket: One Patch Pocket Collar and Cuff: Navy Blue Polo Reflective Tape: 5cm High Reflective Tapes: 2x2 tapes on Sleeves, Waist Weight: 130g Color: Yellow Size: S - 4XL</p>	Piece	ANSI/ISEA 107-2010 EN 20471:2013, Class 3, Level 3	1 Piece	50	CHINA	14.5	14	52 x 45 x 33	0.077	
		E104792901	POLO I - Yellow/Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/polo-1-t-shirt/</p> <p>Material: 100% Polyester birdeye Fabric Pocket: One Patch Pocket Collar and Cuff: Navy Blue Polo Reflective Tape: 5cm High Reflective Tapes: 2x2x2 tapes on Sleeves, Shoulder, Waist Weight: 130g Color: Yellow - Orange Size: S - 4XL</p>	Piece	ANSI/ISEA 107-2010 EN 20471:2013, Class 3, Level 3	1 Piece	50	CHINA	15.2	14.7	52 x 45 x 33	0.077	














PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
			POLO T-SHIRT III	Perforated Reflective Tape Material: 100% Polyester bideye Fabric Pocket: One Patch Pocket Collar and Cuff: Navy Blue Polo Reflective Tape: 5cm High Reflective Tapes: 2x2x2 tapes on Sleeves, Shoulder, Waist Weight: 130g Color: Yellow Size: S - 4XL	Piece	ANSI/ISEA 107-2010 EN 20471:2013, Class 3, Level 3	1 Piece	50	CHINA	15.2	14.7	52 x 45 x 33	0.077	
		E108072801 E108072901	GLOW-Y GLOW-O	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/glow/ Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s Heavy Duty Vest With Zipper & Additional Ventilation From Both Sides Material : Mesh (Ventilation Type) Color : Fluorescent Yellow / Fluorescent Orange Weight : 120 Grams Tape : 9 cm (3.5 Inches) Reflective Tape With Double Side Fluorescent Edges Pockets : 5 Pockets & 6 Pen Pockets Size : S - 4XL	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	12.4	12.9	50 x 45 x 30	0.068	62113390
		E108073001	MultiGlow-3M	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/multiglow-3m/ Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s Heavy Duty 3M Dual Color Vest With Zipper Material : 100% polyester knit Fabric Type Color : Fluorescent Yellow / Fluorescent Orange Weight : 120 Grams Pockets : PVC ID card pocket,a mobile pocket,a pencil pocket; Tape : 5cm 3M 2925 reflective tape 25 wash watermark. Sizes : S - 4XL	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	9	9.5	45 x 25 x 32	0.036	62113390
		E108082801	MultiGlow	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/multiglow/ Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s Heavy Duty Dual Color Vest With Zipper Material : 100% polyester knit Fabric Type Color : Fluorescent Yellow / Fluorescent Orange Weight : 120 Grams Pockets : PVC ID card pocket,a mobile pocket,a pencil pocket; Tape : 5cm reflective tape 25 wash Sizes : S - 4XL	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	8.2	8.7	45 x 25 x 32	0.036	62113390
		E108073101	3M Radiant-Y 3M Radiant-O	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/radiant/ Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s 3M Safety Vest Velcro Type Material : 100% polyester fabric Color : Fluorescent Yellow / Fluorescent Orange Weight : 120gsm , 190T 100% polyester taffeta binding, 2 pairs Tape : 5cm wide velcros closure on front, 3M 2925 reflective tape, 6*8.2cm satin washing label, 2x1-64*73cm. Size : S - 4XL	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	100	China	14.4	14.9	45 x 25 x 48	0.054	62113390
		E108073301 E108073401	Dazzle-Red Dazzle-Yellow	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/dazzle/ Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s Dual Color Heavy Duty Safety Vest With Zipper Material : 100% polyester knit Color : Red/Navy Blue & Yellow/Navy blue Weight : 120 Gsm Pocket : PVC ID card pocket,a pencil pocket,a mobile pocket,a radio strip and 2 po Tape : 5cm high light reflective tape Size : S - 4XL	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	8.61	9.11	45 x 25 x 32	0.036	62113390













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E108073501 E108073601	Twinkle-Yellow Twinkle-Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/twinkle/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>HI-VIS EXECUTIVE VEST YELLOW WITH ZIPPER Material : 100% polyester knit Fluorescent Fabric With Orange/Yellow Piping Pockets : 4 Pockets with Upper/Lower Flaps Fabric : Front 120g knit, Back 110g Mesh with Buckles on sides Tape : 5cm reflective tape, 2 Vertical & 1 Horizontal High Vis Grey/Orange & Grey/Yellow Reflective. WEIGHT : 120 GSM COLOR : Fluorescent Yellow & Fluorescent Orange SIZES : S - 4XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	50	China	8.61	9.11	45 x 25 x 32	0.036	62113390
		E108082901 E108083001	Sparkle-Yellow Sparkle-Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sparkle/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>HI-VIS EXECUTIVE VEST YELLOW WITH ZIPPER Material : 100% polyester knit Fluorescent Fabric With Orange/Yellow Piping Pockets : 4 Pockets with Upper/Lower Flaps Fabric : Front 120g knit, Back 110g Mesh Tape : 5cm reflective tape, 2 Vertical & 1 Horizontal High-Vis Grey/Orange & Grey/Yellow Reflective. WEIGHT : 120 GSM COLOR : Fluorescent Yellow & Fluorescent Orange SIZES : S - 4XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	50	China	8.61	9.11	45 x 25 x 34	0.038	62113390
		E108083201 E108083101	Bright-Orange Bright-Yellow	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/bright-straight-reflective/</p> <p>HI-Vis Safety Vest With Backside Straight Reflectives & Zipper Closure Material : 100% polyester Knit Fabric type with Black Piping Pockets : 4 Pockets with One Mobile Pocket Weight : 120g Tape : 5cm Normal light reflective tape ; zipper closure Color : Fluorescent Yellow & Fluorescent Orange Sizes : S - 4XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	7.98	8.48	45 x 25 x 30	0.034	62113390
		E108083201 E108083101	Bright-Orange Bright-Yellow	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/bright-cross-reflective/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>HI-Vis Safety Vest With Backside Cross Reflectives & Zipper Closure Material : 100% polyester Knit Fabric type with Black Piping Pockets : 4 Pockets with One Mobile Pocket Weight : 120g Tape : 5cm Normal light reflective tape ; zipper closure Color : Fluorescent Yellow & Fluorescent Orange Sizes : S - 4XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	50	China	7.98	8.48	45 x 25 x 30	0.034	62113390
		E108083301 E108083401	Glitter-Yellow Glitter-Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/glitter/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) Material : 100% Polyester Fluorescent Fabric With Black Piping & 2 Horizontal High Visibility Reflective Tapes with Piping, Velcro Enclosure. Tape : 5 cm Hi-Vis Reflective Tape WEIGHT: 120 GSM COLOR : Fluorescent Yellow & Fluorescent Orange SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	100	China	11.63	12.13	45 x 25 x 42	0.047	62113390
		E108083501 E108083601	Glitter-Blue Glitter-White	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/glitter/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) Material : 100% Polyester Fluorescent Fabric With Black Piping & 2 Vertical & 2 Horizontal High Visibility Reflective Tapes with Piping, Velcro Enclosure. Tape : 5 cm Hi-Vis Reflective Tape WEIGHT: 120 GSM COLOR : Blue & White SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	100	China	11.63	12.13	45 x 25 x 42	0.047	62113390













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E108083701 E108083801	Glitter-Red Glitter-Green	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/glitter/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) Material : 100% Polyester Fluorescent Fabric With Black Piping & 2 Vertical & 2 Horizontal High Visibility Reflective Tapes with Piping, Velcro Enclosure. TAPE : 5 cm Hi-Vis Reflective Tape WEIGHT: 120 GSM COLOR : RED & GREEN SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	100	China	11.63	12.13	45 x 25 x 42	0.047	62113390
		E306050601	Flare-Orange Flare-Yellow	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flare/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) Material : 100% Polyester Fluorescent Fabric With 2 Vertical & 2 Horizontal Hi-Vis FLARE Reflective Tapes, Velcro Enclosure. TAPE : FLARE/CRUSH Type 5 cm Hi-Vis Reflective Tape WEIGHT: 120 GSM COLOR : Fluorescent Yellow & Fluorescent Orange SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	100	China	13.2	13.7	45 x 25 x 48	0.054	62113390
		E108093001 E108093101	Star-Yellow Star-Orange	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/star/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST KNIT FABRIC VELCRO TYPE Material : 100% Polyester Fluorescent Fabric With 2 Vertical & 2 Horizontal Hi-Vis Reflective Tapes, Velcro Enclosure. TAPE : 5 cm Hi-Vis Reflective Tape WEIGHT: 110 GSM COLOR : Fluorescent Yellow & Fluorescent Orange Pockets : Without Pockets SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	100	China	11.23	11.73	45 x 25 x 42	0.047	62113390
		E108093301 E108093201	Glitz-Orange Glitz-Yellow	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/glitz/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE HIGH VISIBILITY VEST KNIT MESH ZIPPER TYPE Material : 100% Polyester Fluorescent Fabric With 2 Vertical & 2 Horizontal Hi-Vis Reflective Tapes. TAPE : 5 cm Hi-Vis Reflective Tape WEIGHT: 110 GSM COLOR : Fluorescent Yellow & Fluorescent Orange Pockets : Without Pockets SIZE : S - 4 XL</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO 20471:2013	1 Piece	100	China	11.5	12	45 x 25 x 50	0.056	62113390
		E108093405 E108093505	Shine-Orange Shine-Yellow	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/shine/</p> <p>Youtube Link : https://www.youtube.com/watch?v=mASBmaDu72s</p> <p>REFLECTIVE VEST KNIT FABRIC VELCRO TYPE Material : 100% Polyester Fluorescent Fabric With 2 Vertical & 2 Horizontal Hi-Vis Reflective Tapes, Velcro Enclosure. TAPE : 5 cm Normal Light Reflective Tape WEIGHT: 60 GSM COLOR : Fluorescent Yellow & Fluorescent Orange Pockets : Without Pockets SIZE : 2XL ONLY</p>	Piece	Class 2 ANSI/ISEA 107-2010 EN ISO20471:2013	1 Piece	100	China	8.5	9	45 X 25 X 36	0.04	62113390
		G108080911 G108080912 & G108080611 G108080612	RADIANT-S4	<p>2 X 2 REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) FEATURES : 100% Polyester Fluorescent Mesh With 2 Vertical & 2 Horizontal High Visibility Reflective Tapes with Piping, Velcro Enclosure. WEIGHT: 60 GSM COLOR : Fluorescent Yellow & Orange SIZE : Universal (Free Size) / European (Free Size)</p>	Piece	ANSI/ISEA 107-2010 EN 471 1994/2003	1 Piece	100 Pieces	China		Universal - 8.00 European - 8.25	45 X 24 X 36		62113390













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		G108090911 G108090912 & G108090611 G108090612	RADIANT-S2	REFLECTIVE HIGH VISIBILITY VEST (FABRIC TYPE) FEATURES : 100% Polyester Fluorescent Mesh With 2 Horizontal High Visibility Reflective Tapes with Piping, Velcro Enclosure. WEIGHT: 60 GSM COLOR : Fluorescent Orange SIZE : Universal (Free Size) / European (Free Size)	Piece	ANSI/ISEA 107-2010 EN 471 1994/2003	1 Piece	100 Pieces	China		Universal - 6.50 European - 7.50	46 X 25 X 34		62113990
		D149572821	TREX EP	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/trex-ep/ Kevlar® /Glass Fiber, Cut 3 glove, 7gg, Weight: 73grams, Abrasion 1, Cut 3, Tear 2, Puncture 1. EN388:1321 EN407:X1XXXX	PAIR	EN388:1321 EN407:X1XXXX	1 Pair	50 Pairs	PAKISTAN	3.4	3.9	46*41*20		
		D149572822	VIKING TG	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/viking-tg-gloves/ Kevlar® /Steel Fiber, Cut 5 glove, 7gg, Weight: 64grams, Abrasion 3, Cut 5, Tear 2, Puncture 1. EN388:3521 EN407:X1XXXX	PAIR	EN388:3521 EN407:X1XXXX	1 Pair	50 Pairs	PAKISTAN	3.4	3.9	46*41*20		
		D149572823	TOUGH GUARD	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/tough-guard-gloves/ Kevlar® /Glass/Cotton Fiber, Cut 5 glove, 7gg, Weight: 64grams, Abrasion 2, Cut 5, Tear 4, Puncture 3. EN388:2543 EN407:X1XXXX	PAIR	EN388:2543 EN407:X1XXXX	1 Pair	50 Pairs	PAKISTAN	3.4	3.9	46*41*20		61169900
		D134572821	DOUBLE TUFF HIGH HEAT GLOVE	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/double-tuff-high-heat-glove/ High Heat 300degree glove with Cut 5 protection FEATURES: Knitting : Seamless 7gg Double Glove Outer Shell : 5 Ply 100% Kevlar® +Glass Filament. Inner Shell : 100% Cotton Ring Spun Yarn. Shell Weight : 300 Gms/ Pair. Sizes : L-XL EN388:2543 EN407:X3XXXX APPLICATION - Steel works, Foundries, Forges - Metal works and workshops - Automotive	PAIR	EN 388:2543 EN 407:X3XXXX	1 Pair	25 Pairs	PAKISTAN		6.9	46*41*20		
		D149572824	FLOGA MAX® FIREMAN GLOVE	Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/floga-max-fireman-glove/ Characteristics Outer Shell :Goat Skin & Utex Coated kevlar Inner layer : Agrotex Breathable waterproof Membrane 2nd Layer : 100% Kevlar Knuckles : Six Layers FR Steel Rubber Sheet Finger Tips : Four Layers Top Layer Utex Coated Kevlar Palm / Wells : Four layers Top Layer Utex Coated Kevlar Cuff : Cow Split Leather / Knitted cuff Made of Kevlar Thermal Insulation : Mod Acrylic FR Fabric Sewing Thread : 100% Kevlar Color : Black Abrasion Resistance : Level 4 Cut Resistance - Level 5	PAIR	EN659:2003+A1:2 008 EN420:2003+A1:2 009 BS EN 388:2016	1 Pair	25 Pairs	PAKISTAN		6.9	46*41*20		61169900













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		D134572820	THUNDER * GD PILOT FLYER GLOVES	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/thunder-gd-pilot-flyer-gloves/</p> <p>CHARACTERISTICS Palm Side : Sheep or Cow Hide Leather Back Side : DuPont Nomex Fabric (Fiber & Yarn Dyed) APPLICATIONS Fighter Pilots & Aviators</p>	PAIR	ISO 9001:2008 NFPA	1 Pair	60 Pairs	PAKISTAN		6.9	46*41*20		
		D149502821 D149502820	DuPont Kevlar SLEEVES	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/dupont-kevlar-sleeves/</p> <p>Kevlar Arm / Hand Protection Length:22inch with thumbhole Description: Double ply 100% DuPont™ Kevlar® brand fiber cut resistant sleeves. Good cut protection and heat resistance properties. Thumb slot, flared forearm</p>	PAIR	ISO 9001 : 2008	1 Pair	100 Pairs	PAKISTAN		15.77	35*66*35		
		D149502822	ARM PROTECTOR	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/arm-protector/</p> <p>Kevlar® Amazing strength & cut resistance with velcro closure.</p>	Piece	EN CAT 1	1 Pair	100 Pairs	PAKISTAN		7.5	71*41*25		
		D134352820	FIREMAN NomexIIIA BALACLAVA/ FACE HOOD	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fireman-balaclava-face-hood/</p> <p>FIREMAN BALACLAVA / FACE HOOD - NOMEX IIIA Comfortable Knitted Fabric 200-210 g/m2 - Nomex IIIA Double Layer - Various Sizes / Designs - Customised Solutions Available - Technical Specifications conforming to BS EN 13911:2004</p>	Piece	BS EN 13911:2004	Piece	100 Pieces	PAKISTAN		8.5	40*69*26		
		D134352821	FIREMAN NomexIIIA BALACLAVA/ FACE HOOD - Natural	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fireman-balaclava-face-hood/</p> <p>FIREMAN BALACLAVA / FACE HOOD Nomex IIIA Double Layer - NOMEX IIIA Comfortable Knitted Fabric 200-210 g/m2 - Technical Specifications conforming to BS EN 13911:2004</p>	Piece	BS EN 13911:2004	Piece	100 Pieces	PAKISTAN		8.5	40*69*26		
		61104		<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/fire-fighting-gloves/</p> <p>CHIBA FIRE FIGHTING GLOVES Rescue II specifications: Backhand: fire resistant, Nappa leather Palmhand: fire resistant, Nappa leather Gauntlet: Split leather Finger liner: 100% Twaron, knitted fabric Gauntlet liner: 70% Nomex, 30% Viscose Waterproof/Breathable: 6.000 mm water column, 7.500g/m2/24h breathability</p>	Pair	EN 659	1 Pair		GERMANY					













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
			NITRILON GRIP MULTIPRO	<p>Description: 15 Gauge seamless nylon shell with flat nitrile palm coating.</p> <p>Features: • Dexterous • Perfect durable design • Nitrile liner for durable, lightweight gloves • Cuff style is knit wrist • For Mechanical work</p> <p>Specifications: Liner: 15 GG Nylon, White Coating: Nitrile - Palm coating, Black Length: 25 cm Size: M - XL</p> <p>Applications & Industries: • Warehousing • Gardening • Assembly Operations • Carpentry • Landscaping • Utility</p>	Pair	CE, CAT II, EN 388 (4121)		120	Bangladesh		7.5				
			NITRILON AIR MULTI PRO	<p>15 Gauge Seamless White Nylon Shell With Grey Nitrile Foam Coating Offering Grip In Dryand Wet Conditions</p> <p>Features: Precision handling in dry and wet applications Ultra-lightweight, Nylon liner offering excellent dexterity Optimized grip through the micro-capillary finish Minimal palm thickness (thinner than most comparable gloves) Superior form, fit and feel, reducing hand fatigue Laundered prior to final packaging REACH compliant Sanitized and Oeko-tex® compliant</p> <p>Technical Details : Liner - Gauge: 15 GG, Composition: Nylon, Colour: White Coating - Material: Nitrile Foam, Colour: Grey, Finish: Plain Style • Palm Coating</p>	Pair	EN 388:2003 3132		12	Bangladesh	144		500 x 295 x 270			
	 	E133572820 E133572821 E133572822	Gorilla ACTIVE I	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/gorilla-active-i/</p> <p>13gauge white polyester liners/grey nitrile palm coated glove</p> <p>Features: Robust thick nitrile coating for increased durability and ideal of oily environment. Excellent dry grip. Light weight liner for comfort and dexterity. Excellent abrasion and tear resistance. Knit wrist cuff and breathable back.</p> <p>Application: Automotive Industry/ Body Shop Assembly/ General maintenance Light metal carpentry. Mechanical Industry.</p> <p>Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL</p>	Pair	CE, CATII EN388:2016 4121X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	45x26x25 45x26x25 45x26x25		6116.1000.00	
	 	E133572920 E133572921 E133572922	Gorilla ACTIVE II	<p>13gauge white polyester liners/grey nitrile palm coated glove</p> <p>Features: Robust thick nitrile coating for increased durability and ideal of oily environment. Excellent dry grip. Light weight liner for comfort and dexterity. Excellent abrasion and tear resistance. Knit wrist cuff and breathable back.</p> <p>Application: Automotive Industry/ Body Shop Assembly/ General maintenance Light metal carpentry. Mechanical Industry.</p> <p>Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL</p>	Pair	CE, CATII EN388:2016 4121X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	9	10	45x26x25 45x26x25 45x26x25		6116.1000.00	
	 	E101573020 E101573021 E101573022	Gorilla BLACK I	<p>Black polyester liner with black PU palm coated glove</p> <p>Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back.</p> <p>Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing industry. Preparation of cosmetics, medicines, etc.</p> <p>Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL</p>	Pair	CE, CATII EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00	












PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E101573120 E101573121 E101573122	Gorilla BLACK II	Black polyester liner with black PU palm coated glove Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back. Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing Industry. Preparation of cosmetics, medicines, etc. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATII EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00
		E124573220 E124573221 E124573222	Gorilla BULL I	Features: Palm coated with latex. Wrinkle finish for extraordinary dry and wet grip. Ergonomic design for a comfortable fit. Knit wrist cuff and breathable back. High grip resistance. Application: Building/ Construction/ Carpentry. Forestry/ Public Gardens/ Nurseries. Waste Collection. Transport Industry. Car dismantlers. Glass Industry. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATII EN388:2016 2142X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	12	13	51x25x33 51x26x35 51x26x35		6116.1000.00
		E133573220 E133573221 E133573222	Gorilla CHEM I	Green nitrile glove,thickness:15 mil(0.38mm),length:30cm Features: Cotton flock lining absorbs perspiration and improves comfort. Good barrier for handling solvents, oil based chemical agents, oils, animal fats, oil derivatives. Nonslip pattern for extra grip. Excellent abrasion resistance. Application: Chemical Industry. Food Industry. Refineries Printing Industry/publishing. Production and application of paints and varnishes. Degreasing Handling/assembly of oily parts. Size: 8/M, 9/L, 10/XL	Pair	CE, CATII EN388:2016 3102X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	8	9	36x32x24 36x32x24 36x32x24		6116.1000.00
		E142573020 E142573021 E142573022	Gorilla CUT 5 MICROFOAM	Grey U2 weave HPPE glove liners/black microfoam nitrile palm coated gloves Features: Palm coated with special Micro-Foam nitrile that offers excellent durability, dexterity and tactile sensitivity. Maximum cut protection level. Excellent grip in both dry and oily environment. 365-degree breathability. Breathable coating and breathable liner. High level of flexibility. Application: Glass Industry Plastic material injection and molding. Metal working industry. Metal Carpentry. Automotive Industry. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATII EN388:2016 4544C EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	9	10	58x26x28 58x26x28 58x26x28		6116.1000.00
		E142572820 E142572821 E142572822	Gorilla CUT 5 NITRILE	Grey HPPE glove liners/ black sandy nitrile coated glove Features: Palm coated with sandy nitrile for superior grip + increased anti slip effect. Maximum dexterity, sensitivity and touch. Breathable liner allows keep hands dry. Good Abrasion and wear resistance. High cut resistance. Application: Machining and Assembly. Handling small, sharp-edged items, abrasive materials etc. Automotive Industry. Metal Fabrication. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATII EN388:2016 4X44D EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	9	10	58x26x28 58x26x28 58x26x28		6116.1000.00
		E142572920 E142572921 E142572922	Gorilla CUT 5 PU	Features: HDPE fibers in the lining ensures excellent cut resistance with reduced thickness for good dexterity. Palm coated with polyurethane. Excellent mechanical resistance and durability + Flexibility. Ergonomic design for comfortable fit. Knit wrist cuff with breathable back. Application: Handling small, sharp-edged items, abrasive materials etc. Assembly of dry components, electrical components etc. Photo labs Automotive Industry. Metal Fabrication. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATII EN388:2016 4X43C EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	9	10	55x26x26 55x26x26 55x26x26		6116.1000.00










PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E133573922	Gorilla DEFENDER I	13 gauge black polyester shell, 3/4 blue nitrile + black sandy nitrile coated glove Features: Double dip liquid repellent nitrile coating on the palm, finger and knuckles. Extra nitrile coating on the palm that provides extra grip in wet, dry and oily conditions. Excellent abrasion resistance. High protection from liquids up to knuckle area. Lightweight, comfortable, flexible with non-slippery finish. Knit wrist cuff. Application: Light and precision handling /Quality control and finishing work. General maintenance/ Assembly. Handling of abrasive objects in the presence of oil and grease. Hydraulics/ wood working Light metal carpentry. Automotive industry/ Transportation. Binding color:Black Size: 10/XL	Pair	CE, CATI	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	7	8	57x29x27		6116.1000.00
		E133573121 E133573122	Gorilla EXTREME I	Jersey liners with safety cuff, blue nitrile 3/4 coated gloves Features: Palm, finger and knuckle coated. N.B.R. Coating provides excellent resistance to solvents, hydrocarbons and its derivatives, oils & grease. Excellent resistance to abrasion. Cotton canvas safety cuff for protection of wrist. Jersey lining for comfort and sweat absorption. Protection against heavy duty jobs. Application: Road construction General maintenance. Waste collection/forestry Mechanical engineering. Processing of metals, steel bars, sharp and abrasive objects. Size: 9/L, 10/XL	Pair	CE, CATI EN388:2016 3111X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	13	14	70x27x37 70x27x37		6116.1000.00
		E133573020 E133573021 E133573022	Gorilla FLEX I	13 gauge grey polyester liners/black microfoam nitrile palm coated glove Features: Macrofoam nitrile provides excellent durability, dexterity and tactile sensitivity. Macrofoam nitrile coating provides great grip in oily conditions. Lint free liner. Ergonomic hand shape for comfortable fit. Breathable polymer and liner. Fluid/grease repellent polymer and liner for clear and comfortable hands. Application: Assembly in presence of oil/grease. Light and precision work, Hydraulics/ wood working. General maintenance/ assembly, Logistics/Warehousing. Precision mechanics, Automotive industry. Air/ Sea transport. Binding color:Yellow Binding color:Brown Binding color:Black Size: 8/M Size: 9/L Size: 10/XL	Pair	CE, CATI EN388:2016 4121X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	5	6	55x29x21.50		6116.1000.00
		E124572820 E124572821 E124572822	Gorilla FORCE I	Features: Palm coated with ultralight weight latex crinkle finish coating. Maximum flexibility and durability. Wrinkle finish for extraordinary dry and wet grip. High wear and tear resistance. Ergonomic design for a comfortable fit. Knit wrist cuff and breathable back. Applications: Building/Construction/Carpentry. Forestry/ Public Gardens/ Nurseries. Waste Collection. Transport Industry. Scaffolding applications. Binding color:Yellow Binding color:Brown Binding color:Black Size: 8/M Size: 9/L Size: 10/XL	Pair	CE, CATI EN388:2016 2131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	20	21	47x25x43 48x25x44 48x25x44		6116.1000.00
		E124572920 E124572921 E124572922	Gorilla FORCE II	Features: Palm coated with ultralight weight latex crinkle finish coating. Maximum flexibility and durability. Wrinkle finish for extraordinary dry and wet grip. High wear and tear resistance. Ergonomic design for a comfortable fit. Knit wrist cuff and breathable back. Applications: Building/Construction/Carpentry. Forestry/ Public Gardens/ Nurseries. Waste Collection. Transport Industry. Scaffolding applications. Binding color:Yellow Binding color:Brown Binding color:Black Size: 8/M Size: 9/L Size: 10/XL	Pair	CE, CATI EN388:2016 2131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	20	21	47x25x43 48x25x44 48x25x44		6116.1000.00
		E101573220 E101573221 E101573222	Gorilla GREY I	Grey polyester liner with grey PU palm coated glove Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back. Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing industry. Preparation of cosmetics, medicines, etc. Binding color:Yellow Binding color:Brown Binding color:Black Size: 8/M Size: 9/L Size: 10/XL	Pair	CE, CATI EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00












PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E101573920 E101573921 E101573922	Gorilla GREY II	Grey polyester liner with grey PU palm coated glove Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back. Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing Industry. Preparation of cosmetics, medicines, etc. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATI EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00
		E124573020 E124573021 E124573022	Gorilla ROCK I	2-ply dark grey polycotton palm coated/grey crinkled latex glove Features: Palm coated with thick latex. High breathable back. Excellent dry and wet grip. High tear resistance. Inexpensive model Application: Building/ Construction/ Shipbuilding Packing/Shipping/Inspection General maintenance/ Assembly. Automotive Industry. Car dismantlers. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATI EN388:2016 2131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	11	12	51x25x35 51x25x35 51x25x35		6116.1000.00
		E124573120 E124573121 E124573121	Gorilla ROCK II	2-ply yellow polycotton palm coated /orange crinkled latex glove Features: Palm coated with thick latex. High breathable back. Excellent dry and wet grip. High tear resistance. Inexpensive model Application: Building/ Construction/ Shipbuilding Packing/Shipping/Inspection General maintenance/ Assembly. Automotive Industry. Car dismantlers. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATI EN388:2016 2131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	10 Dozen 120 Pairs	China	11	12	51x25x35 51x25x35 51x25x35		6116.1000.00
		E101572820 E101572821 E101572822	Gorilla WHITE I	white polyester liner with white PU palm coated glove Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back. Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing Industry. Preparation of cosmetics, medicines, etc. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATI EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00
		E101572920 E101572921 E101572922	Gorilla WHITE II	white polyester liner with white PU palm coated glove Features: Lightweight, elastic, with excellent tactile sensitivity. Exceptional dry grip. Excellent abrasion resistance and durability. Ergonomic design with comfortable fit. Knit wrist cuff and breathable back. Application: Assembly of micro component and printed circuits. Delicate and precision handling of little objects/ fine finishing jobs. Assembly of dry components/electronics/ electric motors/air conditioners. Photo labs/ Do It Yourself. Car manufacturing Industry. Preparation of cosmetics, medicines, etc. Binding color:Yellow Size: 8/M Binding color:Brown Size: 9/L Binding color:Black Size: 10/XL	Pair	CE, CATI EN388:2016 4131X EN420:2003/A1:2009	1 Dozen (12 Pairs)	20 Dozens (240 Pairs)	China	6	7	42x25x45 42x25x45 42x25x45		6116.1000.00
		E132572822	Gorilla Shield I	Sandy PVC glove, Jersey, Guantle, 40cm Application: Chemical/ Petro Chemical Industry. Oil Refining/ chemical refining plants. Machining. Handling oils, acids, caustics and alcohols. Janitorial activities. Size: 10 XL	Pair	CE, CATI	1 Dozen (12 Pairs)	6 Dozen (72 Pairs)	China	12	13	41x28x46		6116.1000.00












PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		T212720702 T212720703 T212720704	NINJA-MAXIM COOL	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-maxim-cool/</p> <p>LINER – 15GG Nylon and Spandex Knitted Liner COATING – Proprietary NFT™ coating. ACCREDITATION – EN388 : 4131 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -3 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL - 2XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		7.43	59*24*36	0.051	62160000
		T212720602 T212720603 T212720604	NINJA-MAXIM DOTS	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-maxim-dots/</p> <p>LINER – 15GG Nylon and Spandex Knitted Liner COATING – Proprietary NFT™ coating with dots for extra grip. ACCREDITATION – EN388 : 4131 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -3 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		9.18	59*37*23	0.0502	62160000
		T212721102 T212721103 T212721104	NINJA-MAXIM DOTS HV	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-maxim-dots-hv/</p> <p>LINER – 15GG Nylon and Spandex Knitted Liner in High Visibility ORANGE COATING – Proprietary NFT™ coating with dots for extra grip in HV color. ACCREDITATION – EN388 : 4131 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -3 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		8.99	59*36*24	0.051	62160000
		T212721902 T212721903 T212721904	NINJA-MAXIM DRY	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-maxim-dry/</p> <p>LINER – 15GG Nylon and Spandex Knitted Liner COATING – Proprietary NFT™ coating. ACCREDITATION – EN388 : 4131 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -3 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		12.27	53*45.5*26	0.0627	62160000
		T212721602 T212721603 T212721604	NINJA-MAXIM CUT 5	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-maxim-cut-5/</p> <p>LINER – 15GG Dyneema®, Glass, Nylon and Spandex Composite Knitted Liner COATING – Proprietary NFT™ coating. ACCREDITATION – EN388 : 4542 ABRASION RESISTANCE : 4 CUT RESISTANCE - 5 TEAR RESISTANCE -4 PUNCTURE RESISTANCE - 2 Sizes: M - L - XL - 2XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		11.65	53*45.5*26	0.0627	62160000
		T232440302 T232440303 T232440304	NINJA-MULTITECH PVCHEM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-multitech-pvchem/</p> <p>LINER – Cotton Machine Knit COATING – PVC ACCREDITATION – EN388 : 4121 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -2 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	72 pair	PAKISTAN		15.12	41*33*31	0.0419	62160000












PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
		T232720302 T232720303 T232720304	NINJA-CLASSIC MULTILITE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-classic-multilite/</p> <p>LINER – 18GG Nylon and Spandex Knitted Liner COATING – Ninja* Lite feather-light polyurethane coated palm and fingertips. ACCREDITATION – EN388 : 3120 ABRASION RESISTANCE : 3 CUT RESISTANCE - 1 TEAR RESISTANCE -2 PUNCTURE RESISTANCE -0 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	144 pair	PAKISTAN		4.15	49*37*26	0.0472	62160000	
		T230721802 T230721803 T230721804	NINJA-HPT GRIP ICE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ninja-hpt-grip-ice/</p> <p>LINER – 15GG Nylon and Spandex Knitted Liner COATING – Proprietary HPT™ coating. ACCREDITATION – EN388 : 4131 ABRASION RESISTANCE : 4 CUT RESISTANCE - 1 TEAR RESISTANCE -3 PUNCTURE RESISTANCE - 1 Sizes: M - L - XL</p>	Pair		1 Dozen (12 Pairs)	72 PAIR	PAKISTAN		9.31	48.5*35*33	0.0561	62160000	
		M-E141712602	SKYDDA	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/5-fingers-metal-mesh-glove/</p> <p>5 FINGERS METAL MESH GLOVE WITH TEXTILE STRAP AND ELASTIC GRIP Improved Cleanliness And Sanitation properties, Flexibility & Durability Reduced Bacteria Retention, Improved Comfort & Fit, Extreme Cut & Puncture Resistant, Non Corrosive & Appropriate for Wet Environments, 21 CFR Compliant. Sizes : Small - White Cuff Medium - Red Cuff Large - Blue Cuff</p>	Piece	CE EN 1082-1	1 Piece/ Packet	50 Packets	China		12.5	53.5*23*19		73231000	
			Iron Mate Cutpro	<p>STAINLESS STEEL METAL MESH GLOVES Features: Non corrosive, Excellent protection against sharp edge and objects Technical Details: Material: Made of non corrosive Stainless steel metal mesh Colour: Silver Sizes: M - XL Applications: Meat Processing, Sheet Metal Cutting/Handling, Carpentry, Textile Cutting Sizes: S, M, L</p>	Piece	CE CAT II EN 1082 - 1		144	China				500 x 295 x 270		
		2091903 2091906 2091911 2091921 2091931 2091941		<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/electrosoft-cut-edge/</p> <p>ELECTROSOFT - Cut Edge Belge 500 Volts Class 00 IEC - 360 mm 1000 Volts Class 0 IEC - 360 mm 7500 Volts Class 1 IEC - 360 mm 17000 Volts Class 2 IEC - 360 mm 26500 Volts Class 3 IEC - 360 mm 36000 Volts Class 4 IEC - 410 mm Please reconfirm Price & availability</p>	Pair		1 Pair		France						
		B402561720	DRIVER GLOVES	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/driver-gloves/</p> <p>FULL GRAIN PREMIUM DRIVER GLOVES BQ MADE IN PAKISTAN FEATURES : Superior Goat Grain Leather Palm and Back, Shlred Elastic Band Back For Slip-On, Wing Thumb, Tear Resistance, Durable, High Performance, Fine Finish and Perfect Fitting With Black Piping APPLICATIONS : Driving, Light Assembly, General Purpose etc.</p>	Pair	CE CAT 1	1 Dozen (12 Pairs)	25 Dozens	Pakistan		20.54kg	63*50*40		62160000	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
		N102560821	FREEZER GLOVES-AB	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/freezer-gloves-ab/</p> <p>FULL GRAIN AB GRADE DRIVER FREEZER GLOVES WITH FLEECE LINING MADE IN PAKISTAN</p> <p>FEATURES : Superior Goat Grain Leather Palm and Back, Shirred Elastic Band Back For Slip-On, Wing Thumb, Tear Resistance, Durable, High Performance, Fine Finish and Perfect Fitting With Red Piping</p> <p>APPLICATIONS : Driving, Light Assembly, General Purpose etc.</p>	Pair	CE CAT 1	1 Dozen (12 Pairs)	25	Pakistan		12.64kg	25*25*75		62160000	
		A102481720	Touch TIG	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/tig-gloves/</p> <p>PREMIUM A+ GRAIN & SPLIT TIG WELDING GLOVES MADE IN PAKISTAN</p> <p>FEATURES : Soft Feel Top Grain Leather, 6 Inch Split Leather Cuff With Black Piping Protects Hand From Heat and Puncturing. Straight Thumb Provides Optimal Grip and Friction Resistance At works. Allows Maximum Feel and Dexterity. Length - 14 Inches</p> <p>APPLICATIONS : Tig Welding, Material Handling, Fabrication etc</p>	Pair	CE CAT 1	1 Dozen (12 Pairs)	12 Dozens	Pakistan		15.54	34*38*53		62160000	
		A102112521	WORK GLOVES SINGLE PALM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/single-palm-gloves/</p> <p>LEATHER WORK GLOVES SINGLE PALM ORANGE Cow hide split leather working gloves Drilled cotton fabric back In orange color Leather strip on back provide better grip Rubberised cuff for extra protection SIZE: 10.50 Inches APPLICATIONS: Metal Working, Fabrication Construction, Farming Industrial Work</p>	Dozen	CE EN388, 4132	12 Pairs (1 Dozen)	10 Dozens	Pakistan		24	29 x 29 x 76	0.0639		
			WORK GLOVES SINGLE PALM	<p>LEATHER WORK GLOVES SINGLE PALM ORANGE Cow hide split leather working gloves Drilled cotton fabric back In orange color Leather strip on back provide better grip Rubberised cuff for extra protection SIZE: 10.50 Inches APPLICATIONS: Metal Working, Fabrication Construction, Farming Industrial Work</p>	Dozen	CE EN388, 4132	12 Pairs (1 Dozen)	10 Dozens	Pakistan		24	29 x 29 x 76	0.0639		
			ARMOR TOTAL HV	<p>CUT LEVEL 5 The TECHTION Gloves are flexible easy-maintenance glove providing effective protection against cuts and with excellent dry and wet grip. 13 Gauge High Visibility HPPE + eFiberglass outer Shell High performance Polyethylene for cut resistance TPR OVERLAY Provides added protection Kevlar Palm Provides excellent abrasion, cut resistance, excellent grip In wet or dry application Seamless Cuff Design Provides a comfortable fit</p> <p>FEATURES: CUT RESISTANT APPLICATIONS & INDUSTRIES: Fire Protection, Chemical, Oil & Gas, Manufacturing, Mining, Nuclear</p> <p>Sizes: L, XL</p>	PRS	EN 388:2016 (4X44 FP)		100	Pakistan						
			ARMOR ULTRA HV	<p>CUT LEVEL 2 The TECHTION Gloves are flexible easy-maintenance gloves providing effective protection against cuts, with excellent dry, wet grip and Impact test is passed. TPR OVERLAY Provides Added Protection Kevlar Stitched Palm with PVC Dots Provides Excellent Grip and Abrasion In Wet or Dry Application Adjustable Wrist Closure</p> <p>APPLICATIONS & INDUSTRIES: Fire Protection Chemical Oil & Gas Manufacturing Mining Welding Nuclear</p> <p>Sizes: M, L, XL, 2XL</p>	PRS	EN 388:2016 (4232XP)		100	Pakistan						













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	X-MARK	N102110610	WORK GLOVES SINGLE PALM	LEATHER WORK GLOVES SINGLE PALM ORANGE	Dozen		12 Pairs (1 Dozen)	10 Dozens	Pakistan					
		M110590811	Hotmill Gloves	FR Cotted Cotton Gloves Temperature Resistance DESCRIPTION Cut & sewn 100% cotton three layer hot mill glove with 6 oz flannel sandwiched between two 13 oz layers having knuckle patch with 16 Oz flame retardant duck gauntlet. These gloves are made from medium weight canvas material produced from 100% cotton. The canvas gloves with an attached flame retardant duck gauntlet are general purpose handling gloves for warm or hot objects and offer contact heat protection up to 250°C. These gloves are not flame resistant and are not suitable for use with chemicals and liquids. • 32oz 100% cotton flame retardant canvas glove lined with 6oz flannel between 2 layers of 13oz canvas fabric • 32oz nap out drill fingers • 16oz flame retardant duck gauntlet Compliances: REACH - EN 407: B-Contact heat 250 Temp(°C) PROTECT AGAINST Heat	Pair	CE CAT II EN 388 1222 EN 407 (02XXXX)	12 Pairs (1 Dozen)	6 Dozen	PAKISTAN		21.1kg	62*38*39	0.0918	
		A102110920	WORK GLOVES PATCH PALM	LEATHER WORK GLOVES YELLOW PATCH PALM	Dozen	EN388	12 Pairs (1 Dozen)	10 Dozens	Pakistan		23.3	79*30*25		
	X-MARK	A102130911	DOUBLE PALM GLOVES	100% DOUBLE PALM LEATHER RIGGER GLOVE Grey Crust Cow Hide/Yellow Double Patch, Double Palm Leather Rigger Glove FEATURES : Reinforced Palm, Thumb & Index Finger, Safety Cuff For Extra Protection. APPLICATION : Metal Working, Fabrication, Construction, Farming & Other Heavy Industrial Work Size : 10.50 Inches	Dozen	EN388	12 Pairs (1 Dozen)	10 Dozens	Pakistan	22.56	24.27	78 x 28 x 28		
			DOUBLE PALM GLOVES	100% DOUBLE PALM LEATHER RIGGER GLOVE Grey Crust Cow Hide/Yellow Double Patch, Double Palm Leather Rigger Glove FEATURES : Reinforced Palm, Thumb & Index Finger, Safety Cuff For Extra Protection. APPLICATION : Metal Working, Fabrication, Construction, Farming & Other Heavy Industrial Work Size : 10.50 Inches	Dozen	EN388	12 Pairs (1 Dozen)	8 Dozens	Pakistan	22.56	24.27	78 x 28 x 28		
		A102132320	DOUBLE PALM GLOVES	100% DOUBLE PALM LEATHER RIGGER GLOVE Grey Crust Cow Hide/Yellow Double Patch, Double Palm Leather Rigger Glove FEATURES : Reinforced Palm, Thumb & Index Finger, Safety Cuff For Extra Protection. APPLICATION : Metal Working, Fabrication, Construction, Farming & Other Heavy Industrial Work Size : 10.50 Inches	Dozen	EN388	12 Pairs (1 Dozen)	8 Dozens	Pakistan	22.56	24.27	78 x 28 x 28		












PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		A102280716	WELDING GLOVES	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/welding-gloves/</p> <p>H/D Red Welding Gloves HEAVY DUTY AB GRADE RED WELDING LEATHER GLOVES A Grade Cow Hide Split Leather Gloves SIZE : 16 INCHES</p> <p>FEATURES : Protects Against Rough Objects, Sparks, Heat And From Blows In Heavy Duty Work Environments. LENGTH : 16 Inch</p> <p>APPLICATIONS : Welding, Rigging, Construction, Landscaping, Iron & Steel, Mechanical, Metal Work, Mining, Pipe Fitting, General handling, Logistics & other hot applications.</p>	Dozen	EN388		6 Dozen	Pakistan		26.41	66 x 34 x 42		
	X-MARK		WELDING GLOVES	<p>H/D Red Welding Gloves HEAVY DUTY AB GRADE RED WELDING LEATHER GLOVES A Grade Cow Hide Split Leather Gloves SIZE : 16 INCHES</p> <p>FEATURES : Protects Against Rough Objects, Sparks, Heat And From Blows In Heavy Duty Work Environments. LENGTH : 16 Inch</p> <p>APPLICATIONS : Welding, Rigging, Construction, Landscaping, Iron & Steel, Mechanical, Metal Work, Mining, Pipe Fitting, General handling, Logistics & other hot applications.</p>	Dozen			6 Dozen	Pakistan					
		M106570320	Blue KNDDA	<p>DOUBLE SIDE DOTTED GLOVES BLUE KNDDA Cotton Knitted Gloves With Double Sided Heavy Duty BLUE PVC Dots Blue T/C Liner with Blue double side dots, Weight: 1000 Grams</p>	Dozen	EN 388 : 2003	12 Pairs (1 Dozen)	20 Dozens	Pakistan		21.7kg	63*49*26	0.0802	
		M106570821	Blue KNSDA	<p>SINGLE SIDE DOTTED GLOVES BLUE KNDDA Cotton Knitted Gloves With Double Sided Heavy Duty BLUE PVC Dots 10gg, Blue T/C Liner with Blue double side dots, Weight: 810 Grams</p>	Dozen	EN 388 : 2003	12 Pairs (1 Dozen)	20 Dozens	Pakistan		17.8kg	58*49*26	0.07389	
		A106570420	Double Side Grip	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/double-side-dotted-grip/</p> <p>DOUBLE SIDE DOTTED GLOVES Cotton Knitted Gloves With Double Sided Heavy Duty BLUE PVC Dots Blue T/C Liner with Blue double side dots, Weight: 940 Grams</p> <p>It has Cut level 2, Tear and Abrasion resistance</p> <p>FEATURES : Flexible And Comfortable, Durable With Excellent Breathability, Anti-Slip And Abrasion Resistance. For Wide Range Of Applications.</p>	Dozen	EN 388 : 2003	12 Pairs (1 Dozen)	30 Dozens	China		29.44	49*29*69		62160000
		A106570422	Double Side Grip	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/double-side-dotted-grip/</p> <p>DOUBLE SIDE DOTTED GLOVES Cotton Knitted Gloves With Double Sided Heavy Duty BLUE PVC Dots Blue T/C Liner with Blue double side dots, Weight: 925 Grams</p> <p>It has Cut level 2, Tear and Abrasion resistance</p> <p>FEATURES : Flexible And Comfortable, Durable With Excellent Breathability, Anti-Slip And Abrasion Resistance. For Wide Range Of Applications.</p>	Dozen	EN 388 : 2003	12 Pairs (1 Dozen)	30 Dozens	China		23.4kg			62160000











PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
		A106572820	Single Side Grip	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/knitted-gloves-single-side-grip/</p> <p>SINGLE SIDE DOTTED GLOVES Cotton Knitted Gloves With single side Heavy Duty BLUE PVC Dots 10gg, Blue T/C Liner with Blue single side dots, Weight : 690-700 grams, It has Cut level 2, Tear and Abrasion resistance FEATURES : Flexible And Comfortable, Durable With Excellent Breathability, Anti-Slip And Abrasion Resistance. For Wide Range Of Applications.</p>	Dozen	EN 388 : 2003	12 Pairs (1 Dozen)	25 Dozens	Indonesia						62160000
		A106570821	Cotton -Bleach White	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/cotton-knitted-gloves/</p> <p>BLEACH WHITE COTTON KNITTED GLOVES ORANGE OVERLOCK Weight : 430 Grams</p>	Dozen		12 Pairs (1 Dozen)	30 Dozens	China		13.77	25*39*65			
		A106573021	Cotton -Bleach White	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/bleach-white-cotton-knitted-gloves-</p> <p>BLEACH WHITE COTTON KNITTED GLOVES RED OVERLOCK Weight : 450 Grams</p>	Dozen		12 Pairs (1 Dozen)	25 Dozens	Indonesia		10.39kg	51*24*42			
	X-MARK	N106573220	SOFT COTTON GLOVES	<p>Comfortable & stable use Contains soft rubberized cuff Weight : 400 Grams</p>	Dozen		12 Pairs (1 Dozen)	400 Pairs	China	14	16	45 x 37 x 42	0.07		
		A106573220	Cotton - Grey Gloves	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/cotton-grey-gloves-yellow-overlock/</p> <p>GREY COTTON KNITTED GLOVES COLOR - GREY YELLOW OVERLOCK Weight : 400-410 Grams</p>	Dozen		12 Pairs (1 Dozen)	25 Dozens	Indonesia		10.39kg	51*24*42			
		A123291720 A123291721 A123291722 A123291723 A123291724	Drill	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/drill-dotted-gloves/</p> <p>Drill DOTTED GLOVES - 8 / 10 / 12 / 14 / 16 OUNCE FEATURES : Cotton With PVC Dots, Knitted Wrist Seals Out Dirt And Debris, PVC Polka Dots Provides Superior Grip In Dry Conditions For Safe And Secure Handling Comfort. APPLICATIONS : General Purpose, Maintenance, Manufacturing, Warehouse Operation, Parts Handling etc.</p>	Dozen	CE CAT I	12 Pairs (1 Dozen)	25 Dozens	Pakistan		8 Oz. - 19.6 10 Oz. - 23kg 12 Oz. - 24.84kg 14 Oz. - 28.25kg 16 Oz. - 32.32kg	8 Oz. - 54*22*52 10 Oz. - 56*25*55 12 Oz. - 62*25*55 14 Oz. - 68*25*58 16 Oz. - 71*25*61			62160000













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
			ACTIVE MAX MULTIPRO	<p>14 OZ CUT & SEWN POLY COTTON GLOVES WITH PVC DOTS Light weight, breathable and cost effective Offers good dry grip Liners: 14 Oz Poly cotton Coating: PVC black random dots Colour: Natural White Length: 24-25 cm Size 10.5 Applications: Carpentry, Material Handling, Warehousing, General Purpose, Mechanical Works, Landscaping</p>	Dozen	CE CAT I		20/PKT	PAKISTAN			500 x 295 x 270		
			LP-RB-PANDA	<p>Chlorinated Unsupported Natural Rubber Glove Features: Dexterous, Perfect durable design, Robust, Cuff Style is Gauntlet For Mechanical work Material: Natural Rubber, Black Length: 30 cm Sizes: M - XL Applications: Degreasing Food Processing</p>	Dozen	CE EN 388:2003 CAT II 3110	12	144	China		500 x 295 x 270			
			Ranger Clean - RABBIT	<p>Description: Cotton flock lined premium neoprene formulation with honey comb & reverse lozenge grip pattern. Features: • Dexterous • Perfect durable design • Robust • Cuff Style is Gauntlet • For Mechanical work Applications & Industries: • Petrochemicals • Refining • Degreasing • Food Processing Specifications: Material: Natural Rubber, Black Length: 30 cm Size: M - L - XL</p>	Dozen	CE, EN 388 (3110)		120 Pairs	China		10			
			INTERFACE PLUS FLITE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/interface-plus-fl-lite/ FLOCK LINED NITRILE GLOVES Nitrile for reliable solvent resistance Pure cotton flock lining to absorb perspiration Outstanding abrasion resistance Anti-slip pattern for good grip in wet and dry conditions Improved sensitivity and dexterity Straight cuff Free of Extractable Proteins Compliant with FDA regulations for use in repeated contact with food (Blue and Green colours) Manufactured under a stringent quality management system COLOR : GREEN SIZES : M/8 , L/9</p>	Pair	CE Directive89/686/EEC (EN374,EN388,EN420:2003) German Foodstuffs & Consumer Goods Act (Green colour) EC/1935/2004 (Green colour)	1 PAIR	120 PAIRS	SRI LANKA	9.29		37*29*25	0.0268	4015190000
	Kavach		Electrician's Rubber Hand Gloves - 5 KV Gloves - 11 KV Gloves - 15 KV Gloves - 22 KV Gloves - 33 KV	<p>Electrician's Rubber Hand Gloves Features: - 5 K.V, 11 K.V, 15 K.V, 33 K.V, Resistance, Seamless Type, Soft & Flexible, Tested Quality Length: - 355mm, 380mm, 400mm Palm Size Validity: - 3 Years</p>	Pair	IS SPER 00 4770 1968/91	1 Pair		India					
		E107742820	Clip Cap	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/clip-cap/ Non-Woven Clip Cap, 21 Inch, 10 gram, Single Elastic Features: Elastic around the head for secure fit. Low Linting. Soft, light weight and breathable for user comfort. Application: General Maintenance, Electronics manufacturing, Catering, Clean Room, Beauty Industries, Hygiene, Laboratories, food Industries. Material: PP Non-Woven Style: Single Elastic Weight: 10GSM Color: White Size: 21 Inch</p>	Bag	EN CAT 1	100 Pieces (Bag)	10 Bags	China	2.5	3	45 x 20 x 34	0.0306	6506999000







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E107252820	Beard Cover	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/beard-cover/</p> <p>Features: Latex Free Constructed from spun bound polypropylene. Soft light weight breathable and comfortable. Stays in sung position with an elastic band. Application: Manufacturing and food processing/handling, Lab Works, hospitals, hygiene. Material: PP Non - Woven Style: Single elastic with ear loops Weight: 10 GSM Color: Blue Standard Size</p>	Packet	EN CAT 1	100 Pcs	10 Pkts	China	1.8	2.5	40 x 20 x 20	0.016	6307900000
		E107502820	PP Sleeve	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/pp-sleeves/</p> <p>PP Sleeve Features: Protects from Paint Powder, dirt, grease and grime to keep the skin safe. Latex free elastic cuff, to protect against contamination, light weight, safety and comfort. Application: Hospital, Janitorial, Clean Room, Beauty Salons. Material: PP Non-Woven Style: Arm Sleeves with Elastic Cuff Weight: 20 GSM Color: Blue Size: 16 Inches</p>	Bag	EN CAT 1	100 Pcs	10 Bags	China	4	3.5	38*26*36	0.0356	6307900000
		E118602820	HDPE Glove	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hdpe-glove/</p> <p>HDPE Glove, 0.6g, Transparent Features: Light Weight, Durable, Resist tearing, Latex Free, Easy Application and remove of glove from hand, Seamless and ambidextrous. Application: Manufacturing and food processing/handling, Hygiene. Material: HDPE Style: Powder Free Weight: 0.6g Color: Transparent Size: Universal</p>	Bag	EN CAT 1	100 Pcs	100 Bags	China	5.5	6	37*27*17	0.017	3926201900
		E118492820	HDPE Apron	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/hdpe-apron/</p> <p>HDPE Apron, 0.6g, Transparent Features: Light weight, Durable, resist tearing, Latex Free. Offers effective general-purpose barrier protection. Ideal for food processing task. Application: Manufacturing and food processing/handling, hygiene. Material: HDPE Style: Powder Free Weight - 0.6g Color - Transparent Size - Universal</p>	Bag	EN CAT 1	100 Pcs	100 Bags	China	6	6.4	37 x 30 x 18	0.02	3926209000
		E107512820	PP Shoe Cover	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/pp-shoe-cover/</p> <p>PP Shoe Cover Features: Extra thick, Provides Lasting Protection, Safe Guard Environment from Contamination, prevents scuffs on floor, Enhances Traction while walking, Easy On/Easy Off Elasticated Shoe Cover. Application: Hospital, Janitorial, Clean Room, Industrial and Pharmaceutical facility. Material: PP Non-Woven Weight: 30 GSM Color: Blue Size: 15 x 40 cm</p>	Bag	EN CAT 1	100 Pcs	10 Pkts	China	4	4.6	40*27*28	0.03	6307900000
		A102491721	Touch Apron	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/touch-apron-single-piece/</p> <p>SINGLE PIECE LEATHER WELDING APRON WITH PIPING MADE IN PAKISTAN FEATURES : Made Of Split Leather, Fastener With Leather Straps, Widely Used In Welding And Allied Industries, Protects Body From Upper Chest To Knee Against Sparks And Splatters, Abrasion Resistant, Natural Thermal Properties, Durable, Comfortable, Breathable And Economical. Length - 36 Inches Width - 24 Inches</p>	Piece	EN 388 CE CAT 1	1 Pc	20 Pieces	Pakistan		19.8	51 x 24 x 74	0.09	42034000







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		A102491720	Touch Apron	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/touch-apron-two-piece/</p> <p>MIDDLE STITCHED LEATHER WELDING APRON WITH PIPING MADE IN PAKISTAN FEATURES : Made Of Split Leather, Fastener With Leather Straps, Widely Used in Welding And Allied Industries, Protects Body From Upper Chest To Knee Against Sparks And Splatters, Abrasion Resistant, Natural Thermal Properties, Durable, Comfortable, Breathable And Economical. Length - 36 Inches Width - 24 Inches</p>	Piece	EN 388 CE CAT 1	1 Pc	50 Pieces	Pakistan		21.88	32 x 24 x 74	0.057	42034000
		A102501720	Touch Sleeve	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/touch-sleeve/</p> <p>LEATHER WELDING SLEEVE WITH PIPING MADE IN PAKISTAN FEATURES : Made Of Split Leather, Heavy Duty Sewing, Adjustable Leather Straps, Widely Used in Welding And Allied Industries, Protects Against Sparks And Splatter, Abrasion Resistant, Smooth texture, Natural Thermal Properties, Durable, Comfortable, Breathable And Economical. SIZE : 22 Inches</p>	Pair	EN 388 CE CAT 1	1	50	Pakistan		20.36kg	60*40*27		42034000
		A102511720	Touch Cover	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/touch-cover/</p> <p>LEATHER WELDING LEG GUARD WITH PIPING MADE IN PAKISTAN FEATURES : Made Of Split Leather, Heavy Duty Sewing, Adjustable Straps, Used in Welding And Allied Industries, Protects Against Sparks And Splatter, Abrasion Resistant, Smooth texture, Natural Thermal Properties, Durable, Comfortable, Breathable And Economical. Leg : 15 Inches Foot : 8 Inches</p>	Pair	EN 388 CE CAT 1		50	Pakistan		19.34kg	42*23*60		42034000
		A111141121	Vertex Plus	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex-plus/</p> <p>FULL BODY HARNESS INTEGRATED WITH WAIST COMFORT BELT Two Pieces Chest Attached D-Rings With Adjustable Shoulder Straps, One Dorsal Attached D-Ring, Forged Alloy COLOUR : Green / Black</p>	Piece	CE 0194 EN 420 EN 361:2002 EN 358:1999	1 Piece	10 Pieces	China	14kg	15kg	40 X 28 X 34	0.032448	63072090
		A111141120	Vertex	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex/</p> <p>FULL BODY HARNESS FEATURES : Full-Body Harness To Be Used With Vertical Anchorage System And Construction Industries. Fully Adjustable Shoulder And Thigh Straps Single Dorsal Attachment D-Ring, Two Chest Attachment D-Rings COLOUR : Green / Black SIZE : Universal</p>	Piece	CE 0194 EN 420 EN 361:2002 EN 358:1999	1 Piece	10 Pieces	China	10.8kg	11.8kg	49 X 26 X 24		63072090
		A111151120	Vertex Web U	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex-web-u/</p> <p>WEBBING LANYARD WITH ENERGY SHOCK ABSORBER One Side Karabiner & One Side Scaffolding Hook, U-Type Lanyard. FEATURES : One-Side Easy 308 Karabiner & One Side Silver Plated Scaffoldings With Easy SH 60 Hook LENGTH : 1.8 Metres COLOUR : Green / Black SIZE : Universal</p>	Piece	CE 0194 EN 420 EN 354:2010 EN 358:1999	1 Piece	20 Pieces	China	20.7	21.7	49 X 27 X 25		63072090







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		A111151121	Vertex Web Y	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex-web-y/</p> <p>TWIN WEBBING LANYARD WITH ENERGY SHOCK ABSORBER One Side Karabiner & Two Sides Scaffolding Hook, Y-Type Lanyard. FEATURES : One-Side Easy 308 Karabiner & Two Sides Silver Plated Scaffoldings With Easy SH 60 Hook COLOUR : Green / Black SIZE : Universal</p>	Piece	CE 0194 EN 354:2010 EN 358:1999	1 Piece	10 Pieces	China	14.9kg	15.34kg	40 X 28 X 24		63072090
		A111151122	Vertex Rope Y	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex-rope-y/</p> <p>TWIN ROPE LANYARD WITH ENERGY SHOCK ABSORBER One Side Karabiner & Two Sides Scaffolding Hook, Y-Type Lanyard. FEATURES : One-Side Easy 308 Karabiner & Two Sides Silver Plated Scaffoldings With Easy SH 60 Hook COLOUR : Green / Black SIZE : Universal</p>	Piece	CE0194 EN 420 EN 355:2002	1 Piece	10 Pieces	China	19kg	20kg	45 X 27 X 24		63072090
		A111151123	Vertex Rope U	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/vertex-rope-u/</p> <p>ROPE LANYARD U-TYPE One Side Karabiner & One Side Scaffolding Hook, U-Type rope Lanyard. FEATURES : One-Side Easy 308 Karabiner & One Side Silver Plated Scaffoldings With Easy SH 60 Hook LENGTH : 1.8 Metres COLOUR : White SIZE : Universal</p>	Piece	EN 354 : 2010	1 Piece	20	China		18.9kg	48*25*25		63072090
		A111141122	COMFORT BELT	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/comfort-waist-belt/</p> <p>COMFORT WAIST BELT D-Ring Hook Material: Polyester, Carbon steel Waist Circumference: Approx. 80-120cm (Adjustable) Black Part Dimension: Approx.64x9cm, Band Width: 4.3cm Features: Equipedp with 2 D-Rings, Easy connection and quick release High-strength polyester and carbon steel Wear-resistant and durable Application: Great for outdoor climbing, mountaineering, rappelling etc Color: Green/Black</p>	Piece	CE 0194 EN 420 EN 358:1999	1 Piece	20	China	11kg	12kg	61 x 35 x 26	0.0555	63072090
	RELIWASH	N139670821	Saline Eyewash Bottle 500 ml	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/saline-eyewash-bottle-500ml/</p> <p>Mandatory under HSE regulations Sterile, safe, and non-toxic Twist-seal cap Eyewash From Reliwash 500 ml Bottle.</p>	Bottle	CE 0120	1	10	UK	5.46	5.76	38.5*16*20		34022090
			OPTEC EW - POB	<p>Portable Eye Wash <u>Construction</u> PDA approved high-density green polyethylene tank provides the light and durable construction required in a portable unit. <u>Mounting</u> J-shaped stainless steel wall bracket makes for a well-constructed portable mount for easy removal and re-mount. <u>Eye Wash</u> Pulling down the eyewash arm will begin flushing the 08 gallon portable at 4 gpm (1.5 L) during the required 15 minutes, creating a full patterned of the eyes. <u>Design</u> Tank comes complete with a wide-fill opening and threaded cap for quick inspection, cleaning, and filling. Unit also comes equipped with top and side handles making relocation easy. <u>Specification</u> Model EW - POB portable gravity operated eyewash shall include a FDA approved high-density green polyethylene 08 gallon (30.3 L) tank, ABS plastic eyewash heads with 4 gpm (1.5 L) flow rate over 15 minutes, yellow pull-down activation arm, integral handles on top and sides. <u>Application</u> Where the eyes or body of any person may be exposed to injuries or corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use.</p>	PC			1 PC						







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
			OPTEC EW – P16	<p>FEATURES & BENEFITS</p> <p>CONSTRUCTION: FDA approved high-density green polyethylene tank provides the light and durable construction required in a portable unit.</p> <p>MOUNTING: J-shaped stainless steel wall bracket makes for a well-constructed portable mount for easy removal and re-mount.</p> <p>EYEWASH: Pulling down the eyewash arm will begin flushing the 16 gallon portable at .4 gpm (1.5 L) during the required 15 minutes, creating a full patterned flushing of the eyes.</p> <p>DESIGN: Tank comes complete with a wide-fill opening and three-lid cap for quick inspection, cleaning, and filling. Unit also comes equipped with top and side handles making relocation easy.</p> <p>SPECIFICATIONS: Model EW - P16 portable gravity operated eyewash shall include a FDA approved high-density green polyethylene 16 gallon (60.6 L) tank, ABS plastic eyewash heads with .4 gpm (1.5 L) flow rate over 15 minutes, yellow pull-down activation arm, integral handles on top and sides</p> <p>APPLICATIONS:</p>	PC		1 PC	1 PC							
	X-MARK	N139670820	PORTABLE EYEWASH	<p>Portable eye wash station 34 ltr</p>	Piece	CAT I	1 Pc	1 Pc	INDIA	4.75	6	61*28*43			
	X-MARK	N139670822	EYEWASH STATION	<p>EYEWASH STATION, WASHER AND SHOWER WITH FOOT VALVE AND HAND VALVE MODEL- LSES 8 GI</p>	Piece	CAT I	1 Pc	1 PC	INDIA	18	20	71*30*23			
			FR 9360 V	<p>FFP3NRD</p> <p>Features: Light weight, Excellent fit, Less resistance to allow better flow of air</p> <p>Specifications: Outer Layer: Polypropylene Fabric Inner Layer: Polyester fabric Filter Media: High filtration efficiency (Melt Blown) Nose Piece: Aluminium Headband: Knitted elastic band OV Filter: Active carbon with polypropylene substrate Type: Disposable Shape: Cup Color: White</p> <p>Applications: Construction, Hospitals & Laboratories</p>	Packet	CE, EN 149:2001 FFP3 NR D	60	60	India		3.4				
			SPIRO EXTREME C Multi Pro	<p>Features: Lightweight structure results in easy breathing and comfortable wear. Ergonomic mask shape provides custom seal for different facial sizes. Metal free for environmental protection. Contoured facial seal and fully adjustable head straps offer advanced secure seal and extreme comfort for long time wear. Apply latex free material to avoid irritation. Advanced low resistant exhalation valve reduces hot air buildup and easy breath in hot/humid environments. Covered with active carbon pre-filter against nuisance level organic vapors. Conforms to EN149:2001+A1:2009.</p> <p>Class FFP3 NR D</p> <p>Filtering Material Component: Spunbond Scrim, Activated Carbon Layer, Meltblown Electret, Polyester</p> <p>Nose Clip: X, Nose Liner: Sponge Foam, Valve: Yes, Head Strap: Elastic Band Elastic Adjuster: Yes</p>	Packet	EN 149:2001+A1:2009	5	100	Vietnam		4.5				
			SPIRO MAX C Multi Pro	<p>Features: Moulded plus design for premium range of respirators. Sturdy mesh inside to prevent collapsing from hot and humid environment. Four-point adjustable head straps and adjustable nose clip offer a comfortable secure fit. Half face seal foam provides a custom seal for different facial sizes and lowest leakage. Exhalation valve reduces hot air buildup and easy breath in hot/humid environments. Covered with active carbon pre-filter against nuisance level organic vapors. Conforms to EN149:2001+A1:2009</p> <p>Class FFP2 NR D</p> <p>Filtering Material Component: Spunbond Scrim, Activated Carbon Layer, Meltblown Electret, Polyester Nose Clip: Plastic wire, Nose Liner: Sponge Foam, Valve: Yes Head Strap: Elastic Band, Elastic Adjuster: Yes</p>	Packet	EN 149:2001+A1:2009	10	200	Vietnam		6.7				







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
			SPIRO MAX C+ Multi Pro	<p>Features : Contoured face seal and easy adjustable buckle system to offer comfortable fit. Two exhalation valves reduce hot air buildup and easy breath in hot/humid environments. Covered with active carbon pre-filter against nuisance level organic vapors. Conforms to EN149:2001+A1:2009</p> <p>Specifications Class: FFP2 NR Filtering Material Component: Spunbond Scrim, Activated Carbon Granules Layer, Meltblown Electret Nose Clip: Aluminum, Nose Liner: Sponge Foam, Valve: Yes, Head Strap: Elastic Band, Elastic Adjuster: Yes</p>	Packet	EN 149:2001+A1:2009	5	100	Vietnam		7.8			
			SPIRO SHIELD ONEPRO	<p>Features: Disposable, cool and comfortable. Lightweight construction, economical choice. Not NIOSH, CE and AS/NZS approved</p> <p>Usage: Provides relief from nuisance dusts, such as alfalfa, pollen, animal dander, sawdust and other non-toxic dusts.</p> <p>Specifications: Class: Nuisance Mask Filtering Material Component: Needle Punched Polypropylene Nose Clip: X Nose Liner: X Valve: X Head Strap: Elastic Band Elastic Adjuster: Yes</p>	Packet	CE, EN 397	50	2000	Taiwan					
			FR 3200V	<p>Features: Light weight, Excellent fit, Less resistance to allow better flow of air</p> <p>Specifications: Outer Layer: Polypropylene spunbond Filter Media: High filtration efficiency (Melt Blown) Inner Layer: Polypropylene Nose Piece: Plastic encapsulated iron wire Headband: Latex-free braided synthetic rubber with polyester yarn</p> <p>Type: Disposable Shape: Flat Color: Blue Applications: Construction, Hospitals & Laboratories</p>	Packet	CE, EN 149:2001 FFP2	20 PIECES	20 Packets			7.46	29*40*68		
			3M8577	<p>3M™ Particulate Respirator 8577 FEATURES : NIOSH approved P95 rating • Adjustable M-noseclip • Braided headbands, staple attachment • Cool Flow™ Exhalation Valve • Carbon layer for relief of nuisance levels of organic vapor†</p>	Packet	NIOSH / TC-84A-1166	10 PIECES	8 PACKETS	USA					
		M209980820	3M8210	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator/</p> <p>3M™ PARTICULATE RESPIRATOR-N95 FEATURES : Cup Shaped Design With Welded Strap Attachment, For Non-Oil Based Particles, Cushioning Nose Foam And Adjustable Nose Clip Helps Provide a Custom Fit and Secure Seal, Lightweight Construction, Advanced Electret Media.</p>	PACKET	NIOSH / TC - 84A - 0007	20 PIECES	8 PACKETS	U.S.A.	2.40	2.50	52X30X22	0.0343	63079099
			3M8210V	<p>3M™ Particulate Respirator 8210V, N95 Details Proprietary 3M™ Cool Flow™ Valve helps keeps wearer cool Cushioning nose foam Adjustable noseclip helps provide a custom and secure seal Advanced electrostatic media is designed for ease of breathing Compatible with a variety of protective eyewear and hearing protection</p>	PACKET	NIOSH / TC - 84A - 5410	10 PIECES	8 PACKETS	U.S.A.		1.28	52*29.5*21.5		







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
	3M	M209380822	3M9010	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-2/</p> <p>3M™ PARTICULATE RESPIRATOR-N95 FEATURES : Vertical Flat Fold Design, For Non-Oil Based Particles, Adjustable Nose Clip Helps Provide a Custom Fit and Secure Seal, Lightweight Construction, Advanced Electret Media, Individual Packing</p>	PACKET	NIOSH / TC - 84A - 4243	50 PIECES	10 PACKETS	CHINA	6.00	6.50	67x30x30	0.0603	63079099	
	3M	M209380828	3M9010V	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-particulate-respirator-9010v/</p> <p>3M™ PARTICULATE RESPIRATOR-N95 With Valve FEATURES : Vertical Flat Design, For Non-Oil Based Particles, Adjustable Nose Clip Helps Provide a Custom Fit and Secure Seal, Lightweight Construction, Advanced Electret Media, Individual Packing</p>	PACKET	NIOSH / TC - 84A - 6271	20 PIECES	10 PACKETS	CHINA	4.60	5.10	67 x 30 x 30		63079099	
	3M		3M 8710	<p>3M™ Disposable Respirator 8710, P1 Features P1 rated filter to AS/NZ 1716:2012 Lightweight construction promotes greater comfort and contributes to increased wear time. The cupped shape, twin strap design and adjustable aluminum nose clip provides a custom fit with fewer pressure points and a secure face seal over a range of face sizes Kraton headband for comfort and durability For use against both mechanically generated particulates e.g. dusts, mists All filter design provides economical protection with no cleaning required or spare parts to maintain <u>Specifications</u> Weight: 10g per respirator, Meets performance requirements of AS/NZ 1716:2012. <u>Applications</u> Mining, Woodwork, Sawmills, Construction, Grain Handling</p>	Packet	AS/NZ 1716:2012	20.00	12.00			3.30		27*39*41		
	3M	M209380821	3M8511	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-8511/</p> <p>3M™ PARTICULATE RESPIRATOR-N95 FEATURES : Cup Shaped Design, Ideally Suited For Hot/Dusty Work Settings That Require Long Periods of Wear, 3M™ Cool Flow™ Exhalation Valve Reduces Heat Build-up Inside The Respirator, Braided Headbands, Spacious And Durable, Designed To Increase Comfort And Wearability, Advanced Electret Media-Designed For Ease of Breathing, For Non-Oil Based Particles, Adjustable Noseclip Helps Provide a Custom Fit and Secure Seal.</p>	PACKET	NIOSH / TC - 84A - 1299	10 PIECES	8 PACKETS	U.S.A.	2.24	2.34	52*33*23	0.0395	63079099	
	3M	M209380823	3M8514	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-particulate-welding-respirator-</p> <p>3M™ PARTICULATE WELDING RESPIRATOR-N95 FEATURES : Designed To Help Provide Respiratory Protection For Applications Such as Welding, Soldering and Other Operations In Which Metal Fumes May Be Present, With 3M™ Cool Flow™ Exhalation Valve, Soft Nose Foam, Adjustable Noseclip and Buckle Straps, Cake-Resistant Filter Media, Flame Resistant APPLICATIONS : Welding, Torch Cutting, Brazing, Soldering, Metal Pouring, Working With Stainless, Galvanized or Aluminum etc.</p>	PACKET	NIOSH / TC - 84A - 0454	10 PIECES	8 PACKETS	U.S.A.	4.23	4.33	52x40x28	0.0582	63079099	
	3M		3M8212	<p>3M™ Particulate Welding Respirator 8212, N95 with Faceseal 80 EA/Case NIOSH approved for at least 95% percent filtration efficiency against certain non-oil based particles Recommended for welding and operations in which metal fumes may be present Cake resistant filter layers reduce the caking of particles on the respirator surface Adjustable noseclip helps provide a custom secure seal 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator Advanced Electret Media is designed for ease of breathing</p>	Packet		10 PIECES								













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M209380826	3M8247	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-4/</p> <p>3M™ PARTICULATE RESPIRATOR-R95 FEATURES : Provide Reliable Respiratory Protection Against Certain Oil And Non-Oil Based Particles, Constructed With a Carbon Filter Layer For Nuisance Levels Of Organic Vapors, Collapse Resistant Shell, Adjustable Noseclip, Soft Nose Foam, Advanced Electrostatically Charged Microfiber Filter Media. APPLICATIONS : Foundry Operations, Lab Settings, Agriculture, Petrochemical Manufacturing, Undercoating, Grinding, Bagging, Sanding, Sweeping etc in Oil And Non Oil Environments And Other Dusty Operations.</p>	Packet	NIOSH / TC - 84A - 1350	20 PIECES	6 PACKETS	U.S.A.	2.60	2.70	40x28x26	0.0291	63079099
	3M		3M8512	<p>3M™ Particulate Welding Respirator 8512, N95 NIOSH approved N95 rating • Cake resistant filter media • Adjustable buckle straps • Flame resistant per modified ASTM D2859 • Cool Flow™ Exhalation Valve</p>	Packet	NIOSH / TC-84A-0454	10 PIECES	8 PACKETS	USA					
	3M	M209580821	3M8822	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-ffp2/</p> <p>3M™ PARTICULATE RESPIRATOR-FFP2 FEATURES : Effective Respiratory Protection Against Dust And Mist, Convex Shape, Twin Strap Design, Soft Nose Foam Adjustable Nose Clip, Durable, Collapse Resistant Inner Shell, 3M™ Cool Flow™ Exhalation Valve, Lightweight, Comfortable.</p>	PACKET	NIOSH / EN 149 : 2001 + A1:2009 CE 0086	10 PIECES	24 PACKETS	UK	5.20	6.00	56x43x26		63079099
	3M	M209430821	3M8835	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-ffp3/</p> <p>3M™ PARTICULATE RESPIRATOR-FFP3 FEATURES : Soft Inner Face-Seal Ring, Robust And Durable Design, Provides Multi-Shift Capability, High Performance Filter Material, Reliable And Effective Protection Against Dust, Mist & Metal Fumes, 3M™ Cool Flow™ Exhalation Valve, Adjustable Buckle Straps, Lightweight, Off-The-Face Design.</p>	PACKET	FFP3	5 PIECES	10 PACKETS	U.K.	2.50	3.00	62x39x23	0.0556	63079099
	3M	M209430820	3M932+	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-ffp2-9332-plus/</p> <p>3M™ Aura™ PARTICULATE RESPIRATOR-FFP3 FEATURES : Low Breathing Resistance Filter Technology, Ingenious 3-Panel Design That Accommodates Greater Facial Movement, Embossed Top Panel, Innovative Chin Tab For Ease Of Donning And Adjustment, With 3M™ Cool Flow™ Exhalation Valve, Sculpted Nose Panel, Individual Packaging, Flat Fold Design, Protects Against Dusts and Mists.</p>	PACKET	NIOSH / EN 149 : 2001 / CE 0086	10 PIECES	12 PACKETS	U.K.	3.20	3.30	49x26.5x43	0.0558	63079099
	3M	M209580820	3M932+	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-ffp3-2/</p> <p>3M™ Aura™ PARTICULATE RESPIRATOR-FFP2 FEATURES : Low Breathing Resistance Filter Technology, Ingenious 3-Panel Design That Accommodates Greater Facial Movement, Embossed Top Panel, Innovative Chin Tab For Ease Of Donning And Adjustment, With 3M™ Cool Flow™ Exhalation Valve, Sculpted Nose Panel, Individual Packaging, Flat Fold Design, Protects Against Dusts and Mists.</p>	PACKET	NIOSH / EN 149 : 2001 / CE 0086	10 PIECES	12 PACKETS	U.K.	3.20	3.30	49x26.5x43	0.0558	63079099








PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M209380829	3M8233	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-respirator-n100/</p> <p>3M™ PARTICULATE RESPIRATOR-N100 FEATURES : 3M™ Cool Flow™ Valve, Foam Face seal, Adjustable Straps, Advanced Electrostatic Media, Designed To Provide Reliable Respiratory Protection of At Least 99.97 Percent Filtration Efficiency Against Certain Non-Oil Based Particles, Sulfated For Work Situations Involving Heat, Humidity, or Long Periods of Wear, Also Provides Protection Against Certain OSHA Substance Specific Contaminants Including Lead, MDA, Arsenic and Cadmium. APPLICATIONS : Foundry Operations, Grinding, Petrochemical Manufacturing, Processing of Minerals Welding etc.</p>	Piece	NIOSH TC-84A-1298	1 PIECE	20 PIECES	U.S.A.	1.20	1.20	52 x 30 x 22	0.0343	63079099
	TSGC The Source Group Canada Inc	F509393121	RESPIRE 6 P3	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-6-p3/</p> <p>RESPIRE 6 P3 • COMFORT - TSGC Advanced Electret Media (AEM) provides a lightweight, easy breathing combination not found in fiberglass containing filters. • VERSATILE PROTECTION - The RESPIRE 6 P3 is well suited for a wide range of oil and non-oil based particulate contaminants and can be used as a prefilter for certain chemical exposures. • SIMPLICITY - The versatility of this filter reduces your inventory and training requirements. • COMPATIBILITY - The RESPIRE 6 P3 can be used with TSGC wide variety of half and full facepiece designs. • EXCEPTIONAL FILTER EFFICIENCY - Passing P3 test criteria, the RESPIRE 6 P3 filter provides a minimum 99% filter efficiency. • DURABILITY - The unique flexible filter material resists abrasion and wetting. Filters are flame and water resistant. • ECONOMY - The RESPIRE 6 P3 is priced competitively with other filters in its class.</p>	Pair	CE CAT III EN 143:2000 A1:2006 AS/NZS 1716:2012	1 PAIR	50 PAIRS	CHINA (CANADIAN BRAND)	1.05	1.30	44 x 25 x 23	0.0253	90200000
	3M	M209390821	3M2091	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-filter-p100-2/</p> <p>3M™ PARTICULATE FILTER-P100 FEATURES : For Environments Containing Certain Oil And Non-Oil Based Particles, To Be Used With 3M™ Half And Full Facepieces 6000 And 7000 Series With Bayonet Filter Holders. APPLICATIONS : Welding, Brazing, Torch Cutting, Metal Pouring, Soldering, Exposure To Lead, Asbestos, Cadmium, Arsenic And MDA.</p>	SET	NIOSH / A 120311	1 SET	50 SETS	U.S.A.	2.00	2.10	44x26x23	0.0263	63079099
	3M	M209390822	3M2097	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-filter-p100/</p> <p>3M™ PARTICULATE FILTER-P100 FEATURES : For Environments Containing Certain Oil And Non-Oil Based Particles, Recommended For Nuisance level organic vapor relief and for ozone protection up to 10X OSHA PEL. To Be Used With 3M™ Half And Full Facepieces 6000 And 7000 Series With Bayonet Filter Holders. APPLICATIONS : Welding, Brazing, Torch Cutting, Metal Pouring, Soldering, Exposure To Lead, Asbestos, Cadmium, Arsenic And MDA.</p>	Set	NIOSH / A 121172	1 SET	50 SETS	U.S.A.	2.40	2.50	45x27x23	0.0279	63079099
	TECHTION		Spiro sp 688	<p>Faceshield Cover 688 Color: Transparent Material: Polyester Film Product Type: Replacement Parts & Accessories Recommended Industry: Construction, General Manufacturing, Heavy Industrial, Manufacturing, Marine, Mining, Oil & Gas, Pharmaceutical, Transportation Spare Part Type: Cover</p>	Packet		25.00							
	TECHTION		Spiro FM 690 Large	<p>Specifications: Large lens provides a wide field of view for excellent visibility Available in air-purifying and supplied air respirator modes Center adapter directs exhaled breath downward Applications: Construction,Pharmaceutical,Agriculture,General Manufacturing,Primary metals Technical Specifications: Face Mask: Silicon Lens: Polycarbonate</p>	Piece	EN 140: 1998,AS/NZS 1716:2019	1 Piece	4.00	China	2.75	3.00	41x31x27	0.0343	63079099













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
	3M	M230400122	3M6800 MEDIUM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/reusable-full-face-mask-respirator/</p> <p>3M™ REUSABLE FULL FACE MASK RESPIRATOR FEATURES : Provides Filtering Protection Against Particulates, Gases And Vapours Present In Many Industrial Applications, Bayonet Connection Fitting System To A Broad Range Of Filters, Soft, Non-Allergenic Elastomeric Facepiece, Extremely Lightweight For High Comfort, Full Face Lens With Broad Field Of Vision, Scratch Resistant, Well Balanced Four Strap Head Suspension Which Is Easy To Put On And Off.</p>	PIECE	NIOSH / OSHA / EN-136:1998 CLASS 1	1 PIECE	4 PIECES	U.S.A.	2.75	3.00	41x31x27	0.0343	63079099	
			SR 76-2	Escape hood SR 76-2 Chem	PCS				Sweden						
	TSGC The Source Group Canada Inc	FS30400120	RESPIRE 3 TPR	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-3-tp/</p> <p>RESPIRE 3 TPR REUSABLE HALF FACE PIECE RESPIRATOR Reusable half masks designed for simplicity, cradle head harness and easy fasten neck strap, lightweight elastomeric material for comfort during long periods of work, Low profile design minimises interference with field of view, Twin filter design for even distribution of weight and minimal obstruction to field of vision, Bayonet connection fitting system to a broad range of filters to protect against gases, vapours and particulates, Twin-filter configuration with adjustable head harness Shielded exhalation valve Size - Universal</p>	PIECE	EN 140:1998	1 PIECE	20 PIECES	CHINA (CANADIAN BRAND)		1.94		43.5 x 16.4 x 31		90200000
	3M	M230400120	3M6200 MEDIUM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/reusable-half-face-mask-respirator/</p> <p>3M™ REUSABLE HALF FACE MASK RESPIRATOR FEATURES : Head Harness Cradle Suspension For Comfortable Fit, Lightweight Elastomeric Material For Comfort During Long Periods Of Work, Low Profile Design For Maximum Field Of View, Twin Filter Design Provides Lower Breathing Resistance, Bayonet Connection Fitting System To A Broad Range Of Filters To Protect Against Gases, Vapours And Particulates, Economical, Low-Maintenance, Extremely Lightweight.</p>	PIECE	NIOSH / EN 140:1998	1 PIECE	24 PIECES	U.S.A. / Poland	3.30	3.40	56*41.5*13.5	0.0314	63079099	
	3M	M230400121	3M6300 LARGE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/reusable-half-face-mask-respirator-</p> <p>3M™ REUSABLE HALF FACE MASK RESPIRATOR FEATURES : Head Harness Cradle Suspension For Comfortable Fit, Lightweight Elastomeric Material For Comfort During Long Periods Of Work, Low Profile Design For Maximum Field Of View, Twin Filter Design Provides Lower Breathing Resistance, Bayonet Connection Fitting System To A Broad Range Of Filters To Protect Against Gases, Vapours And Particulates, Economical, Low-Maintenance, Extremely Lightweight.</p>	PIECE	NIOSH / EN 140:1998	1 PIECE	24 PIECES	U.S.A. / Poland	3.00	3.50	57*42*15	0.0359	63079099	
	TSGC The Source Group Canada Inc	FS31400720	RESPIRE 4 SILICONE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-4/</p> <p>RESPIRE 4 SILICONE REUSABLE HALF FACE PIECE RESPIRATOR Reusable half masks designed for simplicity, Soft silicone material for extra comfort, cradle head harness and easy fasten neck strap, lightweight elastomeric material for comfort during long periods of work, Low profile design minimises interference with field of view, Twin filter design for even distribution of weight and minimal obstruction to field of vision, Bayonet connection fitting system to a broad range of filters to protect against gases, vapours and particulates, Twin-filter configuration with adjustable head harness Shielded exhalation valve Size - Universal</p>	PIECE	EN 140:1998	1 PIECE	10 PIECES	CHINA (CANADIAN BRAND)		3.02		50 x 15 x 44	0.033	90200000













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M		3M6502 MEDIUM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-6502-medium/</p> <p>3M™ Reusable Half Face Mask Respirator, Medium, 6502 Stay productive and protected – this half mask respirator delivers comfort, durability and stability with a firm, lightly textured silicone faceseal and strong body construction. Silicone Faceseal - Provides comfort and stability with a soft but firm faceseal. Extended product life due to resilient silicone material. Keeps its shape in high-heat environments. Lightweight. Adjustable Head Harness Assembly - Optimum fit and comfort with three-size adjustable head cradle. Durable harness straps. 3M™ Bayonet Connection - Flexible bayonet system for connection to a wide range of 3M™ gas, vapour particulate filters. 3M™ Cool Flow™ Exhalation Valve - Enhanced comfort by reducing heat and moisture. Less exhalation resistance makes breathing easier.</p>	PIECE	FDA, CE, EN175, EN166	1 PIECE	10 PIECES	U.S.A.	2.10	2.51	45x32x17		84213990
	3M	M231400720	3M7502 MEDIUM	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-7502-medium/</p> <p>3M™ REUSABLE HALF FACE MASK RESPIRATOR FEATURES : Advanced Silicone Material To Help Provide Comfortable And Durable Respiratory Protection. The 3M™ Cool Flow™ Valve Helps Make Breathing Easier, Dual-Mode Head Harness For Standard Or Drop-Down Mode, Solid Exhalation Valve Cover Which Directs Exhaled Breath And Moisture Downward While Helping Protect The Valve Area From Debris While Also Making For Easier Cleaning.</p>	PIECE	EN 140:1998 / CE 0086 / C.A. 12011	1 PIECE	10 PIECES	U.S.A.	2.00	3.00	45*31*16	0.0223	63079099
	3M	M231400721	3M7503 LARGE	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-7503-medium/</p> <p>3M™ REUSABLE HALF FACE MASK RESPIRATOR FEATURES : Advanced Silicone Material To Help Provide Comfortable And Durable Respiratory Protection. The 3M™ Cool Flow™ Valve Helps Make Breathing Easier, Dual-Mode Head Harness For Standard Or Drop-Down Mode, Solid Exhalation Valve Cover Which Directs Exhaled Breath And Moisture Downward While Helping Protect The Valve Area From Debris While Also Making For Easier Cleaning.</p>	Piece	EN 140:1998 / CE 0086 / C.A. 12011	1 PIECE	10 PIECES	U.S.A.	2.00	3.00	45*31*16	0.0223	63079099
	TSGC The Source Group Canada Inc	F509993020	RESPIRE 5 A1	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-5-a1/</p> <p>RESPIRE 5 A1 ORGANIC VAPOUR GAS FILTER CARTRIDGE Fit to twin-filter half mask Respire 3 & Respire 4. For protection against certain organic vapors. Improved design allows an enhanced field of view and comfort. Connection compatibility allows use with other Respire half and full face piece designs. Wide range of applications reduces inventory needs. Simple installation and usage requirements reduces training requirements. The A1 cartridge is part of the large choice of cartridges offered to protect against many hazardous gases and vapors in many applications. The TSGC range provides high quality and a cost-effective protection. The A1 cartridges of TSGC range are tested against the European standard EN14387. Ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area. Respect the shelf life listing on the filter. Check the seal points.</p>	PAIR	CE CAT III EN 14387:2004 A1:2008 AS/NZS 1716:2012	1 PAIR	30 PAIRS	CHINA (CANADIAN BRAND)	5.08	5.87	22 x 52.5 x 24	0.027	90200000
	TSGC The Source Group Canada Inc	F509993021	RESPIRE 5 A1E1	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-5-a1e1/</p> <p>RESPIRE 5 A1E1 ORGANIC VAPOUR GAS & ACID GAS FILTER CARTRIDGE Fit to twin-filter half mask Respire 3 & Respire 4. For protection against certain ORGANIC VAPOUR & ACID GASES. Improved design allows an enhanced field of view and comfort. Connection compatibility allows use with other Respire half and full face piece designs. Wide range of applications reduces inventory needs. Simple installation and usage requirements reduces training requirements. The A1E1 cartridge is part of the large choice of cartridges offered to protect against many hazardous gases and vapors in many applications. The TSGC range provides high quality and a cost-effective protection. The A1 cartridges of TSGC range are tested against the European standard EN14387. Ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area. Respect the shelf life listing on the filter. Check the seal points.</p> <p>RECOMMENDED INDUSTRIES - Agriculture, Automotive and Part Manufacturer, Aviation, Building</p>	PAIR	CE CAT III EN 14387:2004 A1:2008 AS/NZS 1716:2012	1 PAIR	30 PAIRS	CHINA (CANADIAN BRAND)	5.08	6.49	22 x 52.5 x 24	0.027	90200000
	TSGC The Source Group Canada Inc	F509993022	RESPIRE 5 ABEK1	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-5-abek1/</p> <p>RESPIRE 5 ABEK1 MULTI PURPOSE ORGANIC VAPOUR, CHLORINE, HYDROGEN CHLORIDE, SULPHUR DIOXIDE, HYDROGEN FLUORIDE, HYDROGEN SULPHIDE, AMMONIA, METHYLAMINE & FORMALDEHYDE FILTER CARTRIDGE Fit to twin-filter half mask Respire 3 & Respire 4. Improved design allows an enhanced field of view and comfort. Connection compatibility allows use with other Respire half and full face piece designs. Wide range of applications reduces inventory needs. Simple installation and usage requirements reduces training requirements. The ABEK1 cartridge is part of the large choice of cartridges offered to protect against many hazardous gases and vapors in many applications. The TSGC range provides high quality and a cost-effective protection. The ABEK1 cartridges of TSGC range are tested against the European standard EN14387. Ensure that the level of protection offered by the</p>	PAIR	CE CAT III EN 14387:2004 A1:2008 AS/NZS 1716:2012	1 PAIR	30 PAIRS	CHINA (CANADIAN BRAND)	5.08	6.57	22 x 52.5 x 24	0.027	90200000







PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M209390120	3M6001	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/organic-vapor-cartridge/</p> <p>3M™ ORGANIC VAPOR CARTRIDGE FEATURES : NIOSH Approved Against Certain Organic Vapors, Use With 3M™ Half and Full Facepieces 6000, 7000 And FF-400 Series With Bayonet Filter Holders, Swept-Back Design For Enhanced Field Of View And Balance.</p>	PAIR	NIOSH / CSA Z94.4 / OSHA 29 / CFR 1910.134, MADE IN U.S.A.	1 SET	30 SETS	U.S.A.	6.20	6.30	52*24*20	0.025	90200000
	3M	M209390920	3M6003	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/organic-vapor-acid-gas-cartridge/</p> <p>3M™ ORGANIC VAPOR/ACID GAS CARTRIDGE FEATURES : Provides Respiratory Protection Against Certain Organic Vapors or Acid Gases, Use With 3M™ Half and Full Facepieces 6000, 7000 And FF-400 Series With Bayonet Filter Holders, Swept-Back Design For Enhanced Field Of View And Balance.</p>	PAIR	NIOSH / CSA Z94.4 / OSHA 29 / CFR 1910.134	1 SET	30 SETS	U.S.A.	6.40	6.50	52*24*21	0.0262	90200000
	3M	M209390220	3M6006	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/universal-gas-vapor-cartridge/</p> <p>3M™ UNIVERSAL GAS AND VAPOUR CARTRIDGE FEATURES :NIOSH Approved Against Certain Organic Vapors, Acid Gases, Ammonia, Methylamine or Formaldehyde, Use With 3M™ Half and Full Facepieces 6000, 7000 And FF-400 Series With Bayonet Filter Holders, Swept-Back Design For Enhanced Field Of View And Balance.</p>	PAIR	NIOSH / CSA Z94.4 / OSHA 29 / CFR 1910.134	1 SET	30 SETS	U.S.A.	7.20	7.40	52*24*21	0.0262	90200000
	TSGC The Source Group Canada Inc	F509393120	RESPIRE 6 P2	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-6-p2/</p> <p>Respire 6 P2 P2 - Filters atleast 94% of Airborne Particles Features: Reusable, low maintenance half face respirator. Soft, lightweight elastomeric respirator ensures comfort during long periods of work. Flexible System (gas & vapour and / or particulate filters) Twin filter design provides lower breathing resistance, a more balanced fit, and improves field of vision. Cost effective replacement filters. Safe, secure Bayonet filter attachment system. Easy and secure fitting. 3 sizes (small – Respire 3, medium – Respire 3, large – Respire 3)</p>	PACKET	EN 143:2000 A1:2006 AS/NZS 1716:2012	25 PAIRS	5 PACKETS	CHINA	0.70	0.95	47 x 20 x 23	0.0216	
	3M	M209390820	3M5N11	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/particulate-prefilter/</p> <p>3M™ PARTICULATE PREFILTER FEATURES : N95 NIOSH Approved Particulate Prefilter Pad For Certain Non Oil Based Particles, HEIGHT 3.4 Inch & Length 4.2 Inch 3M 501 Must Required To Hold This Prefilter With 6000 Series Cartridge.</p>	Packet	NIOSH / 22J1122	10 PIECES	10 PACKETS	U.S.A.	0.90	0.91	46*23.5*10	0.0108	63079099
	3M	M209410820	3M501	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/filter-retainer/</p> <p>3M™ FILTER RETAINER Retainer Used To Hold Particulate Filter 5N11</p>	PAIR	CE 0086	10 PAIR (20 PIECES)	5 PACKETS	U.S.A.	1.55	1.65	53*23*13.5	0.0165	6307 9097










PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		F509413220	RESPIRE 7	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/respire-7/</p> <p>RESPIRE 7 Features: Used to hold TSGC Particulate Filters in place on top of TSGC Respirators and TSGC Cartridges. Approved TSGC system component Designed to hold TSGC Particulate Filter (sold separately) Component works with TSGC Respirators Series, TSGC Cartridges Series3 Measures 4" high x 8.5" long x 4.5" wide Refer to the Filter/Cartridge User Instructions for further information.</p>	PAIR	CE 0086	10 PAIRS	10 PACKETS	CHINA	2.62	2.82	53 x 23 x 25	0.0304	
		E109542820	Face Mask 60	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/face-mask-60/</p> <p>Surgical Mask Standard Material 60 GSM 3 Ply Features: 3 Ply Mask, Very Low Resistance to Breathing, High Filtration Capacity, Perfect Fit. Soft Latex Free Elastic Loops, 2+1 Filter Layer, Adjustable Nose Clip embedded, Comfortable to wear Application: Medical, Dental, Occupational, Construction, paint, allergies Material: PP Non-Woven Style: 3 Ply with Ear Loops Weight: 60 GSM Color: Blue Size: 17.5cm X 9.5cm</p>	Packet	EN CAT 1	50 PIECES	40 Packets	China	6.02	6.80	52*31.5*38.5	0.0631	6307900000
		E109542821	Face Mask 65	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/face-mask-65/</p> <p>Surgical Mask Standard+Filter Material 65 GSM 3 Ply Features: 3 Ply Mask, Very Low Resistance to Breathing, High Filtration Capacity, Perfect Fit. Soft Latex Free Elastic Loop, 2 + 1 Filter layer, adjustable nose clip embedded, comfortable to wear. Application: Medical, Dental, Occupational, Construction, paint, allergies Material: PP Non-Woven + Melt Blown Filter Medium Style: 3 Ply with Ear Loops Weight: 65 GSM Color: Blue Size: 17.5cm x 9.5cm</p>	Packet	EN CAT 1	50 Pieces	40 Packets	China	6.32	7.10	52 x 39.5 x 31.5	0.0647	6307900000
		E112190620	Sync	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sync/</p> <p>PU EAR PLUG (WITHOUT CORD) FEATURES : Slow recovery Soft Hypoallergenic PU Foam Plug To Provide Comfort & Low Pressure Inside The Ear. Smooth, Dirt Resistant Surface 1 Pair Packed In Individual Polybag and Flipout PACKING: 200 Pairs Per Packet MATERIAL : Poly Urethane NR - 32 dB SNR - 37 dB</p>	Packet	ANSI CE EN 352-2:2002	200 Pairs	10 Packets	Taiwan	4.5	5.35	59 x 35 x 33	0.0681	39269099
		E112190621	Sync Cord	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/sync-cord/</p> <p>PU EAR PLUG (CORDED) FEATURES : Slow recovery Soft Hypoallergenic PU Foam Plug To Provide Comfort & Low Pressure Inside The Ear. Smooth, Dirt Resistant Surface 1 Pair Packed In Individual Polybag and Flipout PACKING: 100 Pairs Per Packet MATERIAL : Poly Urethane NR - 32 dB SNR - 37 dB</p>	Packet	ANSI CE EN 352-2:2002	100 Pairs	10 Packets	Taiwan	4.8	5.8	67 x 29 x 39	0.0758	39269099
			AUTIC RPC/RPC+	<p>EAR PLUG WITH SAFE CASE • SNR 32 dB • Reusable four flange earplug for premium comfort and protection • Pure silicon material for low pressure inside the ear • Reusable use for long time in good shape • Humidity and sweat resistance, helps prevent moisture ramp up in the ear canal • Four layer design allows fully attach to ear canal • Christmas tree design fits majority of the ear canals • Nylon cord for hygienic and helps non-toxic and non-irritating • Designed to be compatible with AUTIC earmuffs and other Techoion PPE's Applications Chemical,Oil & Gas,Construction,Automotive,General Manufacturing,Metal Processing,Textile Manufacturing,Woodworking</p>	1 Box	CE EN 352-1:2002 SNR 35 dB,ANSI S3.19-1974 NRR 32 dB	100 Pairs	1000 Pairs	China		13.58	71x30.5x37		





PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M212190621	3M1110	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/corded-earplug-2/</p> <p>3M™ CORDED EARPLUG FEATURES : Soft Hypoallergenic PU Foam Offers Maximum Wearer Comfort, Tapered Design To Fit Comfortably In The Earcanal, Smooth & Dirt Resistant Surface For Hygiene, With Polyester Cord. NRR29 dB / SNR 34 dB</p>	PACKET	CSA Class - AL / AS/ANSI 1269 : 2005 / Class - 3 / SLC 80 Rating / CSA 294.2 - 1994 / EN 352 - 2	100 PAIRS	5 PACKETS	BRAZIL	1.31	1.41	55 x 20 x 23.5	0.0259	39269099
	3M	M212190620	3M1100	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/uncorded-earplug/</p> <p>3M™ UNCORDED EARPLUG FEATURES : Soft Hypoallergenic PU Foam Offers Maximum Wearer Comfort, Tapered Design To Fit Comfortably In The Earcanal, Smooth & Dirt Resistant Surface For Hygiene. NRR29 dB / SNR 34 dB</p>	Packet	Class AL / CSA 294.2 1994 / ANSI S3.19 - 1974	200 PAIRS	5 PACKETS	BRAZIL	1.62	1.72	55 x 22 x 23	0.0278	39269099
		E112190924	Ultra Ear	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ultra-ear/</p> <p>Reusable Corded Earplug ● MAIN FEATURES Premoulded Triple Flanged No Need To Roll Tips Stay Clean Washable Reduce Waste & Cost Comfortable RATING SNR - 27 dB NRR - 21 dB</p>	Packet	ANSI CE	100 Pairs	10 Packets	Taiwan		14.3	66 x 37 x 32	0.0781	39269099
	3M	M212190923	3M 340-4004	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/corded-earplug/</p> <p>3M™ E-A-R™ UltraFit™ Corded Earplugs 400 PR/Case NRR - 25 dB</p>	PACKET	ANSI S3.19-1974	100 Pairs	4 Packets	U.S.A.	2.40	2.50	54 x 22 x 26		39269099
	3M	M212190922	3M 340-4002	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/corded-earplug-with-carry-case/</p> <p>3M™ ULTRAFIT CORDED EARPLUG WITH CARRY CASE FEATURES : Premolded, Patented Triple-Flange Design That Fits Comfortably In Most Earcanals, Made With Durable Elastomeric Polymer, Washable, Reusable And With Carry Case, Push-To-Fit Style For Easy And Hygienic Fit. NRR 25 dB / SNR 30 dB</p>	Packet	ANSI S3.19 - 1974 / CSA Class AL	50 pairs	4 Packets	U.S.A.	2.81	2.91	54 x 22 x 25	0.0297	39269099
	3M	M212190120	3M 391-0000	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/earplug-dispenser/</p> <p>3M™ One Touch™ Pro Earplug Dispenser 391-0000</p>	Piece	CE Approved	1 Piece	1 PIECE	U.S.A	3.40	3.50	55 x 26 x 23		39269099






PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E112190920	3M 391-1004	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-uncorded-ear-plug-in-bottle/</p> <p>3M™ UNCORDED EAR PLUG IN BOTTLE FEATURES : 3M™ E-A-Soft™ Yellow Neons™ Uncorded Earplugs, Seals The Ear Canal With Soft, Slow-Recovery Foam For Excellent Noise Reduction And Comfort, Easy To Roll Down And Insert, Expands Within The Ear Canal For a Comfortable, Secure Fit. NRR 33 dB / SNR 37 Db SIZE : REGULAR</p>	Bottle	ANSI S3.19-1974	500 PAIRS PER BOTTLE	4 BOTTLE	U.S.A.	3.00	4.00	43 x 40 x 24	0.0413	39269099
			AUTIC DISPENSER	<p>TABLE TOP OR WALL MOUNT</p> <p>Universal mounting hole positions</p> <p>To ensure sufficient stock of suitable hearing protectors is available, Techtion Autic offers two convenient ways to keep your dispenser full. Choose pre-filled canisters of 400 earplugs, or zip top bags of 200 earplugs to refill the dispenser. Earplug dispensers offer a cost-effective solution to outfitting many workers with hearing protection, saving money while eliminating waste. The canisters are a level 7 blow-molded recyclable plastic, which can be recycled just like a water bottle, making it an economic benefit. To be more environmentally friendly, choose the zip top bag of earplugs, and refill your stock by reusing the canister.</p> <p>Applications & Industries: Automotive, Chemical & pharmaceutical, Construction, General Manufacturing, Metal Processing, Textile Manufacturing, Wood Working, Oil & Gas</p>	SET			1 PC						
			AUTIC P REFILL MULTIPRO	<p>DISPOSABLE FOAM EAR PLUGS</p> <p>AUTIC earplugs are made of extra-soft polyurethane foam, offers superior attenuation in a single-use earplug, delivering long-wearing comfort and solid performance. Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure.</p> <p>Features: • High Attenuation, SNR 35 dB • A Unique, Tapered Shape • Extreme soft PU foam for enhanced comfort • Fast & Accurate Rebounding time • High-visibility Orange in color • High performance & high comfort • Sweat & Humidity resistance • Full integration with other PPE • Each pair of Ear Plugs are individually packaged Material: Polyurethane Foam Style: Uncorded, Shape: Tapered Shape Color: Orange Diameter: 16.76mm Length: 23.63mm SNR 35 dB NRR 32 dB</p>		CE EN352-2: 2002 ANSI S3.19-1974								
		E112190622	Dispenser	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ear-plug-dispenser/</p> <p>UNCORDED EAR PLUG DISPENSER</p> <p>FEATURES: A Simple Twist To Dispense One Ear Plug At A Time. A Reusable Free Standing Or Wall Hanging. Built For Harsh Working Environment & Repeated Use. Impact Resistant, Temperature Tolerance & Smooth Operation</p>	Piece	CE ANSI S3.19-1974 EPA Regulation EN 352-2-2002	1 PIECE	4 PIECES	Taiwan	5	6	69 X 49 X 36	0.1217	
		E112190623	Refill	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/ear-plug-refill/</p> <p>UNCORDED EARPLUG - REFILLER PACK FOR EAR PLUG DISPENSER</p> <p>FEATURES : Orange, Soft Hypoallergenic PU Foam Plug, Tapered Design Offers Easy Insertion And Removal, Gently Expands And Self Adjusts To All Size Ear Canals, Offers Excellent Noise Reduction, Provides a Comfortable Seal Without Pressure, Smooth, Dirt-Resistant Surface For Hygiene.</p> <p>PACKING : 500 Pairs (1000 Pieces) Per Polybag MATERIAL: PolyUrethane. NRR - 32 dB SNR - 37 dB</p>	BAG	ANSI EN 352-2-2002	1 BAG	10 BAGS	Taiwan	7	8	40 x 39 x 32	0.0499	
		E112201220	Solo Light	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/solo-light/</p> <p>UNIVERSAL HEADBAND TYPE EAR MUFF WITH SOFT FOAM</p> <p>FEATURES : Black Cup & Red Hoop With Soft Foam Filled With Cushion For All Day Comfort. Designed For High Noise Environment & Low Frequency Sounds. Combination Of Specially Designed Spacer & Cup Helps To Provide Excellent Protection Low Frequency Noise. NRR 35 dB SNR 32 dB</p>	Piece	EPA Regulation	1 Piece	20 PIECES	Taiwan	6	7.11	50 x 41 x 43		













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E112201221	Solo Xtreme	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/solo-xtreme/</p> <p>HEAVY DUTY UNIVERSAL HEADBAND TYPE EAR MUFF WITH SOFT FOAM FEATURES : Black Cup & Red Hoop With Soft Foam Filled With Cushion For All Day Comfort. Designed For High Noise Environment & Low Frequency Sounds. Combination Of Specially Designed Spacer & Cup Helps To Provide Excellent Protection Low Frequency Noise. NRR 29 dB SNR 33 dB</p>	Piece	EPA Regulation	1 Piece	20 PIECES	Taiwan	7.6	8.69	51 x 42 x 43		
		E112201223	Ultra Solo	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/solo-ultra/</p> <p>HEAVY DUTY UNIVERSAL HEADBAND STAINLESS STEEL TYPE EAR MUFF WITH ABS BODY PROTECTIVE AUDITIVE FEATURES : Black Cup & Red Hoop With Soft Foam Filled With Cushion For All Day Comfort. Designed For High Noise Environment & Low Frequency Sounds. Combination Of Specially Designed Spacer & Cup Helps To Provide Excellent Protection Low Frequency Noise. NRR 28 dB SNR 32 dB</p>	Piece	EPA Regulation	1 Piece	20 PIECES	Taiwan		7.44	50 x 41 x 43		
		E112201222	Cap Solo	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/solo-cap/</p> <p>HEAVY DUTY UNIVERSAL CAP MOUNTED STAINLESS STEEL TYPE EAR MUFF WITH ABS BODY PROTECTIVE AUDITIVE FEATURES : Black Cup & Red Hoop With Soft Foam Filled With Cushion For All Day Comfort. Designed For High Noise Environment & Low Frequency Sounds. Combination Of Specially Designed Spacer & Cup Helps To Provide Excellent Protection Low Frequency Noise. NRR 26 dB SNR 28 dB</p>	Box	EN952-1-2002 ANSI S3.19-1974 ANSI S12.6-1997	1 Piece	20 PIECES	Taiwan	9.5	10.5	68 x 48 x 36	0.118	
			AUTIC ULTRA MULTIPRO	<p>AUTIC ULTRA MULTIPRO • SNR 31 dB • Large ear cushions fit majority of ears for a comfortable fit • Stainless Steel Headband & Wire provides a robust construction • Non-slip PU ear cushions improving wearer comfort • Telescoping height adjustment remains fixed during use • Unique double shell design for high noise reduction • ACT (AUTIC Control Technology) provides uniform attenuation • Stylish black and red design • Quality gloss finish for easy maintenance • Full integration with other PPE</p> <p>Applications Chemical,Oil & Gas,Construction,Automotive,General Manufacturing,Metal Processing,Textile Manufacturing,Woodworking</p>	Piece	CE EN 352-1:2002 SNR 31 dB,ANSI S3.19-1974 NRR 27 dB	1 Piece				7.94	33*37*60		
			AUTIC ULTRA FLEX	<p>AUTIC ULTRA FLEX • High Attenuation, SNR 32 dB • Stainless Steel Headband & Wire provides a robust construction • Folding design for convenient and easy storage and transport • Padded foam headband minimizes pressure on the head • Telescoping height adjustment remains fixed during use. • Unique double shell design for high noise reduction • Non-slip PU ear cushions fit any ear and improving wearer comfort. • ACT (AUTIC Control Technology) provides uniform attenuation • Stylish black and red design • Quality gloss finish for easy maintenance • Full integration with other PPE</p> <p>Applications Chemical,Oil & Gas,Construction,Automotive,General Manufacturing,Metal Processing,Textile Manufacturing,Woodworking</p>	Piece	CE EN 352-1:2002 SNR 31 dB,ANSI S3.19-1974 NRR 27 dB,ANSI S3.19-1974 NRR 28 dB	1 Piece	20 Pcs	China		7.9	30x40x50		
			Autic Ultra BTH	<p>31dB SNR Applications Chemical,Oil & Gas,Construction,Automotive,General Manufacturing,Metal Processing,Textile Manufacturing,Woodworking</p>		ANSI S3.19-1974 NRR 32 dB,CE EN 352-1:2002 SNR 31 dB					7.37	30*40*50		













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	3M	M21220123	3MH9A	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-peltor-ear-muff-3/</p> <p>3M™ PELTOR™ EARMUFF FEATURES : 3M™ Peltor™ Optime™ 98 Versatile Over-The-Head Ear muff,Stainless Steel Headband For Consistent Force And Effective Hearing Protection, Earcup Pivot Points That Tilt For Optimum Comfort and Efficiency, Ultra Light Liquid/Foam Filled Ear muff Cushions, Color-coding For Compliance Sighting. MATERIAL : ABS</p>	PIECE	ANSI S3.19 - 1974 / NRR 25 dB / SNR 30 dB	1 PIECE	10 PIECES	U.S.A.	2.75	3.00	49 x 27 x 20	0.0265	39269099
	3M	M212201220	3MH10A	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-peltor-ear-muff-2/</p> <p>3M™ PELTOR™ EARMUFF FEATURES : 3M™ Peltor™ Optime™ 105 Over-The-Head Ear muff, Double-Shell Technology To Provide Effective Hearing Protection, Proprietary Twin-Cup™ Design, Stainless Steel Headband For Consistent Force And Effective Hearing Protection, Earcup Pivot Points That Tilt For Optimum Comfort and Efficiency, Liquid/Foam Filled Ear muff Cushions, Color-coding For Compliance Sighting. MATERIAL : ABS</p>	Piece	ANSI S3.19 - 1974 / NRR 30 dB / SNR 35 dB	1 PIECE	10 PIECES	U.S.A.	3.50	3.80	72 x 24 x 22	0.038	39269099
	3M	M21220124	3M H99E	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/3m-peltor-ear-muff/</p> <p>3M™ PELTOR™ EARMUFF FEATURES : 3M™ Peltor™ Optime™ 98 Cap-Mount Ear muff, Earcup Pivot Points That Tilt For Optimum Comfort and Efficiency, Ultra Light Weight Liquid/Foam Filled Ear muff Cushions, Color-coding For Compliance Sighting. MATERIAL : ABS</p>	Pair	ANSI S3.19 - 1974 / NRR 23 dB / SNR 28 dB	1 Pair	10 PIECES	U.S.A.	2.90	3.30	49 x 27 x 20	0.0265	39269099
	3M	M237649920	3M SS Cleaner & Polish	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/stainless-steel-cleaner-polish/</p> <p>3M Stainless Steel Cleaner & Polish - 21 oz Aerosol Ideal for stainless steel, chrome, laminated plastics and aluminum surfaces. With a high-gloss formula, it wipes clean with no streaks or buildup, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. - Cleans and polishes in one step Leaves no greasy build-up on surfaces Pleasant citrus fragrance Resists streaking Empty containers may be disposed of in sanitary landfills in accordance with local regulations NSF® Certified for use in federally-inspected meat and poultry processing plants</p>	Bottle	NSF A-7 Registered	1 Bottle	12 Bottles	USA	9.12	9.43	31 x 24 x 24		72210090
	SAFE TAG	N137640822	SCAFFOLDING TAGS	<p>Insert in Each Holder 2 Pcs Marking Pen, UV RESISTANT, IMPACT RESISTANT Safety Approved</p>	PKT		10 Pcs.	10 PKTS	India		8.57	34 x 22 x 34		
	GLADUS	G125332820 G125332821 G125332822	Flash Small Flash Medium Flash Large PVC Box	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-fire-blankets-with-pvc-box/</p> <p>Fire Blanket Made Of Fiber Glass Woven Fabric Certificate & Test Report Available FEATURES : Glass Fiber Material Quickly Smoothens The fire, Minimize Burn Injuries Helps Prevent Spread Of Fire. THICKNESS : 0.43 MM / 430 GSM MATERIAL Fiber glass woven fabric, E Glass, SIZES : 1.2 Metres x 1.2 Metras (4 feet X 4 feet) 1.2 Metres x 1.8 Metres (4 feet X 6 feet) 1.8 Metres x 1.8 Metres (6 feet X 6 feet) APPLICATION : Suitable For Use In Kitchen, Cars, Ships, Warehouses, Petrol Station and Any Indoor Places.</p>	Piece	EN 1869:1997		20 PIECES 10 PIECES 10 PIECES	China	18 13 19	19 14 20	1.2x1.8(35x24x38)	2 1.4 0.2	70199090













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		G12532020 G12532021 G12532022	Flash Small Flash Medium Flash Large	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-fire-blankets/</p> <p>Fire Blanket Made Of Fiber Glass Woven Fabric Certificate & Test Report Available</p> <p>FEATURES : Glass Fiber Material Quickly Smoothens The fire, Minimize Burn Injuries Helps Prevent Spread Of Fire. THICKNESS : 0.43 MM / 430 GSM MATERIAL Fiber glass woven fabric, E Glass, SIZES : 1.2 Metres x 1.2 Metres (4 feet X 4 feet) 1.2 Metres x 1.8 Metres (4 feet X 6 feet) 1.8 Metres x 1.8 Metres (6 feet X 6 feet) APPLICATION : Suitable For Use In Kitchen, Cars, Ships, Warehouses, Petrol Station and Any Indoor Places.</p>	Piece	EN 1869:1997	25 PIECES 20 PIECES 15 PIECES		China	14 15.42 15.46		37 X 37 X 34 39 X 37 X 23 37 X 37 X 24		70199090
			FIRE BLANKET 1.8 x 1.8	<p>Features: • Product independently tested and certified to BS EN 1869 • Blanket made from Woven glass fiber (Totally asbestos-free) • Containers can be wall mounted • Easy and quick withdrawal of blanket from container • English and Arabic language instructions labels Physical Appearance: Red PVC container contain Solid white material Weight/Thickness: 966 g / 0.43 mm Odour: None Hazard Class: Non-combustible Solid Upper and Lower Flammable Limits in Air: Not explosive Ignition Temperature: Does not ignite Solubility in Water: below 0.01% Extinguishing Media: Water or any Extinguisher (for packaging materials) Flash Point: May emit smoke briefly betw: 2200C/3900C but is unlikely to flash Force required to remove the fire blanket:24/39N Electrical Resistance Applications & Industries: Fire Protection, Chemical, Welding, Oil & Gas, Manufacturing Hotel & Restaurants</p>	PCS	ASTM F 1989-2005		30						
			FIRE BLANKET - UC 1.2 x 1.2	<p>Description: Cut Fire Blanket in PVC box are made of glass fiber fabric. These blankets are specially treated in order to gain a better fireproof performance, flame and tear resistant. Features: Wall mounted compact one size box Clam shell type case Molded Keyhole for Added Strength when Hanging Hinged flap to allow quick release of blanket Supplied complete with tamper seal Suitable for fires involving less than 3 liters of fat/oil Available in Silicon Coated and Uncoated Fiberglass Specifications: Composition: Glass, Boiling Point: 700 C, Melting Point: 1200 C, Weight: 480 + 20g/m2, Size: 1.2 x 1.2 Colour: White, Thickness: 0.43 mm</p>		CE, BS EN 1869:2001		10						
		G125342022 G125342020	Flash - 0.4 Flash - 0.8	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/flash-fire-blankets-rolls/</p> <p>Fire Roll Made Of Fiber Glass Woven Fabric Certificate & Test Report Available</p> <p>FEATURES : Glass Fiber Material Quickly Smoothens The fire, Minimize Burn Injuries Helps Prevent Spread Of Fire. THICKNESS & SIZES: 0.4 MM (1 Metre Width X 100 Metres Roll Length) 0.8 MM (1.1 Metre Width X 50 Metres Roll Length) MATERIAL Fiber glass woven fabric, E Glass, APPLICATION : Suitable For Use In Kitchen, Cars, Ships, Warehouses, Petrol Station and Any Indoor Places.</p>	Roll	CE CAT1		1 PIECE	China		42.5	105 X 23 X 25		
			BURN KIT	<p>Burn first aid kit is a vital product for burn injuries. The contents are apt for small burns and the box comes with the brackets to facilitates wall hanging for easy access. Content List: Burn first aid guidance card Safety pins Burn Dressing Scissors Surgical Tape Vinyl Gloves Confirming Bandages 5cms Confirming Bandages 7.2cms Non-adherent pad Burn gel 3.5GM Cast Protector for arm First aid box (Size: 21.5x28.5x7.5 cms)</p>	Kit			8		6.7	7.7	48.5x38x30.5 cms		










PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		G248762821	FIRST AID KIT (UPTO 5 PERSONS) TA001	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/micro-kit/</p> <p>Micro kit (White, Suitable for 1-5 persons) First Aid Booklet - 1 Pcs Antiseptic Wipe - 3 Pcs Adhesive Plaster - 20 Pcs Scissors - 1 Pcs Adhesive Tape - 1 Roll Gauze Pad 2"x2" - 4 Packs PBT Confirming Bandage 2" - 1 Roll First Aid Box 14x10.5x5.5cm - 1 Pcs</p>	Pc		1 Pcs	40 Pcs	China	6	7	44*29*31	0.04092	3006500000
		G248762826	FIRST AID KIT (UPTO 10 PERSONS) TA036	<p>Family Kangaroo Kit (blue kid box, Suitable for 10) Assorted Kid-Friendly Bandages - 10 Pcs Sterile Gauze Pads 2" - 2 Pcs Sterile Gauze Pads 3" - 2 Pcs Hand Sanitizer Packs - 1 Pkt Instant Hot Pack - 1 Pkt Blue Kit-Friendly Exam Gloves - 1 Pair Kit-Friendly Tweezers - 1 Pcs Kit-Friendly Fun Stickers - 5 Pcs Scissors - 1 Pcs Conforming Bandages - 2 Pcs Paper Tape - 1 Pcs Sting Relief Pad - 2 Pcs Guidance Book - 1 Pcs</p>	Pc		1 Pcs		China					3006500000
		G248762824	FIRST AID KIT (UPTO 10 PERSONS) TA009	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/first-aid-kit-10-persons/</p> <p>Home First Aid Kit (White, Suitable For 1-10 persons) First Aid Booklet Safety Pins Cleaning Wipe Soap Wipe Emergency Blanket Triangular Bandage Long Adhesive Plaster Adhesive Plaster Adhesive Plaster, Knuckle Scissors Adhesive Tape Gauze Pad 4"x4" Vinyl Gloves Thick PBT Bandage 3" PBT Confirming Bandage 2" Plastic Tweezers First Aid Box 21x14x7.5cm</p>	Kit		1 kit	20 Kits	China	12.8	13.8	52*32*55	0.05592	3006500000
	X-MARK	G248762822	FIRST AID KIT (UPTO 25 PERSONS) TA004	<p>Team First Aid Kit (Blue and white, Suitable for 25) First Aid Dressing - 1 Pcs Rescue Blanket - 1 Pcs Elastic Bandage - 1 roll Conforming Bandage - 2 rolls Tweezers - 1 Pair Adhesive Plasters - 50 Pcs CPR face shield - 1 Pcs Triangular bandage - 1 Pcs Strap Tourniquets - 1 Pcs Non Woven Sponge - 10 Pcs Instant Cold Pack - 1 Pcs Non-Adherent Pad - 3 Pcs Gauze swab - 5 Pcs Scissors - 1 Pair Safety Glove - 4 Pairs Tape - 2 Pcs Cleansing Wipe - 5 Pcs Soap Wipe - 5 Pcs Safety Pin 10 Pcs Guidance book - 1 Pcs Box size - 26.5 x 23 x 9 cms</p>	Kit		1 Pcs	10 Pcs	China	9.4	10.4	44*28*49	0.0658	3006500000













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
		G248762823	FIRST AID KIT (UPTO 25 PERSONS) TAO05	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/first-aid-kit-25-person/</p> <p>Premier First Aid Kit (Green Bag, Suitable for 25) Combined Pad Adhesive Island Dressing, 6 x 10 cms Semi-permeable Dressing, 6 x 10 cms Emergency Blanket Triangular Bandage Soap Wipe Cleansing Wipe Scissors Tweezers Adhesive plaster, knuckle size Adhesive plaster, butterfly size Adhesive island dressing, 6 x 7 cms Semi-permeable Dressing, 6 x 7 cms Eye Pad Long Adhesive Strip Adhesive Plasters Elastic Bandage CPR Face shield Conforming Bandage Adhesive Tape</p>	Pc		1 pc	20 Pcs	China						3006500000
		G248762825	FIRST AID KIT (UPTO 25 PERSONS) TAO18	<p>Office First Aid Kit (Green plastic box, Suitable for 25) Salin Eye Wash 30ml - 2 Pcs First Aid Booklet - 1 Pc Safety Pins - 10 Pcs Mouth To Mouth Mask - 1 Pc Triangular Bandage - 2 Pcs Adhesive Plaster - 75 Pcs Scissors - 1 Pc Zinc Oxide Adhesive Plaster 1/2"x5m - 2 Pc Zinc Oxide Adhesive Plaster 1"x5m - 2 Pc Gauze Bandage 1" - 1 Roll Gauze Pad 3"x3" - 2 Pack Cotton Wool Pack 50g - 1 Pack Vinyl Gloves - 2 Pairs Thick PBT Bandage 3" - 1 Roll PBT Conforming Bandage 2" - 2 Roll PBT Conforming Bandage 3" - 2 Roll Eye Pad - 3 Pcs First Aid Box 28.5x19.5x11.7cm - 1 Pc</p>	Pc		1 Pc	8 Pcs	China	12.8	13.8	28.5x19.5x11.7cm	0.07093	3006500000	
	X-MARK	G248762820	FIRST AID KIT (UPTO 50 PERSONS) TAO35	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/first-aid-kit-50-person-2/</p> <p>Sport Plus Kit (Orange Plastic box, Suitable for 50) Salin Eye Wash 30ml - 4 Pcs First Aid Booklet - 1 Pc Safety Pins - 10 Pc Mouth To Mouth Mask - 1 Pc Triangular Bandage - 2 Pcs Adhesive Plaster - 150 Pcs Scissors - 1 Pc Zinc Oxide Adhesive Plaster 1/2"x5m - 2 Pcs Zinc Oxide Adhesive Plaster 1"x5m - 2 Pcs Gauze Bandage 1" - 2 Roll Office FA Kit (suitable for 50 persons) Salin Eye Wash 30ml - 4 Pcs First Aid Booklet - 1 Pc Safety Pins - 10 Pcs Mouth To Mouth Mask - 1 Pcs Cleaning Wipe - 20 Pcs Antiseptic Wipe - 10 Pcs Soap Wipe - 10 Pcs Emergency Blanket - 1 Pc Triangular Bandage - 2 Pcs Scapel - 1 Pc Adhesive Plaster - 150 Pcs Scissors - 1 Pc Adhesive Tape - 3 Rolls Gauze Bandage 3" - 2 Rolls Gauze Pad 3"x3" - 20 Packs Non-woven Gauze Sponge - 10 Packs</p>	PC		PC	5 PCS	China	10.5	11.5	66*33*25	0.0544	3006500000	
		G248762828	FIRST AID KIT (UPTO 50 PERSONS) TAO51	<p>Office FA Kit (suitable for 50 persons) Salin Eye Wash 30ml - 4 Pcs First Aid Booklet - 1 Pc Safety Pins - 10 Pcs Mouth To Mouth Mask - 1 Pcs Cleaning Wipe - 20 Pcs Antiseptic Wipe - 10 Pcs Soap Wipe - 10 Pcs Emergency Blanket - 1 Pc Triangular Bandage - 2 Pcs Scapel - 1 Pc Adhesive Plaster - 150 Pcs Scissors - 1 Pc Adhesive Tape - 3 Rolls Gauze Bandage 3" - 2 Rolls Gauze Pad 3"x3" - 20 Packs Non-woven Gauze Sponge - 10 Packs</p>	Pc		1 Pc	5 Pcs	China	16.5	17.5	38*30*10	0.0726	3006500000	
		G248762827	FIRST AID KIT (UPTO 100 PERSONS) TAO37	<p>First Aid Booklet 1 Pc Safety Pins 10 Pcs Mouth To Mouth Mask 1 Pc Syringe With Needle 1 Pc Antiseptic Wipe 7 Pcs Soap Wipe 10 Pcs Emergency Blanket 2 Pcs Triangular Bandage 4 Pcs Burn Dressing 2 Pcs Wound Dressing 1 Pc Elastic Tourniquet 1 Pc Instant Ice Pack 1 Pc Scapel 1 Pc Adhesive Plaster 100 Pcs Boston Splint 1 Pc Scissors 1 Pc Adhesive Tape 3 Rolls</p>	Kit		1 Kit	2 KIts	China	7.7	8.7		0.0548	3006500000	













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE	
		H138660120	BW C2-H H2S (24 MONTHS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/clip-h2s-personal-monitor-24-months/</p> <p>BW CLIP, H2S PERSONAL MONITOR, 24 MONTHS, DISPOSABLE TYPE, PART# BWC2-H, ALARM SETTINGS : Default 10 - 15 ppm Also can be calibrated on 5 - 10 ppm & 5 - 15 ppm Upon Request. MANUFACTURER : BW TECHNOLOGIES BY HONEYWELL, CANADA</p>	Pc	UL Class 1/ATEX/IECEK/CE	1 Piece	10 PCS	MEXICO		1.55	31 x 17 x 14		90271010	
		H138660125	BW C3-H H2S (36 MONTHS)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/clip-h2s-personal-monitor-36-months/</p> <p>BW CLIP 3 YEAR H2S 10-15 SINGLE GAS DETECTOR BWC3-H</p> <p>BW Clip Specifications: Weight: 0.6 lbs. Temperature: H2S, -40 to 122 Degrees F CO, -22 to 122 Degrees F Humidity: 5 - 95 percent RH (non-condensing) Alarms: Visual, vibrating, and audible Typical Battery Life: 3 years</p>	Pc	UL Class 1/ATEX/IECEK/CE	1 Piece	10	MEXICO			31*17*14		90271010	
			MULTI GAS MICRO CLIP XL	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/multi-gas-micro-clip-xl/</p> <p>BW Technologies Micro Clip XL Easy and comfortable to wear; thin and lightweight Easy operation and straightforward training with one-button simplicity Easy visual compliance with fl ashing, green IntelliFlash™ Easy and cost effective to own</p> <p>Additional GasAlertMicroClip features: Choose the GasAlertMicroClip XL for cold weather performance IntelliFlash™ verifies operation and compliance to both the user and supervisor Tamper-proof, one button operation Powered by a rechargeable lithium polymer battery</p>	Pc		1 Piece		MEXICO						
		H137640120	MULTI GAS ALERT MAX XT II	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/multi-gas-max-xt-ii/</p> <p>BW Technologies Gas Alert Max XT II Simple operation, with Smart Sample pump. Features & Benefits Monitors H2S, CO, O2 and combustibles One-button operation with robust, motorized pump Compatible with MicroDock II Quick Specs Size: 5.1 x 2.8 x 2.0 in. / 13.1 x 7.0 x 5.2 cm Weight: 11.5 oz. / 328 g Temperature: -4 to 122°F / -20 to 50°C</p>	Pc	UL Class 1/ATEX/IECEK/CE	1 Piece		MEXICO			20*16*9			
		E135522920	PORTABLE BAG OIL SPILL KIT 5 Gallon	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/portable-bag-oil-spill-kit-5-gallons/</p> <p>Oil Spill Kit - 5 Gallons Nylon Bag with Transparent Window Kit Content Sorbent Pad, 15"x17"- 10 Pcs - USA Sorbent Sock-3"x4ft - 2 Pcs - USA Plastic Scoop & Brush - 1 Set - China Spill Kit bag - 1 Pc - UAE HD Disposal bag - 1 Pc - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka</p>	Kit	CE CAT1	1 kit	1kit			1.99kg		57*22*36		5603 1400
		E135522921	PORTABLE BAG OIL SPILL KIT 10 Gallon	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/portable-bag-oil-spill-kit-10-gallons/</p> <p>Oil Spill Kit - 10 Gallons Nylon Bag with Transparent Window Kit Content Sorbent Pad, 15"x17"- 25 Pcs - USA Sorbent Sock-3"x4ft - 3 Pcs - USA Plastic Scoop & Brush - 1 Set - China Spill Kit bag - 1 Pc - UAE HD Disposal bag - 1 Pc - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka</p>	Kit	CE CAT1	1 kit	1kit			3kg		57*22*36		5603 1400













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E135522922	OIL SPILL KIT - 20 Gallon (68 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-spill-kit-wheeled-bin-20-gallons-68-litres/</p> <p>Oil Spill Kit - 20 Gallons Kit Content Sorbent Pad, 15"x17"-50 Pcs - USA Sorbent Sock-3"x4ft - 4 Pcs - USA Sorbent Pillow, 8"x18"- 2 Pcs - USA HD Disposal bag - 2 Pc - China Plastic Scoop & Brush - 1 Set - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin without wheel with Pedal - 1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit		15kg		48*36*62		5603 1400
		E135522923	OIL SPILL KIT WHEELED BIN 30 Gallon (120 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-spill-kit-wheeled-bin-30-gallons-120-litres/</p> <p>Oil Spill Kit - 30 Gallons Wheeled Bin Kit Content Sorbent Pad, 15"x17"-100 Pcs - USA Sorbent Sock-3"x4ft - 4 Pcs - USA Sorbent Pillow, 8"x18"- 4 Pcs - USA HD Disposal bag - 2 Pc - China Plastic Scoop & Brush - 1 Set - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin with wheel (120L) - 1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit		25kg		48*46*88		5603 1400
		E135522924	OIL SPILL KIT WHEELED BIN 60 Gallon (240 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-spill-kit-wheeled-bin-60-gallons-240-litres/</p> <p>Oil Spill Kit - 60 Gallons Wheeled Bin Kit Content Sorbent Pad, 15"x17"-150 Pcs - USA Sorbent Sock-3"x4ft - 10 Pcs - USA Sorbent Pillow, 8"x18"- 8 Pcs - USA HD Disposal bag - 4 Pc - China Plastic Scoop & Brush - 1 Set - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin with wheel (240L) - 1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit		45kg		71*56*96		5603 1400
		E135522820	PORTABLE BAG CHEMICAL SPILL KIT 5 Gallon	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/portable-bag-chemical-spill-kit-5-gallons/</p> <p>Chemical Spill Kit - 5 Gallons Nylon Bag with Transparent Window Kit Contents Sorbent Pad, 15"x18"- 10Pcs - USA Sorbent Sock-5,3"x4ft - 2 Pcs - USA HD Disposal bag - 1 Pc - China Plastic Scoop & Brush - 1 Set - China Spill Kit bag - 1 Pc - UAE Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka</p>	Kit	CE CAT1	1 kit	1kit		1.99KG		57*22*36		5603 1400
		E135522821	PORTABLE BAG CHEMICAL SPILL KIT 10 Gallon	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/portable-bag-chemical-spill-kit-10-gallons/</p> <p>Chemical Spill Kit - 10 Gallons Nylon Bag with Transparent Window Kit Contents Sorbent Pad, 15"x18"- 25 Pcs - USA Sorbent Sock, 3"x4"- 3 Pcs - USA HD Disposal bag - 1 Pc - China Plastic Scoop & Brush - 1 Set - China Spill Kit bag - 1 Pc - UAE Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka</p>	Kit	CE CAT1	1 kit	1kit		3Kg		57*22*36		5603 1400
		E135522822	CHEMICAL SPILL KIT - 20 Gallons (68 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chemical-wheeled-bin-spill-kit-20-gallon-68-ltrs/</p> <p>CHEMICAL SPILL KIT - 20 GALLONS Kit Contents Sorbent Pad, 15"x18"-50 Pcs - USA Sorbent Sock, 3"x4"- 4 Pcs - USA Sorbent Pillow, 8"x18"- 2 Pcs - USA HD Disposal bag - 2 Pc - China Plastic Scoop & Brush - 1 Set - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggles - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin without wheel with Pedal - 1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit		15 KG		48*36*62		5603 1400













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		E135522823	CHEMICAL SPILL KIT WHEELED BIN 30 Gallon (120 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chemical-wheeled-bin-spill-kit-30-gallon/</p> <p>CHEMICAL SPILL KIT - 30 GALLONS WHEELED BIN Kit Contents Sorbent Pad, 15"x18"-100 Pcs - USA Sorbent Sock, 3"x4"-4 Pcs - USA Sorbent Pillow, 8"x18"-4 Pcs - USA HD Disposal bag-2 Pc - China Plastic Scoop & Brush-1 Set- China Instruction Sheet-1 Pc Empiral Vision Clear Goggle - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin with wheel (120L) -1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit			25 KG	48*46*88		5603 1400
		E135522824	CHEMICAL WHEELED BIN SPILL KIT 60 Gallon (240 Ltrs)	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/chemical-wheeled-bin-spill-kit-60-gallon/</p> <p>CHEMICAL SPILL KIT - 60 GALLONS WHEELED BIN Kit Contents Sorbent Pad, 15"x18"-150 Pcs - USA Sorbent Sock, 3"x4"-10 Pcs - USA Sorbent Pillow, 8"x18"-8 Pcs - USA HD Disposal bag - 4 Pc - China Plastic Scoop & Brush - 1 Set - China Instruction Sheet - 1 Pc Empiral Vision Clear Goggle - 1 Pc - Taiwan Chemical Nitrile Gloves - 1 Pair (Green Color) - Sri Lanka Spill Kit Bin with wheel (240L) - 1 Pc - China</p>	Kit	CE CAT1	1 kit	1kit			45 KG	71*56*96		5603 1400
		F335520823	OIL ABSORBENT PADS 15" x 17"	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-absorbent-pads/</p> <p>OIL ABSORBENT PADS Dimensions : 15" x 17" Absorbency : 19 Gallons Quantity :100/Bale</p> <p>CEP has a variety of oil only sorbents for all your industrial maintenance needs! • CEP pure meltblown polypropylene fibers are the most cost-effective absorption technology today • Fast-wicking fibers absorb up to 25 times their weight in hydrocarbon • These durable, medium-weight pads absorb petroleum based liquids, but never water • Ideal when you have to clean up oily spills or drips • Great for when you don't need the extra absorbency or expense of a universal absorbent • Product sold by net weight • Pad counts are approximate</p>	Carton	CE CAT 1		100 PADS	USA		3.62	43*38		
		F335610823	OIL ABSORBENT SOCKS 3" x 4'	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-absorbent-pads/</p> <p>OIL ABSORBENT SOCKS SIZE : 3" x 4' WEIGHT Per Box : 26 lbs. Absorbency: Up to 52 gallons oil No lint spunbond outer sleeve Contains high proportion of recycled content Contains proprietary Super Absorbent Flake 50% more absorbent than most all other competitor socks Absorbs more and can stay on the job for longer which reduces costs</p>	Carton	CE CAT 1		30 Pcs.	USA	9	10.7	61*42*57		
		F335620823	OIL ABSORBENT PILLOW 8" x 18"	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-absorbent-pillow/</p> <p>OIL ABSORBENT PILLOW SIZE : 8" x 18" Absorbency : 25 Gallons OF Oil Weight Per Box : 12 Lbs. Contain an absorbent Blend of Chopped Oil-Only polypropylene and natural recycled ColdForm2(TM) Fibres. Fast-Wicking Surface area and high-absorption capacityshorten clean up time. Large surface area and absorbent contents soak up larger spills Highly Flexible Pillows FIT in Tight Spaces</p>	Carton	CE CAT 1		30 Pcs	USA	7.2	7.84	61*42*57		
		A135610821	OIL ABSORBENT BOOMS 5" x 10'	<p>Follow Below Link For More Info / Technical Data Sheet : https://sams-solutions.com/product/oil-absorbent-booms/</p> <p>OIL ABSORBENT BOOMS SIZE : 5" x 10' Absorbency : 26 Gallons OF Oil Weight Per Box : 22 Lbs. Flexible tubes filled with highly absorbentmaterial. All In One construction stitches the sock and net together and alligns the rope along one side. Absorb Petroleum based liquids but resist water Contain a high performance blend of chopped polypropylene and ColdForm(TM) cellulose fibres. A Strong Rope runs along the length with rust proof end rings and snap hooks to make deployment faster and easier</p>	Carton	CE CAT 1		20 Pcs	USA	9	10.7	61*42*57		













PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
	X-MARK		Hazmat Sorbent Pillow	<p>CEP's universal haz mat line of booms, pillows, and socks are ideal for containing and absorbing spills of any liquid!</p> <ul style="list-style-type: none"> An absolute necessity for any haz mat spill or spill contingency plan Contain drips and leaks absorbing any liquid. Socks and booms come in a variety of sizes All products are color coded in haz mat orange Absorbs up to 25 times their weight in fluid <p>Dimensions : 8" x 18" Quantity : 30/Case Absorbency:38 Gallon Dimensions : 8" x 18" Quantity : 30/Case Absorbency:38 Gallon</p>	Box			30		10.45kg	55*44*62			
	X-MARK		Hazmat Sorbent Pad	<p>CEP's Hazmat aggressive pads (and rolls) are an absolute necessity for any haz mat spill or spill contingency plan!</p> <ul style="list-style-type: none"> Ideal for wiping up chemical spills. These pads (and rolls) will absorb all liquids from water based fluids to aggressive acids Bonded for tensile strength. Absorb up to 25 times their weight in all liquids Haz Mat Green color stands out as a potentially harmful liquid that spilled. Quick and easy to apply. <p>Dimensions : 15" x 17" Quantity : 100/Case Absorbency:19 Gallon Color: Yellow</p>	Box			100						
	X-MARK		Hazmat Sorbent sock	<p>CEP's universal haz mat line of booms, pillows, and socks are ideal for containing and absorbing spills of any liquid!</p> <ul style="list-style-type: none"> An absolute necessity for any haz mat spill or spill contingency plan Contain drips and leaks absorbing any liquid. Socks and booms come in a variety of sizes All products are color coded in haz mat orange Absorbs up to 25 times their weight in fluid <p>Dimensions : 3" x 4" Quantity : 30/Case Absorbency:58 Gallon Color: Yellow</p>	Box			30		11.3	54*44*60			
		N126370120	Web Sling 30mm	<p>Web Sling 30 mm - 1 TON x 1 MTR Flat Webbing Sling Material - Nylon</p> <p>Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Purple</p>	PC	EN 1492-1 EN 1492-2			UAE					
		N126370121	Web Sling 30mm	<p>Web Sling 30 mm - 1 TON x 3 MTR Flat Webbing Sling Material - Nylon</p> <p>Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Purple</p>	PC	EN 1492-1 EN 1492-3			UAE					
		N126370122	Web Sling 30mm	<p>Web Sling 30 mm - 1 TON x 5 MTR Flat Webbing Sling Material - Nylon</p> <p>Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Purple</p>	PC	EN 1492-1 EN 1492-4			UAE					



PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370123	Web Sling 30mm	Web Sling 30 mm - 1 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Purple	PC	EN 1492-1 EN 1492-5			UAE					
		N126370124	Web Sling 30mm	Web Sling 30 mm - 1 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Purple	PC	EN 1492-1 EN 1492-6			UAE					
		N126370420	Web Sling 60mm	Web Sling 60 mm - 2 TON x 1 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color -Green	PC	EN 1492-1 EN 1492-7			UAE					
			Web Sling 60mm	Web Sling 60 mm - 2 TON x 2MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color -Green	PC	EN 1492-1 EN 1492-8			UAE					
		N126370421	Web Sling 60mm	Web Sling 60 mm - 2 TON x 3 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color -Green	PC	EN 1492-1 EN 1492-9			UAE					
		N126370422	Web Sling 60mm	Web Sling 60 mm - 2 TON x 5 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color -Green	PC	EN 1492-1 EN 1492-10			UAE					

PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370423	Web Sling 60mm	Web Sling 60 mm - 2 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Green	PC	EN 1492-1 EN 1492-11			UAE					
		N126370424	Web Sling 60mm	Web Sling 60 mm - 2 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color -Green	PC	EN 1492-1 EN 1492-12			UAE					
		N126370520	Web Sling 90mm	Web Sling 90 mm - 3 TON x 1 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-13			UAE					
		N126370521	Web Sling 90mm	Web Sling 90 mm - 3 TON x 3 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-14			UAE					
		N126370522	Web Sling 90mm	Web Sling 90 mm - 3 TON x 5 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-15			UAE					
			Web Sling 90mm	Web Sling 90 mm - 3 TON x 6 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-16			UAE					

PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370523	Web Sling 90mm	Web Sling 90 mm - 3 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-17			UAE					
		N126370524	Web Sling 90mm	Web Sling 90 mm - 3 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Yellow	PC	EN 1492-1 EN 1492-18			UAE					
			Web Sling 120mm	Web Sling 120 mm - 4 TON x 4 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Grey	PC	EN 1492-1 EN 1492-19			UAE					
			Web Sling 120mm	Web Sling 120 mm - 4 TON x 6 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Grey	PC	EN 1492-1 EN 1492-20			UAE					
		N126370620	Web Sling 150mm	Web Sling 150 mm - 5 TON x 1 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Red	PC	EN 1492-1 EN 1492-21			UAE					
		N126370621	Web Sling 150mm	Web Sling 150 mm - 5 TON x 3 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Red	PC	EN 1492-1 EN 1492-22			UAE					

PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370622	Web Sling 150mm	Web Sling 150 mm - 5 TON x 5 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Red	PC	EN 1492-1 EN 1492-23			UAE					
		N126370623	Web Sling 150mm	Web Sling 150 mm - 5 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Red	PC	EN 1492-1 EN 1492-24			UAE					
		N126370624	Web Sling 150mm	Web Sling 150 mm - 5 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Red	PC	EN 1492-1 EN 1492-25			UAE					
			Web Sling 180mm	Web Sling 180 mm - 6 TON x 6 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Brown	PC	EN 1492-1 EN 1492-26			UAE					
			Web Sling 180mm	Web Sling 180 mm - 6 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Brown	PC	EN 1492-1 EN 1492-26			UAE					
		N126370820	Web Sling 240 mm	Web Sling 240 mm - 8 TON x 1 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Blue	PC	EN 1492-1 EN 1492-27			UAE					

PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370821	Web Sling 240 mm	Web Sling 240 mm - 8 TON x 3 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Blue	PC	EN 1492-1 EN 1492-28			UAE					
		N126370822	Web Sling 240 mm	Web Sling 240 mm - 8 TON x 5 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Blue	PC	EN 1492-1 EN 1492-29			UAE					
		N126370823	Web Sling 240 mm	Web Sling 240 mm - 8 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Blue	PC	EN 1492-1 EN 1492-30			UAE					
		N126370824	Web Sling 240 mm	Web Sling 240 mm - 8 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Blue	PC	EN 1492-1 EN 1492-31			UAE					
		N126370921	Web Sling 300 mm	Web Sling 300 mm - 10 TON x 3 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Orange	PC	EN 1492-1 EN 1492-32			UAE					
		N126370921	Web Sling 300 mm	Web Sling 300 mm - 10 TON x 8 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - orange	PC	EN 1492-1 EN 1492-33			UAE					

PICTURE	Brand	ITEM Code	PRODUCT NAME	Item Description	UNIT	STANDARD	PACKING PER PACKET	PACKING PER CARTON	ORIGIN	NET WEIGHT /CARTON (KG.)	GROSS WEIGHT /CARTON (KG.)	CARTON DIMENSION (CMS.) L x W x H	CBM PER CTN	HS CODE
		N126370921	Web Sling 300 mm	<p>Web Sling 300 mm - 10 TON x 10 MTR Flat Webbing Sling Material - Nylon Features : Double Ply, Safety Factor 7:1, Effective Working Length From Eye Bottom To Eye Bottom Identification Color - Orange</p>	PC	EN 1492-1 EN 1492-34			UAE					