



MHE Equipment and Parts F.Z.E

HYUNDAI
MATERIAL HANDLING

HYUNDAI MATERIAL HANDLING EQUIPMENT

PRODUCT GUIDE



**MOVING YOU
FURTHER**

COUNTERBALANCE TRUCK

DIESEL FORKLIFTS



15D/18D/20DA-7E
1.5T, 1.8T, 2T



20/25/30/33DT-7
2T, 2.5T, 3T, 3.3T



20/25/30/35D-7SA
2T, 2.5T, 3T, 3.5T



35/40/45D-9S & 50D-9SA
3.5T, 4T, 4.5T, 5T



50/60/70/80D-7E ACE
5T, 6T, 7T, 8T



70DF-7
7T



110/130/160D-7E
11T, 13T, 16T



180D-7E
18T



250D-7E
25T

BATTERY FORKLIFTS

Counter Balanced
(3 Wheels)



10/13/15BTR-9
1.0T, 1.3T, 1.5T



15/18/20 BT-9
1.5T, 1.8T, 2T

Counter Balanced
(4 Wheels)



16/18/20B-9F
1.6T, 1.8T, 2T



22/25/30B-9F
2.2T, 2.5T, 3T



40/45/50B-9
4T, 4.5T, 5T

TOW/PLATFORM
TRUCK



15P/40T-9
Load Capacity : 1500-4000 KG

ORDER PICKER



10BOP-7 to 13BOP-7

REACH TRUCKS



Stand On
13BR-9 TO 30 BR-9
1.3T, 1.4T, 1.5T, 1.8T, 2T,
2.5T,3T



Seat On
14BRJ-9 TO 25 BRJ-9
1.4T, 1.6T, 2T, 2.5T



Stand On
15BRP-9 TO 23 BRP-9
1.5T, 1.8T, 2T, 2.3T

ELECTRIC PALLET TRUCKS



Walkie
15EP TO 20EP
1.6T, 1.8T, 2T



Rider Type
20EPR TO 25EPR
2T, 2.5T



Rider Type
Double Pallet
20EDPR
2T

WAREHOUSING EQUIPMENT



Walkie
10ES TO 15ES
1T, 1.2T, 1.5T



Narrow Mast
12ESN
1.2T



Rider Type
15ESR
1.5T



COMPACT FORKLIFTS

MAXIMUM PERFORMANCE

COMFORTABLE OPERATION ROOM

POWERFUL ENGINES

HIGH TECHNOLOGY SYSTEMS

EASY SERVICEABILITY



LPG FORKLIFTS



15L7M TO 20L - 7M
1.5T, 1.8T, 2T



25L7M TO 33L - 7M
2.5T, 3T, 3.3T



20L7SA TO 35L - 7SA
2T, 2.5T 3T, 3.5T



25LF-7 TO 33LF - 7
2.5T, 3T, 3.3T



35L-7A TO 70L - 7A
3.5T, 4T, 4.5T, 5T, 7T



Bi Fuel
(LPG & Gasoline)
15G-7M TO 33G-7M
1.5T, 1.8T, 2T, 2.5T, 3T, 3.3T

Hand Pallet

20HP, 25HP, 30HP
2T, 2.5T, 3T



MHE Equipment and Parts F.Z.E

Ajman Free Zone, Ajman Port Gate No:1, Warehouse No: D1-01
(P.O.Box: 16401, RAK), Ajman-UAE



Mb: +971 58 567 1223, Tel: +971 4 597 3235, Email: sales@mheuae.com, Web: mheuae.com



MHE Equipment and Parts -F.Z.E

Ajman Free Zone, Ajman Port Gate No:1, Warehouse No: D1-01
(P.O.Box: 16401, RAK), Ajman-UAE

Forklift Forks

Fork Extensions

Forklift Hydraulic Attachments

Forklift Mechanical Attachments

Drum Handling Attachments

Steel Profiles for Lift Truck



Forklift Forks & Fork Extensions



- High Service Life
- High Level of safety
- High Degree of Dimensional Accuracy
- High Level of Mutual Compatibility

Forklift Forks

Class 2 | Class 3 | class 4
Load Capacity : 1- 10 Ton



Forklift with Longer Lengths

Fork Length : Up to 4000 mm | Back Height : Up to 2000 mm
Load Capacity : 1 - 10 Ton




Forklift with Polyurethane Liners

PU Thickness : 8 -14 mm | PU Hardness : 50 ~ 90 SHA
Load Capacity : 1 -10 Ton



Forklift with Protective Covers

Polyurethane | Rubber
Load Capacity : 1 - 10 Ton



Fork Extensions are the ideal solution when occasionally transporting loads That are longer than the forks of the available industrial truck.

They can be installed quickly and Conveniently by sliding them over the Existing forks. They are securely locked In place using a locking pin that fits Behind the Fork shank.

Forklift Extensions

Max. Extension Length : 4000 mm
Load Capacity : 1-5 Ton



Forklift Accessories

Locking Pins | Locking Clamp | Fork Hooks | Other Accessories
Class 2 | Class 3 | Class 4

Forklift Hydraulic Attachments



Forklift Positioner

Opening Range : 50 ~ 1400 mm
Load Capacity : 2500 ~ 7500 kg



Hinged Carriage with Forks & Bucket

Tilting : Upwards -25 / Downward - 45 °
Load Capacity : 25000 ~ 6000 kg



Pulp Bale Clamp Attachment

Opening Range: 490 ~ 4000 mm
Load Capacity: 4000 ~ 10000 kg



Foam Rubber Clamp

Opening Range: 1260 ~ 2600 mm
Load Capacity: 500 ~ 1800 kg



Pallet Turnover clamp attachment with pusher

Opening Range: 930 ~ 1550 mm
Load Capacity: 1500 ~ 2000 kg



Sideshifter

Sideshifting Range : ± 100 mm
Load Capacity: 2500 ~ 6800 kg

Forklift Hydraulic Attachments



Multi Pallet Handlers

Opening Range : 330 ~ 760 / 660 ~ 2040 mm
Load Capacity : 2500 ~ 3200 kg



Load Stabilizer

Opening Range : 11400 ~ 2290 mm
Load Capacity : 1600 kg



Telescopic Forks

Fork length Extended : 1850 ~ 2350 mm
Load Capacity : 2000 ~ 5000 kg



Hinged Broke Handler

Opening Range : 1260 ~ 2600 mm
Load Capacity : 2000 ~ 2500 kg



Tyre Clamp Attachment

Tyre Diameter : 410 ~ 1600 mm
Load Capacity : 1200 ~ 2000 kg



Hydraulic Bucket

Bucket Volume : 0.50 ~ 0.80 m³
Load Capacity : 1000 kg

Forklift Mechanical Attachments



Drum Gripper Attachment

Drum Handling : 1 Drum
Load Capacity : 360 kg



Drum Gripper Attachment

Drum Handling : 2 Drum
Load Capacity : 720 kg



Drum Gripper Attachment

Drum Handling : 4 Drum
Load Capacity : 2000 kg



Horizontal Fork Mounted Jibs

Drum Handling : 1 Drum
Load Capacity : 300 kg



Hook Mounted Drum Lifters

Drum Handling : 1 Drum
Max. Load Capacity : 500 kg




Fork Mounted Drum Tilters

Drum Handling : 1 Drum
Load Capacity : 300 kg



Other Attachments & Steel Profiles




Forklift Carriage

Class 2 | Class 3 | Class 4



Fork Spreader

Spread Distance : up to 4000 mm
Load Capacity : 2000 ~ 5000 kg



Forklift Hooks

No. of Hooks : 1 No.
Load Capacity : 1 ~ 5 Tons



Max. Boom Length : 2800 mm
Load Capacity : 500 ~ 5000 kg



Material Handling Industry

Hot Rolled Profiles
"C" | "I" | "J" Profiles



Mechanical | Railway | Automobile |

Aircraft | Pipe Industries

