



VERTICAL  
HEIGHTS  
GLOBAL

"Delivering Excellence"



## COMPANY CATALOGUE

[www.verticalglobalme.com](http://www.verticalglobalme.com)

+971 58 595 8290

[info@vhg.ae](mailto:info@vhg.ae)

# TABLE OF CONTENT



01. Company Overview

02. Our Process

03. Main Products

04. Company Documents

05. Business Overview



## COMPANY OVERVIEW

---

### About Us

Vertical Heights Global is a pioneering force in the Shelving & Warehouse Racking industry, innovative storage solutions for diverse industries.

Beyond traditional shelving and racking, the company offers comprehensive support from design to installation and aftermarket assistance.

Vertical Heights Global specializes in creative and cost-effective and we are dedicated to generating new ideas that optimize business product storage demands and provide unique solutions tailored to clients' storage and operational requirements.

# OUR PROCESS

---


## Mission

Our mission is to redefine storage solutions by providing innovative, efficient, and tailored systems that empower businesses to optimize their storage capacities. Through continuous innovation and client-centric approaches, we are committed to delivering high-quality products and exceptional services, ensuring our clients achieve maximum efficiency in their operations.

## Vision

Our vision is to be a market leader in the storage solution industry, recognized for our unwavering commitment to excellence and customer satisfaction. We aspire to set new standards in storage technology, constantly pushing the boundaries of innovation.





# SLOTTED ANGLE SHELVING SYSTEM

## Introduction


Vertical Heights Global Slotted Angle provides simple cost efficient solutions to virtually any storage requirement.

Slotted Angle is used in a wide variety of application including shelving, benches, trolleys and light construction work such as creating supports or structural bases.

## Components

Slotted Angle pre-punched holes allow multiple steel sections to be bolted together to form shelving and storage systems. Combining shelves with slotted angle uprights provides one of the most versatile and economical shelving systems available.

With a wide range of heights, depths and lengths, slotted angle is a quick and easy storage solution for stores, workshops, warehouses or wherever a cost effective and easily assembled shelving unit makes a difference.



Corner plate  
 Bolt  
 Baseplate



## Technical Specifications

Angle Size (mm)	Angle 8ft Angle 10ft	40 x 40 – 2400mm 40 x 40 – 3000mm
	Angle 8ft Angle 10ft	60 x 40 – 2400mm 60 x 40 – 3000mm
Angle Thickness (mm)	Angle 40 x 40 Angle 60 x 40	1.6/1.8/2.0 mm 1.6/2.0/2.2 mm
Shelf carrying capacity*		100/125kgs UDL
Shelf Thickness		300x900 - 0.6 mm 450x900 - 0.8 mm 600x900 - 0.9 mm
Shelving Clear entry		900 mm
Shelving bay clear depth		300x900 mm 450x900 mm 600x900 mm
Shelving Height		35 mm
Shelf Pitch		19 mm
Standard Colour		Grey powder coated

\*Uniformly distributed load. Shelf, beam and bay capacities Vary



## **BOLT FREE SHELVING SYSTEM**

Vertical Heights Global offers the high quality, fully adjustable type of bolt free shelving system which requires no special fixings. A bolt free system, designed to handle light loaded goods which can take upto 80 -150 Kgs UDL per level. This system is ideal for offices, Libraries, archive stores, retail stores etc.

Vertical Heights Global bolt free provides quick and simple installation, variety of overall dimensions, and wide range of load capacity, stability and versatility. This type of system load capacity could be light capacities and sometimes it depends on the equipment's and the product requirements.

Vertical Heights Global provides bolt free shelving system in various sizes and backs and sides can be open and cladded. This is one of the platforms of shelving system which offers the great value for money at the same time and maintain the incredible strength and rigidity to the components. Also, you can get the complete package and adjustable design of the unit and also provide the strength to the structures which helps to manage the storage solutions in the simplest manner.





# MEDIUM DUTY SHELVING SYSTEM

## **Product Specifications**

Frame Height - From 1.8 - 7.0 Meter

Frame Depth - 0.45m/0.60m/0.75m/0.80m/0.90m/1.0m/1.2m

## **Beams are available in two weight duties**

60mm high standard beam

(1000mm/1200mm/1500mm/1800mm/2000mm/2400mm)

80mm high heavy duty beam

(2000mm/2400mm/2700mm/3000mm/2000mm/2400mm)

## **Loading**

Bay loads upto 5,500 kgs

Shelf load (per level) from 350 - 900 kgs



# FOOD GRADE SHELVING SYSTEM

**Unit Dimension:**

**L1200 x D500 x H1750 mm /150 kgs per level**

**No of levels in each unit:**

**04 Shelf Levels including top & Bottom**



**Lifetime  
limited  
warranty  
against  
corrosion**



Unmatched speed and ease of assembly: One person can assemble 5 meters in 5 minutes with no tools. This innovative design of shelving is very rigid thanks to its self-locking fit, and has excellent durability over time.

Shelving consists of aluminum uprights and polypropylene shelves. Quick and easy to assemble with no tools by simply snapping the parts into place, which keeps the structure rigid.

12 Standards length from 608 to 1714 mm, 3 depths (400,500 and 560 mm) and 2 heights (1750 and 2050 mm). You will always find a length of racking to suit your **cold room** whether be line or angle mounted, for a big or small space where low cost sturdy racking is a priority.





## LOCKERS

**VHG Lockers has steel thickness of 0.60 mm, This product is epoxy polyester powder coated in 30 - 50% Glass level.**

### Standard Features Include:

- Made of premium quality steel.
- Salt Sprat Chamber test result conducted shows good resistance at 1000 hours (10 Years to indoor use).
- Easy to assemble.
- Efficient and attractive air ventilators
- Sophisticated screw less design for easy assembly.
- Doors with chrome plated premium quality cam lock & spare key.
- Door with concealed hinges.
- Name card holder.


### Dimensions in mm (H \* W \*D)

1800 x 375 x 458 mm

### Models available

VHG Single Door  
VHG Two Door  
VHG Three Door  
VHG Four Door  
VHG Six Door

### Colors





# HDPE LOCKERS

## Key Features

- UV Stable - with a range of anti-fade colors to choose from.
- 6P: Waterproof, Corrosion proof, vandal proof, ice-spray proof, bacterial proof, UV proof (grade - 8).
- Adjustable shelves create various and ample storage space.
- Multiple locksets choices meet the requirement for different security needs.
- Easy to clean and extremely low maintenance and washable.
- Flexible arrangements - easy to be stacked up and placed side by side.
- Temperature endurable: - 40°C-80°C, good for indoor usage.
- Temperature endurable: - 60°C/65°C, good for outdoor usage.

Material: high density polyethylene

Standard Colors - Gray

Other colors: 

Multiple locking solutions - Simple, Secure and Quality assured

Keyless (4 Digit combination lock), Key lock, Digital Electronic lock (RFID lock, number lock), Hasp (for padlock), coin lock and more



Available accessories:

Base, Sloping top, dumber plate, shelf, hanging rod, hook



# LOCKER LOCK



T-16 Digital Electronic Lock



T-11 Coin Operated Lock



T-12 Cam Lock



T-9 ABS RFID Lock



T-8 Brass Combination Padlock



T-7 Steel Combination Padlock



T-6 Lock Handle



T-5 RFID Lock



T-4 Disc Cam Lock



T-3 Cylinder Replaceable Cam



T-2 Cam Lock



T-14-Digital Combination Lock



## MOBILE SHELVING

### The features for mobile shelving :

- Easy assembly and operate
- High-density storage shelving system
- Save about 80% room space
- Anti-collision, dust proof, light proof, water proof, rat proof, prevention of thievery





## DOUBLE HINGED DOOR CABINET – HEAVY DUTY

Valuable goods and equipment used in any work environment can be safely locked away in our secure industrial storage hinged door. Our lockable storage hinged door can be custom fabricated in various sizes

Most common size: (W\*D\*H) in mm

1000 x 500 x 2000 forming 5 compartments with 4 adjustable shelves

Reinforced with steel for add security

### **Description:**

- Heavy Duty custom fabricated storage cabinet with 04 adjustable shelves inside to make 5 compartments.
- Size in mm - W1000 x D500 x H2000
- Load Capacity - 80-100 Kgs UDL / Level
- Double Door swing type with high quality secure knob lock.
- Lock brand: Lowe and Fletcher UK.
- High Quality welded hinged in door
- Made of EG Sheet 1.0 mm thickness
- welded construction
- Finishing - Polyester powder coating oven baked.
- Colour options available as per our shade card.



file folder



book



seal



stationery




## LIGHT-DUTY STEEL CABINET

Product Dimensions: D450 x W900 x H1830mm

Features - Key Lock & Adjustable Shelves

Customized Options are also Available: Tailor your storage solutions with various quality and size options to meet your specific needs at reasonable prices and flexible delivery terms.


# PALLETS



Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200	W:1000	H:160
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1200	800


Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	1000



Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	700

Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	800



Dimension (mm)	L:1200	W:1000	H:145
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1100	W:1100	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600



Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	800



Dimension (mm)	L:1200	W:1000	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600

Dimension (mm)	L:1200	W:800	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	600

Dimension (mm)	L:1200	W:800	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	500	1000	800



Dimension (mm)	L:1200 W:1000 H:78		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1200 W:1000 H:78		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A


Dimension (mm)	L:900 W:300 H:30
----------------	------------------



Dimension (mm)	L:1200 W:1200 H:170		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1200 W:1000 H:160		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	7000	1500	1200



Dimension (mm)	L:1200 W:800 H:160		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1200	1000



Dimension (mm)	L:1200 W:1000 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1100 W:800 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	3000	1000	N/A

Dimension (mm)	L:1000 W:800 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	3000	1000	N/A




Dimension (mm)	L:1200 W:1000 H:130		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	4000	1000	N/A

Dimension (mm)	L:1200 W:1000 H:140		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	2000	1000	N/A

Dimension (mm)	L:1200 W:800 H:140		
Loading Capacity (in kgs)	Static	Dynamic	Racking
	2000	1000	N/A





Dimension (mm)	L:1200	W:1200	H:150
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1200

Dimension (mm)	L:1300	W:1100	H:160
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1000

Dimension (mm)	L:1500	W:1500	H:156
Loading Capacity (in kgs)	Static	Dynamic	Racking
	6000	1500	1000



Dimension (mm)	L:1200	W:1000	H:915
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	600

Dimension (mm)	L:1200	W:1000	H:760
----------------	--------	--------	-------

Dimension (mm)	L:1200	W:1000	H:760
Loading Capacity (in kgs)	Static	Dynamic	Racking
	5000	1000	600

**Features**

- **Material:** Made from HDPE (High-Density Polyethylene) or PP (Polypropylene)
- **Advantages:**
  - Durability
  - Resistance to moisture and chemicals
  - More hygienic due to non-porous surfaces
- **Weight:** Lighter than wooden pallets, reducing shipping costs and easing handling
- **Reusability:** Designed for multiple uses, enhancing cost-efficiency
- **Recyclability:** Can be recycled, contributing to sustainability efforts
- **Applications:**
  - Pharmaceuticals
  - Food and beverage
  - Electronics
- **Key Benefits:**
  - Cleanliness
  - Consistency
  - Suitability for industries where above factors are critical

# GARBAGE BINS



**VGGB - 120H2**  
**VGGB - 240H2**



**VGGB - 120U W/PEDAL**  
**VGGB - 240HU W/PEDAL**  
**VGGB - 70 W/PEDAL**



**VGGB SERIES CAPACITY - 100 / 80 / 50 / 30 LTR**



**VGGB - 120TW**  
**VGGB - 240TW**



**ROUND TRASH BIN WITH DOLLY**



**VGGB - 360**



**VGGB - 660**  
**VGGB - 1100**  
**VGGB - 1200**

# IBC TANKS & FISH TUB

IBC TANK, DRUMS, JERRY CANS



PLASTIC BUCKET&DRUMS



FISH TUB



# STORAGE BINS



VG [A] SERIES			
MODEL	LENGTH(m) m)	WIDTH( mm)	HEIGHT(m) m)
VG [A] -1	165	114	75
VG [A] -2	200	125	100
VG [A] -3	235	150	125
VG [A] -4	305	210	160
VG [A] -5	350	215	200
VG [A] -6	515	310	200
VG [A] -7	265	180	130
VG [A] -8	380	230	170
VG [A] -9	380	320	170

VG [B] SERIES			
MODEL	LENGTH(m) m)	WIDTH( mm)	HEIGHT(m) m)
VG [B] -1	163	100	72
VG [B] -2	204	128	96
VG [B] -3	255	148	114
VG [B] -4	304	184	129
VG [B] -5	368	219	148
VG [B] -6	434	264	168
VG [B] -7	505	314	191
VG [B] -8	400	490	300



VG [C] SERIES			
MODEL	LENGTH(m) m)	WIDTH( mm)	HEIGHT(m) m)
VG [C] -1	307	173	150
VG [C] -2	402	173	150
VG [C] -3	402	253	150
VG [C] -4	402	253	200
VG [C] -5	503	340	200
VG [C] -6	503	340	250



**VG [D] SERIES**

MODEL	LENGTH(m) m)	WIDTH(mm)	HEIGHT(m) m)
VG [D] -1	163	100	72
VG [D] -2	204	128	96
VG [D] -3	255	148	114
VG [D] -4	304	184	129
VG [D] -5	368	219	148
VG [D] -6	434	264	168
VG [D] -7	505	314	191



VG -Crates with Attached Lid Series			
MODEL	LENGTH(m) m)	WIDTH(mm)	HEIGHT(m) m)
VG -250	600	400	250
VG-320	600	400	320
VG-360	600	400	365
VG-416	600	400	416
VG-4320	400	300	200
VG-4325	400	300	250
VG-4332	400	300	320
VG-4336	400	300	365

# CRATES



Size - 300 x 200 mm  
 Available in different height



Size - 400 x 300 mm  
 Available in different height



Size - 500 x 325 mm  
 Available in different height



Size - 600 x 400 mm  
 Available in different height



Toast Crate - Capacity - 73 Ltr  
 Size - 750 x 650 x 150 mm



Bakery Crate - Capacity - 40 Ltr  
 Size - 590 x 460 x 180 mm



Fish Crate - Capacity - 85 Ltr  
 Size - 600 x 400 x 350 mm



Veg Crate - Capacity - 48 Ltr  
 Size - 585 x 385 x 210 mm






Veg Crate B- Capacity - 48 Ltr  
 Size - 585 x 385 x 210 mm



**Veg Crate Big- Available in closed walls also**  
 Size - 600 x 400 x 280 mm

**Dairy Crates**  
 Size - 590 x 460 x 180 mm

**Ribbon fish Crates**  
 Size - 770 x 330 x 70 mm



**Long Crates A & B**  
 Size - 1059 x 368 x 252 mm  
 Size - 1286 x 462 x 314 mm

**Pizza Dough Crates - Capacity - 25 Ltr**  
 Size - 660 x 445 x 84 mm

**Superjumbo Crates**  
 Size - 809 x 570 x 425 mm

# SHELF BINS



**SB - 1**

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 100 (W) x 60 (H)
Inside Dimensions in mm	: 593 (L) x 86 (W) x 55 (H)
Effective Height in mm	: 55
Standard Packing	: 24 pcs. per ctn.
Volume Per Box CBM	: 0.0869
Slots for Partition	: 11 Slots for Horizontal Partitions.
Bin Load Capacity	: 6 kgs. (Approx)
Colour	: Blue

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 100 (W) x 110 (H)
Inside Dimensions in mm	: 593 (L) x 86 (W) x 105 (H)
Effective Height in mm	: 105
Standard Packing	: 12 pcs. per ctn.
Volume Per Box CBM	: 0.0869
Slots for Partition	: 7 Slots for Horizontal Partitions.
Bin Load Capacity	: 6 kgs. (Approx)
Colour	: Blue

**SB - 2**



**SB - 3**

	(Supplied with 3 Horizontal Partitions)
Outside Dimensions in mm	: 615 (L) x 150 (W) x 110 (H)
Inside Dimensions in mm	: 593 (L) x 136 (W) x 105 (H)
Effective Height in mm	: 105
Standard Packing	: 12 pcs. per ctn.
Volume Per Box CBM	: 0.1306
Slots for Partition	: 7 Slots for Horizontal Partitions.
Bin Load Capacity	: 8 kgs. (Approx)
Colour	: Blue





(Supplied with 3 Horizontal Partitions)

Outside Dimensions in mm : 615 (L) x 220 (W) x 135 (H)  
 Inside Dimensions in mm : 593 (L) x 210 (W) x 130 (H)  
 Effective Height in mm : 130  
 Standard Packing : 12 pcs. per ctn.  
 Volume Per Box CBM : 0.2201  
 Slots for Partition : 7 Slots for Horizontal Partitions.  
 Bin Load Capacity : 10 kgs. (Approx)  
 Colour : Blue


**SB - 4**



**SB - 5**

(Supplied with 3 Horizontal Partitions)

Outside Dimensions in mm : 615 (L) x 300 (W) x 135 (H)  
 Inside Dimensions in mm : 593 (L) x 282 (W) x 130 (H)  
 Effective Height in mm : 130  
 Standard Packing : 6 pcs. per ctn.  
 Volume Per Box CBM : 0.1513  
 Slots for Partition : 7 Slots for Horizontal Partitions.  
 Bin Load Capacity : 12 kgs. (Approx)  
 Colour : Blue



## SPILL PALLETS



## MATERIAL HANDLING EQUIPMENTS 26



Arjumand Building, Dubai Investment Park - 1  
Dubai, UAE  
info@vhg.ae  
[www.verticalglobalme.com](http://www.verticalglobalme.com)