



PVS GENERAL TRADING L.L.C

QUALITY MEETS COMMITMENT



www.pvsgroupuae.com

PVS GENERAL TRADING L.L.C.

QUALITY MEETS COMMITMENT



PVS GENERAL TRADING L.L.C.

QUALITY MEETS COMMITMENT

CATALOGUE



PVS GENERAL TRADING LLC

Table Of Contents

01

About Company

02

Brand Partners

03

Product Details



PVS GENERAL TRADING L.L.C.

QUALITY MEETS COMMITMENT

WELCOME TO PVS GENERAL TRADING L.L.C

PVS GENERAL TRADING L.L.C is a registered L.L.C company (Limited Liability Company), was founded in 2023 in Dubai, United Arab Emirates.

At PVS GENERAL TRADING LLC, we are dedicated to providing comprehensive solutions for all your construction needs. As a leader in the industry, we specialize in supplying products and services to the wellness sector, including landscaping, swimming pools, saunas, steam rooms, Water treatment, irrigation systems and MEP engineering goods. Our mission is to work closely with our valued customers, ensuring their satisfaction by meeting their requirements to the highest standards.

UPVC,PRESSURE PIPES AND FITTINGS

We are dealing with leading upvc brands like
cepex,mpi



LOW PRESSURE PIPES AND FITTINGS

Wide selection of low pressure pipes and fittings in stock
&
SOUNDPROOF PIPE SYSTEM

PP-R/HDPE PIPES AND FITTINGS

A comprehensive assortment of PP-R fittings
and pipe on offer



SWIMMING POOL EQUIPMENTS

An extensive range of swimming pool accessories and
equipment are available

IRRIGATION COMPONENTS AND SYSTEM



PIPE ADHESIVE

PARTNER ECOSYSTEM

Partner Ecosystem connects you to the right partner, enabling you to build the right solution for your business

At PVS General Trading LLC, we believe in the power of collaboration and strategic partnerships to drive success. We have established strong alliances with industry-leading companies, including variety of brands. These partnerships enable us to deliver top-quality products and services to our valued customers across various sectors.

Through our strategic collaborations, we harness the expertise and innovation of our partners to provide cutting-edge solutions that meet the evolving needs of the industry. Each partnership brings unique strengths and resources, allowing us to enhance our offerings and exceed customer expectations. Together, we are committed to delivering excellence, fostering innovation, and making a positive impact on the development of the region.



Hepworth





UPVC HIGH PRESSURE PIPES AND FITTINGS



PVS Group UAE proudly partners with Cepex, a leading brand in the fluid handling market and part of the Fluidra group. Cepex specializes in manufacturing valves and fittings in thermoplastic materials, catering to the swimming pool, irrigation, and industrial markets. A Dynamic Partnership in Fluid Handling allows us to deliver high-quality solutions worldwide, leveraging the extensive Fluidra commercial network present in 46 countries with 136 sales branches. The extensive range of sizes and combinations we offer will accommodate any system design.

AVAILABLE SIZE

- FITTINGS & VALVES (INCH-MM):20MM (1/2") TO 315MM



STANDARDS

UNE-EN 1452-3, DIN 8063


HIGH PRESSURE FITTINGS



SPRING CHECK VALVE



TEE



REDUCER BUSH



WAFFER CHECK VALVE



BALL VALVES IND
ELECTRIC ACTUATION



BALL VALVE ANTIBLOCK



BUTTERFLY VALVE CLASSIC



BALL VALVE STD



INDUSTRIAL BUTTERFLY VALVE
(LEVER TYPE)




BUTTERFLY VALVES IND
ELECTRIC ACTUATION



BUTTERFLY VALVE
STD



BACKING
RING



UNION



FOOT
VALVE



PVS Group UAE collaborates with Modern Plastic Industry (MPI), a subsidiary of Oasis Investment Company L.L.C and a prominent player in the manufacturing of UPVC pressure pipe fittings

MPI - ATLAS Valve is suitable for all industrial application, international compatibility is also given with all standard connection such as ISO, ANSI, BS-EN



UPVC VALVES



Single Union Ball Valve



Spring Check Valve



Double Union Ball Valve



UNION PLAIN TYPE



BRASS THREAD FITTINGS



MALE ADAPTOR



FEMALE SOCKET ADAPTOR



FEMALE TEE



UPVC Brass Union Male

STEEL REINFORCING RING



FEMALE ELBOW



FEMALE SOCKET ADAPTOR



FEMALE TEE



REDUCER FEMALE TEE



PVS Group UAE collaborates with Modern Plastic Industry (MPI), a subsidiary of Oasis Investment Company L.L.C and a prominent player in the manufacturing of UPVC HP pressure pipes & fittings. MPI's contributions have been instrumental in the development of the Gulf region and Middle East.



STANDARDS - MM SERIES

PRESSURE PIPES : DIN 8601/8062
PRESSURE FITTINGS :DIN 8063

STANDARDS - INCH SERIES

PRESSURE PIPES: BS EN ISO1452
PRESSURE FITTINGS: BS EN ISO1452

AVAILABLE SIZE

- Pipes: 20mm (½") to 160mm (6")
- Fittings: Inch Series ½" to 8"
- Fittings: Metric Series 20mm to 200mm



PIPES

UPVC HP PIPES & FITTINGS



ELBOW 90°



ELBOW 45°



TEE



FEMALE SOCKET



FEMALE SLIP SOCKET



FLANGE SINGLE SET



REDUCER TEE



YEE




END CAP



REDUCER BUSH



MALE ADAPTOR



SOCKET

UPVC & CPVC SCH80 PIPES & FITTINGS



PVS GROUP UAE COLLABORATE WITH DUROFLOW TO DELIVER BEST UPVC & CPVC SCH 80 PIPES & FITTINGS FOR CUSTOMERS



Repair Socket



PVC FITTINGS




CPVC FITTINGS



**Compression Repair
Coupling**



Y-Type Sediment Strainers




Flange



LOW PRESSURE PIPES AND FITTINGS



PVS Group UAE collaborates with Modern Plastic Industry (MPI), a subsidiary of Oasis Investment Company L.L.C and a prominent player in the manufacturing of UPVC pressure pipes & fittings. With a diverse product range including drainage fittings and Pipes. MPI's contributions have been instrumental in the development of the Gulf region and Middle East



PIPES

STANDARDS
BSI Kite Mark as per BS EN 1329
Supersedes BS 4514 and BS BS 5255

- AVAILABLE SIZE**
- Pipes : 36mm (1 1/4") to 200mm (8")
 - Fittings : 36mm (1 1/4") to 200mm (8")

DRAINAGE PIPES & FITTINGS



BEND 87.5°



ACCESS BEND 87.5°



BEND 87.5°



SOCKET



REDUCER TEE 87.5°



DOUBLE/CROSS 45°



ACCESS PIPE



ACCESS YEE 87.5°



TEE 87.5°



ACCESS PLUG&CAP



PATCH BOSS ADAPTOR



REDUCER Y45°



DOUBLE/CROSS 87.5°



REDUCER BUSH



VENT COWL

PVS GENERAL TRADING COLLABORATE WITH ATLAS AND FLOWTECH TO DELIVER BEST DRAINAGE FITTINGS FOR CUSTOMERS



ABOVE GROUND PIPE



Y REDUCER



ACCESS PIPE



COUPLER



Y 45° FEMALE ACCESS

UPVC U/G SEWER PIPE & FITTINGS

QUALITY MARK: BSI KITE MARK AS PER BS EN 1329

COLOUR: LIGHT GREY



BEND 87.5° M/F



BELOW GROUND PIPE



Y45° M/F & F/F



DOUBLE Y45° M/F & F/F



GULLY TRAP



BEND 45° M/F & F/F

UPVC SOIL, WASTE PIPE & FITTING

QUALITY MARK: BSI KITE MARK AS PER BS EN 1401

COLOUR: ORANGE BROWN OR TERRA COTTA



COUPLER



Full wall system Skolan Safe®: Soundproof pipe system



Skolan safe®



One thing is safe.



AVAILABLE SIZE

- Pipes: 58mm to 200mm
- Fittings: 58mm to 200mm

SOUND INSULATION

MEASURED VALUE 17DB (A)

COLOUR

LIGHT GREY RAL 7035



APPLICATION

SOUNDPROOF PIPE SYSTEM

DRAINAGE UNTIL THE TRANSFER CHAMBER AS

- WASTE WATER PIPE
- RAIN WATER PIPE

INSTALLATION

DIN EN 12056, DIN 1986-100, DIN 4109, VDI 4100



87 DEGREE



45 DEGREE



PLUG



LONG SOCKET



BRANCH 87 DEGREE



BRANCH 45 DEGREE




COUPLER



PLAIN END PIPE

WE ARE FORMING AN ALLIANCE WITH SKOLAN SAFE BRAND



PP-R/HDPE PIPES AND FITTINGS



PVS Group UAE collaborates with Modern Plastic Industry (MPI), a subsidiary of Oasis Investment Company L.L.C and a prominent player in the manufacturing PP-R Fittings and Pipes MPI's contributions have been instrumental in the development of the Gulf region and Middle East.

DRINKING WATER – FRESH WATER UP TO A TEMPERATURE 25°C FOR DRINKING AND COOKING

HOT TAP WATER – HEATED DRINKING WATER UP TO 70°C

IT CAN BE USE IN COLD AND HOT WATER SYSTEM

PP-R PIPE 20 TO 160MM IN SDR6 & SDR7.4

STANDARDS

DIN 8077/8078 & EN ISO 15874



PIPES

AVAILABLE SIZE

- Pipes : 20MM to 110mm
- Fittings: 20mm to 110mm

PPR PIPES & FITTINGS



CROSS OVER



CROSS TEE



ELBOW 45°



ELBOW 90°



END CAP



FEMALE ELBOW



FEMALE HEX SOCKET



FEMALE SOCKET



FEMALE TEE



MALE BRASS UNION



STUB FOR FLANGE



UNION



WALL MOUNT ELBOW



VALVE BODY



STOP GLOBE VALVE

HDPE PIPES & FITTINGS



High-quality HDPE pipes and fittings approved by reputable institutions worldwide and suitable for various applications, including gas and water pipelines, wastewater disposal, and chemical industry. Lightweight, flexible, and chemically resistant.



WORKING PRESSURE WITH A REDUCED WALL THICKNESS

Cold Water 20°C Up To 20bar

Hot Water 70° Up To 10bar

Heater 70°C Up 3bar



COSMOPLAST CROSS LINK (PE-X) PIPES AND FITTINGS

Cosmoplast

COSMOPLAST PE-X PIPE IS MANUFACTURED FROM HIGH DENSITY POLYETHYLENE, WHICH IS A THERMO PLASTIC MATERIAL FORMED BY NUMEROUS LONG CHAINS. THIS HIGH-QUALITY MATERIAL IS THUS LIMITED BY THE RELATIVELY LOW WORKING TEMPERATURE. LACK OF BENDS DUE TO HIGH FLEXIBILITY OF COSMOPLAST PE-X PIPE.

STANDARDS

GERMAN STD DIN16892 AND DIN16893

FIELDS OF APPLICATION

- Traditional Water Supply Systems
- Air conditioning applications
- Compressed air distribution networks
- Under-Floor Heating Systems



PE CORRUGATED CONDUIT



BRASS MANIFOLD



PE-X PIPE



FEMALE VALVE



PLAIN SANITARY ELBOW



MALE ADAPTER



SWIMMING POOL
EQUIPMENTS
SWIMMING POOL

SWIMMING POOL PUMPS, HEAT COOL PUMPS, FITTINGS, FILTRATION PUMPS, CLEANING EQUIPMENTS

As a strategic partner of PVS Group UAE, AstralPool brings unparalleled expertise and global reach to the table. Their extensive product catalog comprises systems and components designed for residential and commercial pools, as well as wellness applications. With over 40,000 professionals and 2 million pool installations worldwide, AstralPool's presence is felt in more than 170 countries. Through our collaboration, we combine our industry knowledge and resources to deliver cutting-edge pool solutions that meet the highest standards of quality and innovation.



Swimming Pool Equipment



Sand Filter



Self-Priming Pumps



Heat Cool Pump



Swimming Pool Accessories



Swimming Pool Cleaning Equipments




Swimming Pool Lights



IRRIGATION SYSTEMS AND COMPONENTS IRRIGATION



Hunter®



As part of our collaboration, PVS Group UAE dedicated to enhancing irrigation excellence, particularly in premier sports fields. Through our partner's advanced technology and expertise, we ensure optimal playing conditions for high-profile sports facilities. Our joint efforts focus on providing uniform coverage, preventing brown spots, and maintaining consistent footing while promoting water efficiency. By combining our industry knowledge and innovative solutions, we strive to elevate the performance and sustainability of sports turf across the region.



IRRIGATION

SYSTEMS AND COMPONENTS

ROTARY&NOZZLES



Range of fittings for high-pressure conveyance of water, irrigation, gaseous fuels, compressed air, chemical solutions, and slurries.

Range:

Metric series from 16mm up to 110mm, imperial series from 1/2" up to 4"

Pressure Rating:

10 bar at 20°C for fittings from 20mm up to 50mm

Materials:

Body, Cap, Insert: Polypropylene copolymer
PP -B

Split Ring: Polyacetal

O-Ring: Elastomeric rubber NBR70

Reinforcing: Ring Aluminium or Stainless Steel





GLUE-CLEANER-LUBRICANT

GLUE



LUBRICANT



CLEANER



P R E S S U R E V E S S E L S



AS PART OF OUR COLLABORATION, PVS GROUP UAE DEDICATED TO ENHANCING BUSINESS INTO PRESSURE VESSELS PRESSURE VESSEL CAN BE USED IN CONJUNCTION WITH PRESSURE PUMP BOOSTING SETS. THEY HAVE THE ABILITY TO HOLD WATER AT CLOSED VALVE STATIC PRESSURE. THIS WILL PREVENT THE PUMP FROM SWITCHING ON/OFF FOR QUICK SHORT PERIODS AT A TIME.

PRESSURE TANKS



Pressure Tank – Heating

- Interchangeable Membrane Series; (Heating Series Tanks, High Pressure Series Tanks)
- Fixed Membrane Tank Series; (Heating Series Tanks, Solar Energy Series Tanks, Metal Cased Reverse Osmosis Series Tanks)
- EPDM / Butyl and Special High Temperature Resistant Membranes
- Hot Water Tank Tanks-Boiler Series; (Accumulation Tank, Solar Serpentine Tank, Hygienic Hot Water Tank, Solar Serpentine Hot Water Tank)



MIXER FLEXIBLES



MIXER ALL FLEX MIXER SS FLEX

Work Pressure Test Pressure:	up to 8 bar	up to 8 bar
Test Pressure:	25 bar	25 bar
Burst Pressure Inner Diameter:	>80 bar	>150 bar
Inner Diameter:	8 mm	8.3 mm
Outer Diameter:	12.5	12 mm
Temperature:	up to 70 C	up to 70 C
Pull Strength:	80 KgF	150 KgF

SS FLEXIBLES



SS FLEX

Work Pressure Test Pressure:	up to 8 bar
Test Pressure:	25 bar
Burst Pressure Inner Diameter:	>150 bar
Inner Diameter:	8.3 mm
Outer Diameter:	12 mm
Temperature:	up to 70 C
Pull Strength:	100 KgF



	WHITE PVC	GREY PVC
Work Pressure Test Pressure:	up to 8 bar	up to 8 bar
Test Pressure:	25 bar	25 bar
Burst Pressure Inner Diameter:	>100 bar	>60 bar
Inner Diameter:	9.5 mm	12.5 mm
Outer Diameter:	14.3	17.5 mm
Temperature:	up to 70 C	up to 70 C
Pull Strength:	100 KgF	100 KgF



- Classic contours finish with CP flexible hose
- Elegant design with soft, round edges
- Gives smooth flow of water
- Simple installation
- Complies with recommended pressure rating
- 3 years warranty

HOSES



GARDEN HOSES



WORKING PRESSURE:-10 BAR

SIZE RANGE:- 1/2" - 1"



REINFORCED BRAIDED GAEDEN HOSE



AIR HOSE BLACK SMOOTH 8 X 15 X 80M

APPLICATIONS: COMPRESSED AIR
INSIDE DIAMETER: 8MM
PRESSURE BAR UP TO 20 BAR

GAS HOSE RED RULED 8 X 16 X 40M

APPLICATIONS: CONNECTING GAS APPLIANCES LPG
INSIDE DIAMETER: 8MM



B R A S S V A L V E S



BRASS BODY

SIZE:- 1/2"-2"

ROUND STAINLESS STEEL ARM

TEMPERATURE UP TO 80C

BRASS FLOAT VALVE



SIZE:- 1/2"-2"

**ROUND PLASTIC FLOAT
BALL 5/16W THREAD**



SIZE:- 3"& 4"

BRASS FLOAT VALVE

THIN SOLDERED

TEMPERATURE UP TO 80°C

DIMENSIONS:- 78 X 58 X 66



ROUND COPPER FLOAT BALL

FLOAT SWITCH



SIZES:- 2MTR-3MTR-5MTR-10MTR

TECHNICAL DATA

MICROSWITCH: 250V -400V
SWITCH LIFETIME: 50000 CYCLE
PROTRCTION: IP68
MAX TEMPERATURE: 60°
WORKING PRESSURE: MAX 1 BAR
CONTACT RATING: DIRECT 1 KW AT 250V

FLOAT SWITCH WITH CABLE & WEIGHT

TECHNICAL DATA

MICROSWITCH: 250V -400V
SWITCH LIFETIME: 50000 CYCLE
PROTRCTION: WATERPROOF
MAX TEMPERATURE: 70°
WORKING PRESSURE: MAX 1 BAR
CONTACT RATING: DIRECT 1 KW AT 250V



SIZES:- 2MTR-3MTR-5MTR-10MTR

ALUMINUM LADDERS



CAPACITY
150 KG

SIZE
STILE LENGTH .90M TO 4.42M

HEAVY DUTY LADDER
USED IN MAINTENANCE ,CONSTRUCTION,CONTRACTING

ALUMINUM LADDER DUAL PURPOSE

EASILY CONVERTED TO SINGLE LADDER
SPLAYED FEET
ZINC - PLATED HINGE



CAPACITY
100 KG

SIZE
3 STEPS UPTO 9 STEPS
1.17 UPTO 2.6 LENGTH

ALUMINUM LADDER LIGHT DUTY

CAPACITY
120 KG



ALUMINUM LADDER MULTI PURPOSE



PVS GENERAL TRADING LLC



THANK YOU



PVS GENERAL TRADING L.L.C.

QUALITY MEETS COMMITMENT

PVS GENERAL TRADING LLC

**WH NO.3, SHEIKH OMAR AL MAJID BUILDING
UMM RAMOOL, DUBAI U.A.E**

PH NO: +971-42-518-606

MOB NO: +971-504-056-890

MAIL ID : SALES@PVSGROUPUAE.COM



Hepworth





PVS GENERAL TRADING L.L.C.

QUALITY MEETS COMMITMENT



www.pvsgroupuae.com

PVS GENERAL TRADING L.L.C

WH No .3, Sheikh Omar AL Majid Building

Umm Ramool, Dubai U.A.E

Ph No: +971-42-518-606

Mob No: +971-504-056-890

Mail id : sales@pvsgroupuae.com

