



Ala Industrial Company

SUSPENDED
CEILING
SYSTEM
ACCESSORIES

PRODUCT CATALOGUE

 www.alaindustrial.com



Ala Industrial Company


Ala Industrial Company, a reputed Manufacturer & Exporter of Suspended Ceiling System Accessories, Customized Metal components was established in 1992 in the capital city of Saudi Arabia. We are Specialized in Designing, Tooling, Serial Production & Surface Coating/Finishing. We have more than 20 year's experience in Suspended Ceiling System Accessories in GCC Markets.

Ala Industries Corporation, our sister concern, a Manufacturer & Exporter of Sheet Metal Pressed, Strip and Wire Formed components was established in 1998 with our registered Factory and Office in Mumbai, the commercial capital of India. We serve Power, Telecommunication and Engineering Industries. We do various kinds of stampings, Machined, Die Casted & Deep Drawn parts out of wide range of materials including Steel, Aluminium, Copper, Brass, Rubber and Plastics, covering various industries like Electrical - Switchgear, Meter box, Panel board accessories, Desert cooler, Industrial racking, Construction Industries, General Mechanical parts and Fasteners.

Chancellor Metal Industries LLC., is our new enterprise located in Jurf Industrial Area, Ajman, UAE. With the Support from our sister concerns, now we are focusing micro level customers in UAE and Oman. Our strength lies in manufacturing customized components conforming to client's exact specifications and to highest quality standards.

METAL FURRING SYSTEM

CH/22 3mm - CH/23 4mm Double spring clip
 CH/28 38mm Performed wire clip
 CH/30 38mm Performed (R) wire clip
 CH/37-CH/38-CH/39 Channel bracket
 CH/40 38mm "C" Bracket (BD2)
 CH/41 45mm Channel to furring clip
 CH/42 Angle bracket



CH/22 3mm

CH/23 4mm

Double spring clip

Standard Finish: Black/White/Yellow
 Spring steel 0.5 mm thickness
 Packed 500 per box
 Weight per 100 (0.92kg)



CH/28

38mm Performed wire clip

Galvanised Carbon Steel Wire 2.5mm dia.
 Packed 100 per bag.
 500 per box or 1000 per box
 Weight per 100 (0.61kg)



CH/37-CH/38

CH/39

Channel bracket

Galvanised Mild Steel.
 Packed 500 per box



CH/42

Angle bracket


Galvanised Mild Steel.
Thickness 1.5mm dia.
Packed 200 per box or
100 per bag- 100 per box
Weight per 100 (1.50 kg)



CH/40-CH/50

38mm "C" Bracket (BD2)


Galvanised Mild Steel.
Thickness 0.80mm/0.60mm
Packed 500 per box
Weight per 100 CH/40 (1.56 kg)
CH/40 (1.17 kg)



CH/41

45mm Channel to furring clip

Galvanised Carbon Steel Wire
2.5mm dia.
Packed 500 per box.
Weight per 100 (0.63kg)



CONCEALED ZED AND CEE SYSTEM

CH/11 Wall spring clip

CH/27 19 mm Zed connector

CH/28 38mm Performed wire clip

CH/29 63 mm Performed wire clip


CH/31 38 mm Channel to zed spring clip

CH/32- CH/33 Straight wire clip

CH/34 Tight up clip

CH/35 Spline


CH/36 Cross tee noggin (600 mm spline)



CH/11

Wall spring clip


Spring Steel 0.45mm thick.
Standard Finish : B
Packed 200 per box
Weight per 100 (0.78kg)



CH/27

19 mm Zed connector


Galvanised Mild Steel
Thickness 0.5 mm
Packed 500 per box.
Weight per 100 (2.25kg)



CH/29

63 mm Performed wire clip


Galvanised Carbon Steel Wire.
2.5 mm dia.
Packed 500 per box
Weight per 100 (0.86 kg)



CH/31

38 mm Channel to zed spring clip

Galvanised Carbon Steel
Wire 2mm dia.
Packed 500 per box.
Weight per 100 (0.41kg)



CH/32- CH/33

Straight wire clip


Galvanised Carbon Steel Wire.
3 mm dia.
Packed 500 per box.



CH/34

Tight up clip


Galvanised Mild Steel
Thickness 0.9 mm
Packed 250 per box.
Weight per 100 (3.06kg)



CH/35

Spline


Coated Mild Steel
Packed 100 per box
Weight per 100 (2.1 kg)



CH/36


Cross tee noggin (600 mm spline)

Coated Mild Steel
Thickness 0.5 mm
Packed 100 per bundle.
Weight per 100 (7.96 kg)



EXPOSED GRID SYSTEM

CH/12-CH/13 Direct suspension clip
CH/14 Nailing bracket
CH/15 Universal hold down clip
CH/16-CH/17 Hold down clip
CH/18-CH/19 Wall spring clip
CH/20 Universal hold down clip
CH/21 Direct suspension plate
CH/25 Hold down clip
CH/26 Hold down clip (Glass fibre boards)



CH/12-CH/13

Direct suspension clip


Galvanised Mild Steel 1.5mm thick.
Packed 55/12 100 per box
55/13 100 per box



CH/14

Nailing bracket


Galvanised Mild Steel
1.5 mm thick.
Packed 100 per box
Weight per 100 (2.80 kg)



CH/15

Universal hold down clip

Spring Steel, 0.45mm thick
Standard Finish: Black
Packed 500 per box
Weight per 100 (0.44 kg)



CH/16-CH/17

Hold down clip


Spring Steel, 0.4mm thick
Standard Finish: Black
Packed 500 per box
55/16 (0.28 kg)
55/17 (0.23 kg)



CH/18-CH/19

Variable hold down clip


Spring Steel, 0.35mm thick
Standard Finish: Black
Packed 500 per box



CH/20

Universal hold down clip


To suit board thickness 16-40mm
Spring Steel, 0.35mm thick
Standard Finish: Black
Packed 500 per box
Weight per 100 (0.33kg)



CH/21

Direct suspension plate


Galvanised Mild Steel
1.5mm thick.
Packed 500 per box
Weight per 100 (1.60 kg)



CH/25

Hold down clip

Board clip accommodates
(9.53mm) and (12.7mm) thickness board.
Spring Steel, 0.457mm thick
Standard Finish: Black
Packed 500 per box
Weight per 100 (0.29kg)



CH/26


Hold down clip (Glass fibre boards)

To suit various board thickness
Spring Steel, 0.35mm thick
Standard Finish: Black
Packed 500 per box
Weight per 100 (0.47kg)



SPRING TEE SUSPENSION SYSTEM


CH/28 38mm Performed wire clip
 CH/42 Perimeter wedge
 CH/43 Full tee bar connector
 CH/44-CH/45 Rigid clip (Assembly)
 CH/46 Bottom fixing clip
 CH/48 Tee lock



CH/28

38mm Performed wire clip


Galvanised Carbon Steel Wire 2.5mm dia.
 Packed 100 per bag.
 500 per box or 1000 per box
 Weight per 100 (0.61kg)



CH/42

Perimeter wedge

Galvanised Mild Steel
 Thickness 0.5mm.
 Packed 200 per box
 Weight per 100 (6.00kg)



CH/43

Full tee bar connector


Galvanised Mild Steel
 Thickness 0.5mm.
 Packed 250 per box
 Weight per 100 (3.43 kg)



CH/44-CH/45

Rigid clip Assembly

(Assembly 55/44)
 M5 x 65mm bolts and nuts
 Packed 100 per box
 Weight per 100 (8.40 kg)



CH/46

Bottom fixing clip


Galvanised Mild Steel
 Thickness 1.5mm.
 Packed 1000 per box
 Weight per 100 (1.80 kg)



CH/48

Tee lock

Galvanised Mild Steel, Thickness 0.5mm.
 Packed 500 per bag 1000 per box
 Weight per 100 (0.80 kg)





Variation in Length availableExample:

Using 300 mm Bottom Hanger and 300mm Top Hanger

Minimum overall length is 300mm(B)

Maximum overall length is 550mm (A+B)




CH/50

Bottom hanger with hook fixing

Available 3 or 4mm dia. For use with channel bracket. Galvanised Mild Steel Wire. Packed 50 per bundle.

Weight per 100 - 3mm, 1.99kg. 4mm, 3.53kg



ADJUSTABLE SUSPENSION HANGING SYSTEM

CH/22 3mm - CH/23 4mm Double spring clip

CH/37-CH/38-CH/39 Channel bracket

CH/50 Bottom hanger with hook fixing

CH/51 Top hanger with 90° screw fixing

CH/52 Extension rod 3 or 4 mm dia

CH/53 Bottom hanger with open hook

Length or Bottom Hanger A	Length or Bottom Hanger B	Length or Bottom Hanger B	Length or Bottom Hanger A+B
250mm	250mm	250mm	450mm
300mm	300mm	300mm	550mm
300mm	500mm	500mm	750mm
300mm	600mm	600mm	850mm
300mm	750mm	750mm	1000mm
300mm	1000mm	1000mm	1250mm
300mm	1200mm	1200mm	1450mm
300mm	1500mm	1500mm	1750mm
300mm	2000mm	2000mm	2000mm
300mm	3000mm	3000mm	3000mm

Economical quantities of Hanging Rods with non-standard lengths can always be made upon request.

Using an Extensions Rod, with an additional Spring Clip, will increase any of the above lengths as follows:

55/52 100=950mm 55/52 100=1150mm


CH/51

Top hanger with 90° screw fixing

Galvanised Mild Steel Wire.

Packed 50 per bundle.

Available 3 or 4mm dia



CH/52

Extension rod 3 or 4 mm dia (Rod Hanger)

55/52 100, 1000mm

3mm - 5.87kg

4mm - 10.81kg

55/52 120, 1200mm,

3mm - 7.11kg

4mm - 13.10kg

Galvanised Mild Steel Wire.

Packed 50 per bundle.

CH/53

Bottom hanger with open hook

Available 3 or 4mm dia


For use with main runner

Galvanised Mild Steel Wire.

Packed 50 per bundle.

Weight per 100 -

3mm, 1.99kg, 4mm, 3.53kg



RIGID SUSPENSION HANGING SYSTEM

UPPER RIGID HANGERS

Part No.	Length (A)mm	Standard pack size	Weight per pack (kg)
56/20	100	100	2.9
56/21	140	100	3.7
56/22	240	100	5.5

56/23	340	100	7.2
56/24	440	100	9.4
56/25	540	100	11.7
56/26	640	100	13.8
56/27	740	100	15.0
56/28	840	100	17.3
56/29	940	100	18.8
56/30	1040	25	5.5
56/31	1140	25	6.0
56/32	1240	25	6.5
56/33	1340	25	7.0
56/34	1440	25	7.5
56/35	1540	25	8.0
56/36	1640	25	8.5
56/37	1740	25	9.0
56/38	1840	25	9.5
56/39	1940	25	10.0
56/40	2040	25	10.5
56/41	2140	25	11.0
56/42	2240	25	11.5
56/43	2340	25	12.0
56/44	2440	25	12.5
56/45	2540	25	13.0
56/46	2640	25	13.5
56/47	2740	25	14.0

CLEVIS PIN (TWO PER HANGER)

56/60	240	100	0.7
-------	-----	-----	-----

CH/59-CH/60 Lower Rigid Hanger for Channel
CH/61 Lower Rigid Hanger - Plan

CH/59-CH/60

Lower rigid hanger for channel

Galvanised Mild Steel
Thickness 1.0mm
Packed 100 per box



Part No.	Channel Size	Weight (kg) per 100	Packed per box
CH/59	60mm	5.2kg	100
CH/60	62mm	5.21kg	100

CH/24

Universal Suspension Clip

Spring Steel 0.7mm thick.
Standard Finish: Black
Packed 500 per box



Patent applied for



Part No.	Packed per box
CH/24	500

CH/61

Lower rigid hanger - Plan

Galvanised Mild Steel
Thickness 1.0mm
Packed 100 per box
Weight per 100 (3.5kg)



Part No.	Weight (kg) per 100	Packed per box
CH/61	3.5 kg	100



Ala Industrial Company

OTHER ACCESORIES



Fisher Screws



Brass Drop in Anchors



Steel Drop in Anchors



Ceiling Clips



Sleeve Anchor Flange Nut



Ceiling Nails



Corner Tape



Fiber Glass Mesh Tape



Paper Tape



Wood Screws



**Wafer head Screws
(Self Drill)**



Threaded rods



Steel Nails



**Drywall Screws
(Self Drill)**



**Drywall Screws
(Fine Thread)**



Hot Dip Galvanised Wires



PVC Coated Wires



Cement Board Screws

METAL STAMPED COMPONENTS

We offer variety of precision ferrous and nonferrous stamped components, with different type of surface coatings, for industries like electrical switch gears, auto mobiles, building materials, petroleum and gas industries.



BRASS COMPONENTS

We offer high-quality brass compression fittings, electrical neutral links, fasteners, inserts, forged components, flare fittings, pipe fittings, Hose barbs, garden hose fittings, push-on hose barbs, Air Brake hose tails, swimming pool hardware and customised Brass Components.



PANEL BOARD ACCESSORIES

We offer a complete range of panelboard accessories, like busbar support, terminal blocks, distribution blocks, Braided copper, din rails, panel locks, Swing handles with keys, cable terminal ends (cable lugs) panel Hinges etc





Ala Industrial Co.

Al Kharj Industrial City - Al Kharj Saudi Arabia

Tel : . 011 54222 59, Fax:. 011 54222 58

Email : sales@alaindustrial.com



CHANCELLOR

METAL INDUSTRIES LLC

Jurf Industrial Area, Ajman

United Arab Emirates

Email: sales@alaindustrial.com