



OUR PRODUCTS


COILS
CORRUGATED SINGLE SHEET
SINGLE FLAT SANDWICH PANEL
CORRUGATED SANDWICH PANEL
SINGLE DECKING SHEET
CORRUGATED CLADDING
Z PURLIN
C PURLIN
FENCING PANEL
ROOF TILE PROFILE
GRP & SKY LIGHT SHEET
ROCKWOOL PANEL INSULATION
PIR PANEL INSULATION
GUTTER
VALLEY GUTTER
ALL TYPES OF FLASHINGS
RAL COLOURS
ACCESSORIES

CONTACT US


Office Address:
Al Mitsannid, Sharjah,
United Arab Emirates.
Tel:+971-65336264
Mobile: +971-542479478
Email : info@arabsmetal.com
www.arabsmetal.com



COILS



CORRUGATED SINGLE SHEET



35/200 Corrugated Roof & Wall Cladding Sheet (Cover Width 1000mm)

This low-profile panel has a generous edge for a double-lap weather proof seal for roofing.

Raw Materials:

A) Galvanized or Alu-zinc Coated Steel. Either in Mill finish or in Polyester Coated.
Base Metal conforming To ASTM A653, Commercial Grade or Equivalent

B) Aluminium plain or Stucco Embossed either in Mill finish or in Polyester Coated.
Alloy - 3105, Temper H-16 or Equivalent

Standard Colors:

RAL 9002 OFFWHITE



RAL 1001 BEIGE

RAL 5012 BLUE

BSI2B21 EMIRATES GREEN

☐ Available in Non-standard colours upon the request.

SINGLE FLAT SANDWICH PANEL




SPECIFICATIONS:

- METAL SHEETS : Galvanized Iron (GI), Aluminium
- SHEET THICKNESS : 0.3mm to 1mm
- INSULATION : Available in PIR, PUR and Rockwool
- INSULATED THICKNESS : 50mm to 200mm
- Agents: Fire Retardant & Fire Rated
- COLORS : RAL Colors
- Density: 35-37kg/m²

PANELS AVAILABLE:

- Corrugated Panel 35/200
- Corrugated Panel 38/200
- Corrugated Panel 37/250
- Corrugated Panel 45/250
- Corrugated Panel 45/150
- Flat Panel Tongue & Groove
- Flat Panel Slip Joint
- Flat Panel Tongue & Groove With Cam Lock
- Flat Panel Hidden Fix

CORRUGATED SANDWICH PANEL PROFILE





SPECIFICATIONS:

- METAL SHEETS : Galvanized Iron (GI), Aluminium
- SHEET THICKNESS : 0.3mm to 1mm
- INSULATION : Available in Rockwool and PIR and PUR
- INSULATED THICKNESS : 50mm to 200mm
- Agents: Fire Retardant & Fire Rated
- COLORS : RAL Colors
- Density: 35-37kg/m²

PANELS AVAILABLE:

- Corrugated Panel 35/200
- Corrugated Panel 38/200
- Corrugated Panel 37/250
- Corrugated Panel 45/250
- Corrugated Panel 45/150
- Corrugated Panel 18/76

SINGLE DECKING SHEET





SPECIFICATIONS:

METEL SHEET: Galvanised Iron (GI)

SHEET THICKNESS : 0.50mm to 1.50mm

COLORS: Mill Finish & if any RAL Colors


Z PURLIN



SPECIFICATIONS:

- METAL : HD Galvanized Iron (GI) Mill Finish
- THICKNESS :1.5 mm to 3 mm
- Z PURLIN SIZES : Z120 to Z300 with standard Flanges and Lips


C PURLIN



SPECIFICATIONS:

- METAL : HD Galvanized Iron (GI) Mill Finish
- THICKNESS : 1.5 mm to 3 mm
- C PURLIN SIZES : C120 to C300 with standard Flanges and Lips
- Nonstandard orders are available upon request.

ROOF TILE SHEET



SPECIFICATIONS:

METEL SHEET: Galvanised Iron (GI),Aluminium




SHEET THICKNESS : 0.45mm to 1mm

INSULATION : Available in PUR


COLORS: Mill Finish & if any RAL Colors

Single Skin and Sandwich Panels are available upon the request.

GUTTER




ROCKWOOL PANEL INSULATION



Core Thickness	Thermal Conductance U-Value(W/m2k)	Thermal Resistance R-Value(W/m2k)
50mm	0.740	1.351
75mm	0.493	2.027
100mm	0.370	2.702

PIR PANEL INSULATION




Core Thickness	Thermal Conductance U-Value(W/m ² k)	Thermal Resistance R-Value(W/m ² k)
50mm	0.740	1.351
100mm	0.370	2.702
75mm	0.493	2.027


RIDGE



Profile Ridge




ALL TYPES OF FLASHINGS




RANGE:

- **Customized Dimensions available in Galvanised Iron(GI) and Aluminium**



GRP & SKYLIGHT SHEET



SOAKER PANEL



ROOF TURBIN




RAL COLOURS



Our RAL colours offer versatility and quality. Each color is meticulously formulated to ensure consistency and durability, so you can trust that your chosen hue will maintain its brilliance over time. With Arab Metal's RAL colors, you have the freedom to unleash your creativity and bring your vision to life.



RAL 9002 (Off White)



RAL 9003 (Signal White)



RAL 9016 (Traffic White)



RAL 5012 (Light Blue)



RAL 5010 (Gentian Blue)



RAL 2004 (Pure Orange)



RAL 1001 (Beige)



BS 12B21 (Emirates Green)




RAL 6032 (Signal Green)



RAL 3003 (Ruby Red)



RAL 3016 (Coral Red)



Brick Red

- THIS COLOR CHART DISPLAYS SAMPLES OF COLOR ONLY.
- AVAILABLE UPON THE REQUEST.

ACCESSORIES

ARAB METAL'S COMPREHENSIVE ACCESSORIES

Our accessories are crafted from high-quality materials and are designed to meet the highest industry standards for performance and durability. Whether you're working on roofing, cladding, or structural framing, Arab Metal has the right accessories to help you achieve professional results.



SELF DRILLING SCREW



COUNTER SUNK SCREW



SCREW CAPS



TYL SHEET SEALANT TAPE



PURLIN TAPE



FILLER BLOCK



DECKING SCREW



SHEAR STUDS



WATERPROOF RIVET



ANCHOR BOLT



STUD BOLT



SADDLE WASHER

SPECIFICATIONS:

- **WIDE RANGE** : Explore our extensive selection of accessories for all your construction needs.
- **HIGH-QUALITY MATERIALS** : Crafted from premium materials for long-lasting performance.
- **PROFESSIONAL RESULTS** : Designed to meet industry standards and ensure professional-grade results.
- **EASY INSTALLATION** : Simplify your project with user-friendly accessories that are quick and easy to install.



AMC
ARABS METAL
CONTRACTING LLC

Expertise & innovation, working for you.

GET IN TOUCH



Tel:+971-65336264



Mobile: +971-542479478



info@arabsmetal.com



Al Mitsannid, Sharjah
United Arab Emirates



www.arabsmetal.com

