

AL LAMSAH AL FDIAH METAL

COATING L.L.C (S.P)

**PRODUCTS AND
SERVICES**



**HOT DIP
GALVANIZING
BROCHURE**



Our integral solutions
have no limits

At LAMSAH, we have consolidated a
wide variety of products and services
that complement our value proposition.

We offer an effective response for
large scale projects with hot-dip
galvanizing.

Galvanized Metal
Structure





Galvanized
Structure

HOT DIP GALVANIZING

Protection of steel products against corrosion, long durability and integral coating of structures.

Our robust high-tech plant allows us to have full control of the processes, with an installed capacity of 500 tons/month, complying with ASTM quality standards.




Galvanizing
Process

CORROSION

Corrosion is one of the challenges faced by the metalworking industry. However, industrial development has made it possible to apply metallic and polymeric coatings, to protect steel and extend its lifespan.

The most important coating is hot-dip galvanizing because of its long durability, unnecessary maintenance, triple protection, integral coating, easy to weld, easy to paint, and the toughness of the coating.





PRODUCTION PLANT

Our robust state-of-the-art plant allows us to be in control of all processes.

- Hot dipped galvanized in molten zinc.
- Crucible:
 - 3,00 meters long.
 - 1,20 meters wide.
 - 2,00 meters depth.
- Galvanizing capacity: 500 ton/month.
- Blast cleaning.
- Technical assistance.
- Quality standards:
 - ASTM A123
 - ASTM A153

Our capacity allows us to galvanize: monopoles, transmission towers, water tanks, channels, caps, profiles, poles, ladders, ring pulls, anti-scalings, road protection and signaling: bands, poles, joists, etc.



REASONS TO GALVANIZE

1. Durability is extremely high.

Guarantees durability in terms of time and environment.

2. It is more economical.

3. Triple protection.

- Barrier protection.
- Cathodic protection.
- Zinc oxidation protection.

4. Versatility.

For all kinds of parts.

5. Reliability.

Specified by national and international standards.
(ASTM 123, 153, 780, 384,385)

6. Sustainability.

Steel and zinc are recyclable.






- 7. Integral coating.
Internal and external coating.
- 8. Uniform protection.
- 9. Abrasion resistance.
Protection against hostile manipulation.
- 10. Manageable.
Allows for easy assembly by bolting and welding.



GALVANIZING PROCESS



- 1.** Degrease
Removal of grease or oil from black steel.
- 2.** Pickling
Scale and rust removal.
- 3.** Rinse
Removes acid residues.
- 4.** Fluxing
Prevents oxidation of the piece before entering the bath, even thicknesses throughout the piece.



5. Drying
Eliminates liquid waste and moisture;
dry and heat the material.
6. Immersion in hot dip zinc 450°C.
7. Cooling.
8. Inspection and cleaning.



AL LAMSAH AL FDIAH METAL COATING L.L.C (S.P)

CONTACT US

Sajja- Ind 3
Sharjah, UAE
www.gandg.ae
info@gandg.ae
pm@gandg.ae
projectsales@gandg.ae
production@gandg.ae
allamsahalfdiahmetal@gmail.com

Mobile: Mr Senthil, Operation Manager 050 6539811
Mr Jinu, Sales Manager 056 9960108
Mr Haridoss, Plant Manager 050 1921318
Mr Renold, Commercial manager 052 9399506
Mr Adnan, Sales Man 056 9952473

