

Aojia™

AOJIA FASTENERS



CATALOGUE

*Quality Clenched
Trust Anchored*

Aojia™

AOJIA FASTENERS

Anchor Bolts

Fix Bolt
















Marble Angle

Nuts

Bolts

Catalogue

The products mainly operated by Aojia Fasteners

	Ceiling Anchor	1
	Tie Wire Anchor	2
	Hammer in Plasterboard Fixing	3
	Christmas tree Anchor	4
	SS Tam Anchor	5
	SS Marble Angle	6
	4Pcs Fix Bolts	7
	4Pcs Fix Bolts With Hook	7
	4Pcs Fix Bolts With Eye	7
	3Pcs Fix Bolts	8
	3Pcs Fix Bolts With Hook	8
	3Pcs Fix Bolts With Eye	8
	Wedge Anchor	9
	Drop in anchor	10
	G-clamp with bolt	11

Economical ceiling hammer-set anchor for non-structural applications

Ceiling Anchor


Material: carbon steel

Surface: galvanizing

Color: Blue white, yellow

Application: Building ceiling fixing

Model: M6*40,M6*50,M6*60,M6*65



Product detail


SIZE	L[mm] Entire Length	L1[mm] Length	d[mm] Drill hole diameter	H[mm] Rivet cap	h[mm] Entire Length	Weight
M6 x 40	48	36.3	5.6(±0.1)	13.9(±0.1)	5.6	9.7(g)
M6 x 50	60	46	5.6(±0.1)	13.9(±0.1)	5.6	11.6(g)
M6 x 60	71	56.3	5.6(±0.1)	13.9(±0.1)	5.6	13.3(g)
M6 x 65	76	62.8	5.6(±0.1)	13.9(±0.1)	5.6	14.8(g)
M6 x 70	48	36.3	5.6(±0.1)	13.9(±0.1)	5.6	9.7(g)

Packaging method

SIZE	PCS/BOX	PCS/CNT	Carton Size	Customized
M6 x 40	100	2000	37x20x18 37x21x16	>200Carton
M6 x 50	200	2000	37x20x18 37x21x16	>200Carton
M6 x 60	100	2000	33x21x16 38x22x24	>200Carton
M6 x 65	100	2000	38x22x24	>200Carton
M6 x 70	200	2000	38x22x24	>200Carton



INSTALLATION PROCEDURE



For normal/steel - deck concrete. Tri - clip for easy acoustic grid install by hammer claw.

Tie Wire Anchor


Material: carbon steel

Surface: galvanizing

Color: Blue white, yellow

Application: Building Construction

Model: M6*40,M6*50,M6*60,M6*65




Specification

SIZE	L _[mm] Length	D Drill hole diameter	PCS/BOX	PCS/CTN	Carton Size
M6 x 40	40	6	150	3000	38x21x18
M6 x 50	50	6	100	2000	38x21x18
M6 x 55	55	6	100	2000	38x21x18
M6 x 60	60	6	100	2000	38x21x18



INSTALLATION PROCEDURE



Quick and easy to use, an all metal 30mm hammer-in plug for light duty fixing to plasterboard

Hammer in Plasterboard Fixing



Material: carbon steel

Surface: galvanizing

Color: Blue white, yellow

Application: interior decorations, pictures, lamps, electrical fittings

Model: 12x30, 12x40, 16x40





Product detail

SIZE	L _[mm] Entire Length	D _[mm] Width	C _[mm] Drill hole diameter	F _[mm] Diameter	S _[mm] Screw diameter	I _[mm] Min. screwing penetration	Weight
12 x 30	30	12	5	11.2(±0.1)	3.5-5.0	27	1.93(g)
12 x 40	41	12	4.7	10.2(±0.1)	3.5-5.0	27	2.75(g)
16 x 40	43	16.8-17.3	10	-	-	27	3.56(g)

Packaging method

SIZE	PCS/BOX	PCS/CNT	Carton Size	Customized
12 x 30	800	6400	34x26x18	>200Carton
12 x 40	500	4000	34x26x18	>200Carton
16 x 40	200	1600	34x26x18	>200Carton

INSTALLATION PROCEDURE



Expandable by using wood screw or any type of steel bolt through it.

Metal Expansion Plug


Material: carbon steel

Surface: galvanizing

Color: Blue white, yellow

Application: Tightening expansion

Model: M5*30,M6*30,M8*38,M8*60,M10*60




Product detail

SIZE	L _[mm] Entire Length	D _[mm] Hole diameter	D1 _[mm] Drill hole diameter	D2 _[mm] Bottom width	Thickness _[mm]	Weight(g)	Matching nail size
M5 x 30	31.2±0.2	7.6±0.2	6.4±0.1	6.5±0.5	0.45	1.6±0.05(g)	M4 x 35
M6 x 32	32.2±0.2	9.0±0.2	7.4±0.1	7.5±0.5	0.45	2.0±0.05(g)	M5 x 35
M8 x 38	38.2±0.2	11.2±0.2	9.8±0.1	9.5±0.5	0.8	6.0±0.05(g)	M6 x 40
M8 x 60	60.2±0.2	11.2±0.2	9.8±0.1	9.5±0.5	0.8	9.4±0.2(g)	M6 x 40
M10 x 60	60.2±0.2	14.2±0.2	11.9±0.1	11.5±0.5	0.8	11.6±0.1(g)	M8 x 60

Packaging method

SIZE	PCS/BOX	PCS/CNT	Carton Size	Customized
M5 x 30	600	4800	39 x 32 x 19	>200Carton
M6 x 32	500	4000	39 x 32 x 19	>200Carton
M8 x 38	250	2000	39 x 32 x 19	>200Carton
M8 x 60	120	1000	39 x 32 x 19	>200Carton
M10 x 60	100	800	39 x 32 x 19	>200Carton

INSTALLATION PROCEDURE



ss 201 304 316


SS Tam anchor

Material: Stainless steel 202 304 316

Color: silver

Application: Fixing marble

Model: 24*30*30--24*30*80



Product detail

SIZE	L _[mm] Entire Length	D _[mm] Width	H _[mm]	W1 _[mm]	W2 _[mm]	Weight
M6	30	12	5	11.2(±0.1)	3.5-5.0	7.2(g)
M8	41	12	4.7	10.2(±0.1)	3.5-5.0	11.8(g)
M10	43	16.8-17.3	10	-	-	21.7(g)

Matching bolts


SIZE	Material	Weight	PCS/CNT	Carton Size
201-30-M6*50	SS201	10.4(g)	1800	28*26*16
304-933-M6*50	SS304	10.93(g)	1800	28*26*16
316-933-M6*50	SS316	10.93(g)	1800	28*26*16



Packaging method

SIZE	PCS/BOX	PCS/CNT	Carton Size	Customized
M6	200	1600	30*25*18	>200Carton
M8	100	800	30*25*18	>200Carton
M10	70	560	30*25*18	>200Carton

INSTALLATION PROCEDURE



Marble brackets are devices used to support and secure marble, providing structural stability and aesthetics.

SS Marble angle bracket


Material: Stainless steel 202 304 316

Color: silver-gray dark gray

Application: Fixing marble

Model: 30*30--30*200



Thickness:1.8--4.0



Product detail

SIZE	A/D[mm] Height	B[mm] Length	C[mm] Width	F/E[mm] Aperture	G/E[mm] Screw diameter	I[mm] Thickness	Weight	PCS/CNT	Carton Size
30*30*25*2.5	30/28	30	25	15*4	15.5*7	2.5	18.76(g)	1000	25.5*22*11
30*40*25*2.5	30/28	40	25	15*4	15.5*7	2.5	24.75(g)	880	25.5*22*11
30*50*25*2.5	30/28	50	25	15*4	15.5*7	2.5	29.29(g)	720	25.5*22*11
30*60*25*2.5	30/28	60	25	15*4	15.5*7	2.5	33.83(g)	640	25.5*22*11
30*70*25*2.5	30/28	70	25	15*4	15.5*7	2.5	38.37(g)	560	25.5*22*11
30*30*25*3.0	30/28	30	25	15*4	15.5*7	3.0	22.37(g)	900	25.5*22*11
30*40*25*3.0	30/28	40	25	15*4	15.5*7	3.0	27.46(g)	700	25.5*22*11
30*50*25*3.0	30/28	50	25	15*4	15.5*7	3.0	32.55(g)	600	25.5*22*11
30*60*25*3.0	30/28	60	25	15*4	15.5*7	3.0	37.64(g)	540	25.5*22*11
30*70*25*3.0	30/28	70	25	15*4	15.5*7	3.0	42.72(g)	460	25.5*22*11

INSTALLATION PROCEDURE



Fixed handrail 、 concrete
Fixed natural stone hollow

4PCS Fix Bolts

Material: Carbon Steel
Color:yellow,bule white
Application:Building Decoration
Model: M6-M20



Product detail




Product	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
4PCS Shield	M6	41	8.2	200	2000	25.5*21.5*28.5
4PCS Shield	M8	47	16.5	100	1000	25.5*21.5*28.5
4PCS Shield	M10	58	24	50	500	25.5*21.5*28.5
4PCS Shield	M12	80	50.3	30	300	25.5*21.5*28.5
4PCS Shield	M16	99	97	15	150	25.5*21.5*28.5
4PCS Shield	M20	128	178	15	60	25.5*21.5*28.5



Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
4PCS Fix Bolts	M6*50	49	18.3	100	1200	26*25.5*18.5
4PCS Fix Bolts	M8*60	60	38.5	50	600	26*25.5*18.5
4PCS Fix Bolts	M10*70	70	64	30	360	26*25.5*18.5
4PCS Fix Bolts	M12*90	92	128	20	240	34*22*22
4PCS Fix Bolts	M16*110	110	270	9	108	34*22*22
4PCS Fix Bolts	M20*150	161	565	4	40	37*20*13.5



Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
Fix bolt with eye	M6*50	80	29.5	60	600	52*18*15
Fix bolt with eye	M8*60	96	62	30	300	52*18*15
Fix bolt with eye	M10*70	117	112	20	200	52*18*15
Fix bolt with eye	M12*90	145	208	10	100	52*18*15



Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
Fix bolt with hook	M6*50	78.5	27.5	60	600	52*18*15
Fix bolt with hook	M8*60	96	59	30	300	52*18*15
Fix bolt with hook	M10*70	114	105	20	200	52*18*15
Fix bolt with hook	M12*90	145	195	10	100	52*18*15

INSTALLATION PROCEDURE



Fixed handrail 、 concrete
Fixed natural stone hollow

3PCS Fix Bolts

Material: Carbon Steel

Color:yellow,bule white

Application:Building Decoration

Model: M6-M20



Product detail

Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
3PCS Fix Bolts	M6*50	48.8	24.7	100	1200	30*22*22
3PCS Fix Bolts	M8*60	60	42	50	600	30*22*22
3PCS Fix Bolts	M10*70	70	71	30	360	30*22*22
3PCS Fix Bolts	M12*90	92.5	138	20	240	34*22*22
3PCS Fix Bolts	M16*110	119	315	10	120	34*22*22
3PCS Fix Bolts	M20*150	158	623	10	40	customize


Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
3PCS Shield	M6	45	14.5	100	1600	34*26*18
3PCS Shield	M8	50	19.7	100	800	34*26*18
3PCS Shield	M10	60	30	60	480	34*26*18
3PCS Shield	M12	72	54.5	25	360	34*26*18
3PCS Shield	M16	97	134	15	150	34*26*18
3PCS Shield	M20	125	250	15	80	34*26*18

Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
3pcs Fix bolt with hook	M6*50	78	34.19	60	600	35*26*18
3pcs Fix bolt with hook	M8*60	96	63.11	30	300	35*26*18
3pcs Fix bolt with hook	M10*70	115	112.3	20	200	35*26*18
3pcs Fix bolt with hook	M12*90	145	197.18	10	100	35*26*18

Products	SIZE	Length	Weight	PCS/BOX	PCS/CTN	Carton Size
3pcs Fix bolt with eye	M6*50	78	36	60	600	35*26*18
3pcs Fix bolt with eye	M8*60	96	65.5	30	300	35*26*18
3pcs Fix bolt with eye	M10*70	115	120	20	200	35*26*18
3pcs Fix bolt with eye	M12*90	148	210.18	10	100	35*26*18



INSTALLATION PROCEDURE



Fixed handrail 、 concrete

Fixed natural stone hollow

SS Wedge anchor

Material: stainless steel

Application: Building Decoration

Model: M6-M16



Product detail

SIZE	Length	Diameter	across side	HoleDiameter	PCS/BOX	PCS/CTN	Carton Size	Weight
8*80	50	6	10	9	180	720	36*26*16.5	31
8*100	60	6	10	9	150	600	36*26*16.5	37
8*120	75	6	10	9	120	480	36*26*16.5	44
10*100	100	6	10	9	90	360	36*26*16.5	61
10*120	60	8	14	8	75	300	36*26*16.5	74
10*150	70	8	14	8	75	300	36*26*16.5	85
12*100	75	8	14	8	75	300	36*26*16.5	93
12*120	80	8	14	8	60	240	36*26*16.5	106
12*150	90	8	14	8	50	200	36*26*16.5	128
16*100	100	8	14	8	40	160	36*26*16.5	177
16*120	115	8	14	8	30	120	36*26*16.5	182
16*150	70	10	17	10	30	120	36*26*16.5	242

INSTALLATION PROCEDURE



High hardness, convenient installation, safe and enviro


Drop in anchor

Material: Carbon Steel

Color: yellow, blue white

Application: Building Decoration


Model: M6-M20



Product detail

Size	Length	Diameter	Bore Size	PCS/BOX	PCS/CTN	Carton Size
M6	25	8	8	100	4000	40*20*12.5
M8	30	10	10	100	2000	24.5*22.5*19.5
M10	40	12	12	50	1000	35*28*11
M12	50	16	16	50	500	41*19.5*22.5
M16	60	20	20	25	250	21*27*29

INSTALLATION PROCEDURE



More products



Butterfly Lock Washers



Omiga Angle



Express Nails Anchor



GI Tam Anchor Shield



G-clamp with bolt



Ventilation Pipe Joints



Hollow Wall Expansion Anchor



Sleeve Anchor



SS Hex Nut



SS Allen Bolt



SS Washer



SS Thread Rod



SS Hanger Bolt



Solar Adjustable Roof Hook

