

GULF FENCE FACTORY(FZE)

CHAINLINK FENCE SPECIALISTS



مصنع سياج الخليج (م.ج.م.)

متخصصون لشبك السوار الأمنية



U.A.E. : الإمارات العربية المتحدة :

تلفون : 06-526 1809
فاكس : 06-526 3928
جوال : 050 9787087
ص.ب : 50094

المنطقة الحرة بالحميرة : HAMRIA FREE ZONE
الشارقة : SHARJAH :

Website : www.gulfence.com
E-mail : sales@gulfence.com

K.S.A. BRANCH : المملكة العربية السعودية :

تلفون : 01 - 239 4646
فاكس : 01 - 239 4658
جوال : 050 3285241
جوال : 050 3204657
ص.ب : 60878
الشارقة : RIYADH :

GULF FENCE FACTORY(FZE)**CHAINLINK FENCE SPECIALISTS****مصنع سياج الخليج (م.م.ج.)****متخصصون لشبك السوار الأمنية**

ABOUT US:

GULF FENCE FACTORY (GFF) is established in Hamaria Free Zone UAE. It has parent company in Saudi Arabia and is specialized in the field of complete security chain link fencing systems since 27 years. It has vast experience in dealing with Govt. & Private sectors all over the Middle East. GFF enjoys rapid market acceptance and brings a powerful set of partners and capabilities to our clients.

GFF is chain link specialist handling many projects through our expertise in the field of fencing all over the GCC & African countries by our experience team for supply & installation and we assure you of the best quality, timely delivery & better sales after services all the time.




WHAT WE OFFER?

MESH**PIPES****GATES****SWING GATES****FENCE ACCESSORIES****BARBED WIRED****CONCERTINA BARBED WIRED****CONCERTINA BARBED TAPE****POLE BARRIERS**

MESH SPECIFICATIONS

Barbed Selvage



Knuckled Selvage

Galvanised(mm)	PVC(mm)

Mesh Opening Sizes

PVC Coated or Galvanised(mm)

25x25, 40x40, 50x50, 60x60,
65x65, 70x70, 75x75, 80x80

Wire Diameter

Galvanised (mm)	PVC Coated (mm)
2.5	2.00/3.00
3.0	2.20/3.20
3.5	2.50/3.55
3.76	3.00/4.00
4.0	3.55/4.75
4.5	3.76/4.88

Note: Other sizes on request

PVC Types:

- Extruded
- Bonded

Colours:

GREEN (Standard)

On Special order

BLUE

RED

BEIGE

BLACK

BARBED WIRE:


ITEM	GALVANISED	PVC COATED
Line wire diameter (In mm)	2mm or 2.5mm	1.8/2.5
Spikes diameter (In mm)	1.6 to 1.8	1.6 to 1.8(Galvanised)
Spacing (In mm)	70 to 150	70 to 150

★ Barbed Wire- One bundle length 200 meters



CONCERTINA


Concertina Barbed Wire




Concertina Barbed Tape




Concertina Barbed Wire




TYPES OF FENCES




TYPE 'A'




TYPE 'B'



TYPE 'C'



TYPE 'CD'



TYPE 'CT'


SWING GATES

TYPES: Bolted or Welded, Bonded, Single or Double, Galvanised Finish, PVC Coated Finish



SLIDING GATES

- Manual
- Electrical



PIPES B.S. Com

BS 1387-85 Class A-1, Commercial Grade Steel Tubes




Nominal Bore		Outside Diameter		Wall Thickness	Weight Thickness		Pieces Per Bundle
		Max.	Min.		Plain End		
A	B	mm(in)	mm(in)	mm(in)	kg/m	lb/ft	
15	1/2	21.10 (0.831)	20.70(0.75)	1.9(0.075)	0.89	0.6	150
20	3/4	26.70 (1.051)	26.30(1.035)	2.1(0.083)	1.25	0.847	105
25	1	33.00 (1.299)	32.60(1.283)	2.3(0.090)	1.74	1.163	70
32	1-1/4	41.80 (1.646)	41.40(1.630)	2.3(0.091)	2.23	1.499	48
40	1-1/2	47.70 (1.880)	47.30(1.862)	2.5(0.098)	2.77	1.862	42
50	2	59.90 (2.358)	59.30(2.335)	2.6(0.102)	3.66	2.453	30
65	2-1/2	75.10 (2.957)	74.50(2.933)	2.9(0.114)	5.14	3.454	25
80	3	88.00 (3.465)	87.40(3.441)	2.9(0.114)	6.06	4.072	20
100	4	113.10 (4.453)	112.50(4.429)	3.2(0.126)	8.66	5.813	10
125	5	140.60 (5.535)	138.70(5.461)	4.5(0.177)	15	10.081	8
150	6	166.10 (6.539)	164.10(6.461)	4.5(0.177)	17.82	11.976	7
200	8	217.30 (8.555)	215.30(8.476)	5.3(0.209)	27.58	18.545	5

ASTM A53 G-A SCH 40 (ASTM 120)

ASTM A53 G-A SCH 40

Pipe, Steel Black & Hot Dipped Zinc Coated, Welded

Normal Size		Outside Diameter		Wall Thickness		Normal weight		Test Pressure		Pieces per Bundle
						Plain End		Plain Ends		
A	B	mm	in	mm	in	kg/m	kg/ft	psi	kg/cm2	
15	1/2	21.3	0.84	2.77	0.109	1.27	0.39	700	50	120
20	3/4	26.7	1.05	2.87	0.113	1.69	0.51	700	50	84
25	1	33.4	1.315	3.38	0.133	2.5	0.76	700	50	60
32	1 1/4	42.2	1.66	3.56	0.14	3.39	1.03	1,200	85	42
40	1 1/2	48.3	1.9	3.68	0.145	4.05	1.23	1,200	85	36
50	2	60.3	2.375	3.91	0.154	5.44	1.66	2,300	160	26
65	2 1/2	73	2.875	5.16	0.203	8.63	2.63	2,500	175	18
80	3	88.9	3.5	5.49	0.216	11.29	3.44	2,220	155	14
90	3 1/2	101.6	4	5.74	0.226	13.57	4.13	2,030	142	12
100	4	114.3	4.5	6.02	0.237	16.07	4.89	1,900	133	10
125	5	141.3	5.563	6.55	0.258	21.77	6.63	1,670	117	8
150	6	168.3	6.625	7.11	0.28	28.26	8.6	1,520	106	7
200	8	219.1	8.625	8.18	0.322	42.55	12.95	1,340	94	5
250	10	273	10.75	9.27	0.365	60.29	18.36	1,220	85	1
300	12	323.8	12.75	10.31	0.406	73.78	24.28	1,150	80	1





GULF FENCE FACTORY(FZE)

CHAINLINK FENCE SPECIALISTS



مصنع سياج الخليج (م.م.ح.)


متخصصون لشبك السوار الأمنية

Website : www.gulfence.com
E-mail : sales@gulfence.com

UAE : sales@gulfence.com +971-6-526 1809

SAUDI : saudisales@gulfence.com +966-508090178

FENCE ACCESSORIES



INSTALLATION



www.gulfence.com

U.A.E. : الإمارات العربية المتحدة :

TEL. : 06-526 1809 : تلفون
FAX : 06-526 3928 : فاكس
MOB. : 050 9787087 : جوال
P.O.BOX : 50094 : ص.ب

HAMRIA FREE ZONE : المنطقة الحرة بالحمرية
SHARJAH : الشارقة

Website : www.gulfence.com
E-mail : sales@gulfence.com

K.S.A. BRANCH : المملكة العربية السعودية :

TEL. : 01 - 239 4646 : تلفون
FAX : 01 - 239 4658 : فاكس
MOB. : 050 3285241 : جوال
MOB. : 050 3204657 : جوال
P.O.BOX : 60878 : ص.ب
RIYADH : الرياض