



COMPANY
BROCHURE
2026

HASNIAH PRODUCT CATALOG

THE WORLD OF CERAMIC
ACCESSORIES & PROFILES



WWW.SNOWDENWORLD.COM



@HASNIAHTRADING
@SNOWDEN.WORLD
@SNOWDEN.PROFILES

INDEX



SNOWDEN PROFILES

Stainless Steel Profiles

Pages 4 - 22

Aluminium Profiles

Pages 23 - 46

Skirtings

Pages 47 - 62

PVC Profiles

Pages 63 - 67

LED Profiles

Pages 68 - 71



SANITARY WARE

Drains

Pages 72 - 79

Shattaf

Pages 80 - 83

Shower Boxes

Pages 84 - 86

Shower Shelves

Pages 87 - 89

W.C Niche

Pages 90 - 91

Stone Bath Mat

Pages 92



SHIJING PRODUCTS

Tile Cutting Machines

Pages 93 - 99

Tile Cutting Accessories

Pages 100 - 107



SNOWDEN PROTECTION MAT

Pages 108 - 109



XPS BUILDING BOARD

Pages 110 - 111



TILE ADHESIVE

Glue


Pages 112 - 115

Grout

Pages 116

Waterproof

Pages 117



S.S SHOWER BOX



SHOWER DRAIN



SHOWER GLASS PROFILE



SHATTAF



TILE TRIM PROFILES



LED PROFILES



W.C NICHE



SHADOW GAP



Elevate Your Home with our **PROFILES**

Transform your living spaces with our exceptional tile trim profiles, designed to seamlessly blend style and durability. Whether you choose the sleek sophistication of stainless steel, the contemporary versatility of aluminum, or the practical charm of PVC, our profiles bring a refined finish to any tiled area. These ceramic accessories do more than just protect edges—they enhance your home's character, creating clean lines and flawless transitions that elevate every room. Discover how our high-quality profiles can add a touch of luxury and precision to your interiors, ensuring your spaces look stunning for years to come. Choose our brand to complete your project with confidence and class.

INDEX

SNOWDEN PROFILES

STAINLESS STEEL PROFILES

1. Square Profiles	Pages 5 - 8
2. End Trim Profiles	Pages 9 - 10
3. Round Profiles	Pages 11 - 12
4. U-Channel Profiles	Pages 13 - 14
5. T-Profiles	Pages 15 - 16
6. L-Angle Profiles	Pages 17 - 18
7. Flexible Profiles	Pages 19 - 20
8. Transition Profiles	Pages 19 - 20
9. Shower Glass Frame Profiles	Pages 21 - 22

SQUARE PROFILE






Stainless Steel **Square Profiles**

- Protects tile edges.
- Provides a sharp, modern finish.
- Provides a clean, aesthetic design, enhancing the overall look of tiled areas.



COLOR RANGE OF SQUARE PROFILES

	 MATERIAL	Stainless Steel 304 & 316
	 THICKNESS	0.8 MM
	 AVAILABLE SIZES	10X10 MM & 12X12 MM 8X10 MM & 8X12 MM



Colors Available in **S.S 304**:

 Matt Silver SBP110-1B	 Polish Silver SBP110-1S	 Silver Dots SBP110-1DT
 Matt Gold SBP110-2B	 Polish Gold SBP110-2S	 Champagne SBP110-JC1016
 Matt Rose Gold SBP110-3B	 Polish Rose Gold SBP110-3S	 Bronze SBP110-14B
 Matt Black SBP110-4B	 Polish Black SBP110-4S	 Textured Black SBP110-29JW
 White SBP110-12PM	 Silver Mosaic SBP110-1DT	 Textured Bronze SBP110-26JW
 Gold Diamond JS1152	 Silver Diamond JS1151	 Sanded Titanium SBP110-23PQ
		 Sanded Black SBP110-25PQ
		 Polish Silver SBP017-1S

Colors Available in **S.S 316**:

 Matt Silver SBP110-1B	 Polish Silver SBP110-1S	 Polish Rose Gold SBP110-3S
 Matt Gold SBP110-2B	 Polish Gold SBP110-2S	 Polish Black SBP110-4S



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

SQUARE PROFILE'S JOINTS



MATERIAL

Stainless Steel 304



AVAILABLE SIZES

10X10 MM &
12X12 MM



AVAILABLE COLORS

POLISH & MATT
SILVER, GOLD, BLACK
& ROSE GOLD



- Provides a stylish and clean finish to tiled corners and edges.
- Square Joints are available in multiple colors both in Matt and Polish.
- It is the perfect solution and best option to install in 3D boxes for joining three sides of tile trims.



CODE:
ADP110



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

END TRIM PROFILE





Stainless Steel End Trim Profiles

- Ideal for creating clean transitions between tiled surfaces and other materials.
- It gives a thin line transition from one side and a thick line from the other side.



COLOR RANGE OF END TRIM PROFILES

	 MATERIAL	Stainless Steel 304
	 THICKNESS	0.8 MM
	 AVAILABLE SIZES	H: 8MM, 10MM, 12MM & 20 MM W: 3 MM



Colors Available in **End Trim 8MM:**

 Matt Silver SBP019-1B	 Matt Rose Gold SBP019-3B-8H
 Matt Gold SBP019-2B	 Matt Black SBP019-4B-8H

Colors Available in **End Trim 10 & 12MM:**

 Matt Silver SBP018-1B	 Polish Silver SBP018-1S
 Matt Gold SBP018-2B	 Polish Gold SB018-2S

Colors Available in **End Trim 20MM:**

 Matt Silver SBP019-1B-20H	 Matt Black SBP019-4B-20H
 Matt Gold SBP019-2B-20H	



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION


ROUND PROFILE

Stainless Steel Round Profiles

- Elegant, smooth edged and durable finishing solution designed profiles to enhance the aesthetic appeal of tiled surfaces.
- The half-round curve softens the 90 degree points, significantly reducing the risk of painful bumps or cuts.



COLOR RANGE OF ROUND PROFILES




 MATERIAL	Stainless Steel 304
 THICKNESS	0.8 MM
 AVAILABLE SIZES	10 MM & 12 MM



Colors Available in **Round 10 & 12 MM:**

 Polish Black SR003-4S	 Polish Silver SR003-1S	 Polish Gold SR003-2S
 Matt Black SR003-4B	 Matt Silver SR003-1B	



 MATERIAL	Stainless Steel 304
 THICKNESS	0.8 MM
 AVAILABLE SIZES	12 MM



Colors Available in **Oval 12 MM:**

 Polish Silver SR029-1S	 Polish Gold SR029-2S
---	---



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

U-CHANNEL PROFILE

Stainless Steel U-Channel Profiles

- Ideal for creating smooth, elegant transitions between same floor levels and the profile stays on the same level of the flooring.
- Moreover it can be fixed between various flooring materials.

COLOR RANGE OF U-CHANNEL PROFILES

	 MATERIAL	Stainless Steel 304
	 THICKNESS	0.8 MM
	 AVAILABLE SIZES	WXH: 10X10MM, 15X10MM, & 20X10MM



Colors Available in **U-Channel 10x10MM**:

 Matt Silver SUP10-1B	 Polish Silver SUP10-1S	 Matt Black SUP10-4B
 Matt Gold SUP10-2B	 Polish Gold SUP10-2S	 Polish Black SUP10-4S
 Matt Rose Gold SUP10-3B	 Polish Rose Gold SUP10-3S	

Colors Available in **U-Channel 15x10MM**:

 Matt Silver SUP15-1B	 Polish Silver SUP15-1S	 Matt Rose Gold SUP15-3B
 Matt Gold SUP15-2B	 Polish Gold SUP15-2S	 Matt Black SUP15-4B

Colors Available in **U-Channel 20x10MM**:

 Matt Silver SUP20-1B	 Polish Silver SUP20-1S	 Polish Black SUP20-4S
 Matt Gold SUP20-2B	 Polish Gold SUP20-2S	 Matt Black SUP20-4B
 Matt Rose Gold SUP20-3B		



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION


T-PROFILE

Stainless Steel T - Profiles

- Create seamless, flush transitions between floor coverings of equal height, such as tile-to-tile or tile-to-wood.
- The head of the T profile doesn't stay on the same level of the flooring.

COLOR RANGE OF T-PROFILES

		MATERIAL	Stainless Steel 304
	THICKNESS	0.8 MM	
	AVAILABLE SIZES	WXH: 8X5 MM, 15X8 MM	



Colors Available in **T-Profile 8X5 MM**:

	Matt Silver STP145-1B-8W		Polish Silver STP145-1S-8W
	Matt Gold STP145-2B-8W		Polish Gold STP145-2S-8W
	Matt Black STP145-4B-8W		Polish Black STP145-4S-8W
	Matt Rose Gold STP145-3B-8W		

Colors Available in **T-Profile 15X8 MM**:

	Matt Silver STP015-1B-15W		Polish Silver STP015-1S-15W
	Matt Gold STP015-2B-15W		Polish Gold STP015-2S-15W
	Matt Black STP015-4B-15W		Polish Black STP015-4S-15W



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

L-ANGLE PROFILE

Stainless Steel L-Angle Profiles

- Provide edge protection from chipping and mechanical stress, and offer a clean, decorative finish for external corners.
- L-Angle Profile is installed if the tiles are fixed on walls and profiles are needed to be used.



COLOR RANGE OF L-ANGLE PROFILES



 **MATERIAL** Stainless Steel 304

 **THICKNESS** 0.8 MM

 **AVAILABLE SIZES** 20X20 MM & 25X25 MM



Colors Available in **L-Angle 20 & 25 MM**:

 Matt Silver SA012-1B	 Polish Silver SA012-1S	 Matt Rose Gold SA012-3B
 Matt Gold SA012-2B	 Polish Gold SA012-2S	
 Matt Black SA012-4B	 Polish Black SA012-4S	

**INNER CORNER
L-ANGLE
PROFILE**



 **MATERIAL** Stainless Steel 304

 **THICKNESS** 0.8 MM

 **AVAILABLE SIZES** 25X25 MM

 **AVAILABLE COLORS**

 Polish Silver
SA027-25W-1S
  Polish Gold
SA027-25W-2S



**INNER CORNER
WALL
TRANSITION
PROFILES**



 **MATERIAL** Stainless Steel 304

 **THICKNESS** 0.8 MM

 **AVAILABLE SIZES** 10 MM

 **AVAILABLE COLORS**

 Polish Silver
SY023-1S



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

FLEXIBLE PROFILE

Stainless Steel **Flexible Profiles**


- It is used in construction and design for tiling applications, especially on curved or non-straight surfaces.

TRANSITION PROFILE

Stainless Steel **Transition Profiles**

- Creates smooth, safe, and aesthetically pleasing transitions between different floor coverings of varying heights.

COLOR RANGE OF FLEXIBLE PROFILES



 **MATERIAL** Stainless Steel 304

 **THICKNESS** 0.8 MM

 **AVAILABLE SIZES** H: 12MM



Colors Available in **Flexible 10 & 12 MM:**

 Matt Silver SL005-1B	 Matt Black SL005-4B	 Polish Gold SL005-2S
 Polish Silver SL005-1S	 Polish Black SL005-4S	

COLOR RANGE OF TRANSITION PROFILES



 **MATERIAL** Stainless Steel 304

 **THICKNESS** 0.8 MM

 **AVAILABLE SIZES** H: 10MM & 12MM



Colors Available in **Transition 10 & 12 MM:**

 Matt Silver SL028-1B	 Polish Silver SL028-1S	 Matt Gold SL028-2B	 Polish Gold SL028-2S
---	---	---	---



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

SHOWER GLASS FRAME PROFILE

Stainless Steel Shower Glass Frame Profile

- Can reduce the need for extra sealing materials, such as silicone along edges.
- Adds durability, as the frame helps distribute forces along the glass panels.
- Frame profiles give a clean, polished look to the shower enclosure by covering raw glass edges and attachments.

COLOR RANGE OF SHOWER GLASS FRAME - PROFILES

	 MATERIAL	Stainless Steel 304
 THICKNESS	1 MM	
 AVAILABLE SIZES	WXH: 11X18 MM	



Colors Available in **SHOWER FRAME**:

 Matt Silver SGF10-1B-18H	 Matt Gold SGF10-2B-18H	 Matt Black SGF10-4B-18H
--	--	--

SHOWER GLASS FRAME - JOINTS



	Matt Silver ADPGF10-1B-18H
	Matt Silver ADPGF10-2B-18H
	Matt Silver ADPGF10-4B-18H



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

INDEX

SNOWDEN PROFILES

ALUMINUM PROFILES

1.	Square Profiles	Pages 24 - 27
2.	End Trim Profiles	Pages 28 - 29
3.	Round Profiles	Pages 30 - 31
4.	U-Channel Profiles	Pages 32 - 33
5.	T-Profiles	Pages 34 - 35
6.	L-Angle Profiles	Pages 36 - 37
7.	Y - Profiles	Pages 38 - 39
8.	K - Profiles	Pages 40
9.	Shower Glass Profiles	Pages 41 - 42
10.	Expansion Joints	Pages 43 - 44
11.	Stair Nosing Profiles	Pages 45 - 46

SQUARE PROFILE





Aluminum Square Profiles

- Create clean, right-angled lines, emphasizing modern and minimalist interior design
- Enhance aesthetics: The square profile gives a sharp, contemporary look



COLOR RANGE OF SQUARE PROFILES



Colors Available in **Square 10 MM**:

 Polish Silver ALSQ10-1S	 Matt Silver ALSQ10-2S	 Matt Black ALSQ10-2B	 White AB728-758PM
 Polish Gold ALSQ10-1G	 Matt Gold ALSQ10-2G	 Brown Sand ALSQ10-1BR	
 Sanded Grey AB728-764PM-10H	 Sanded Beige AB728-760PM-10H	 Linen ALSQ10-1BG	
 Graphite ALSQ10-2GR	 Mist Grey ALSQ10-1GR	 Dark Sand ALSQ10-2BG	

Colors Available in **Square 12 MM**:

 Polish Silver ALSQ12-1S	 Matt Silver ALSQ12-2S	 Brushed Silver ALSQ12-3S	 Dark Grey ALSQ12-4S
 Polish Gold ALSQ12-1G	 Matt Gold ALSQ12-2G	 Brushed Gold ALSQ12-3G	 Antique Gold ALSQ12-4G
 White AB728-758PM	 Matt Black ALSQ12-2B	 Brushed Black ALSQ12-4B	 Lime Stone ALSQ12-LM
 Textured Brown ALSQ12-1BR	 Matt Titanium ALSQ12-2T	 Brushed Titanium ALSQ12-3T	
 Sanded Grey AB728-764PM-10H	 Sanded Beige AB728-760PM-10H	 Linen ALSQ12-1BG	
 Graphite ALSQ12-2GR	 Mist Grey ALSQ12-1GR	 Dark Sand ALSQ12-2BG	



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

SQUARE PROFILE'S JOINTS



MATERIAL

Aluminum



AVAILABLE SIZES

10X12 MM



AVAILABLE COLORS

POLISH & MATT
SILVER & GOLD, MATT
BLACK, DARK GREY



CODE:
ALSQJ12



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

END TRIM PROFILE

Aluminum End Trim Profile

- Creates a smooth transition.
- Provides a neat border – Creates a defined and elegant border for feature walls and tiled designs.



COLOR RANGE OF END TRIM PROFILES

		MATERIAL	Aluminum
		THICKNESS	1.2 MM
		AVAILABLE SIZES	H: 8MM, 10MM, 12MM, 15MM & 20 MM



Colors Available in **End Trim 8 MM:**

	Brown Sand ALEND8-1BR		Linen ALEND8-1BG		Dark Sand ALEND8-2BG
	Graphite ALEND8-2GR		Mist Grey ALEND8-1GR		

Colors Available in **End Trim 10, 15 & 20 MM:**

	Polish Silver ALEND-1S		Matt Silver ALEND-2S		Matt Black ALEND-2B
	Polish Gold ALEND-1G		Brushed Gold ALEND-3G		Matt Gold ALEND-2G

Colors Available in **End Trim 12 MM:**

	Polish Silver ALEND12-1S		Matt Silver ALEND12-2S		Brushed Silver ALEND12-3S
	Polish Gold ALEND12-1G		Matt Gold ALEND12-2G		Brushed Gold ALEND12-3G
	Polish Black ALEND12-1G		Matt Black ALEND12-2B		Brushed Black ALEND12-4B
	Lime Stone ALEND12-LM		Sanded Grey AB728-764PM-12H		Sanded Beige AB728-760PM-12H
	Antique Gold ALEND12-4G		Dark Sand ALEND12-2BG		Brown Sand ALEND12-1BR
	Graphite ALEND12-2GR		Mist Grey ALEND12-1GR		Linen ALEND12-1BG



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

ROUND PROFILE



COLOR RANGE OF ROUND PROFILES

	 MATERIAL	Aluminum
	 THICKNESS	1.2 MM
	 AVAILABLE SIZES	H: 10MM & 12MM



Colors Available in **Half Round 10 MM:**

	Polish Silver ALHR10-1S		Matt Silver ALHR10-2S		Matt Black ALHR10-2B
	Polish Gold ALHR10-1G		Brushed Gold ALHR10-3G		Matt Gold ALHR10-2G

Colors Available in **Half Round 12 MM:**

	Polish Silver ALHR12-1S		Matt Silver ALHR12-2S		Matt Black ALHR12-2B
	Polish Gold ALHR12-1G		Brushed Gold ALHR12-3G		Matt Gold ALHR12-2G
	Dark Grey ALHR12-4S		Lime Stone ALHR12-LM		Antique Gold ALHR12-4G



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

U-CHANNEL PROFILE


Aluminum U-Channel Profiles

- Seamless Transitions – Creates a neat transition between tiles and other surfaces.
- Enhance Versatile Application – Suitable for walls, floors, corners, and surface transitions.


COLOR RANGE OF U-CHANNEL PROFILES



Colors Available in **U-Channel 10 & 15 MM:**



Colors Available in **U-Channel 20 MM:**



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

T-PROFILE



COLOR RANGE OF T-PROFILES

	 MATERIAL	Aluminum
	THICKNESS	1.2 MM
	AVAILABLE SIZES	HXW: 5X10MM, 9X15MM, & 9X20 MM



Colors Available in **T-Profile 10 MM**:

	Polish Silver ALT10-1S		Matt Silver ALT10-2S
	Polish Gold ALT10-1G		Matt Gold ALT10-3G

Colors Available in **T-Profile 15 & 20 MM**:

	Polish Silver ALT-1S		Matt Silver ALT-2S		Matt Black ALT-2B
	Polish Gold ALT-1G		Matt Gold ALT-3G		



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

L-ANGLE PROFILE

Aluminum L-Angle Profiles

- 90° Corner Protection – Protects ceramic tile edges at external 90° corners from impact and chipping.
- Enhanced Safety – Softens the exposed 90° ceramic corner, helping reduce the risk of injury from accidental impact.

COLOR RANGE OF L-ANGLE PROFILES

	 MATERIAL	Aluminum
	 THICKNESS	1.2 MM
	 AVAILABLE SIZES	H: 10MM, 15MM, 20 MM & 30 MM



Colors Available in **L-Angle 10 MM**:

 Polish Silver ALAL10-1S	 Matt Silver ALAL10-2S	 Matt Black ALAL10-2B
 Polish Gold ALAL10-1G		

Colors Available in **L-Angle 15 & 20 MM**:

 Polish Silver ALAL-1S	 Matt Silver ALAL-2S	 Lime Stone ALAL-LM
 Polish Gold ALAL-1G	 Matt Gold ALAL-3G	
 Polish Black ALAL-1B	 Matt Black ALAL-2B	

Colors Available in **L-Angle 30 MM**:

 Matt Silver ALAL30-2S	 Matt Gold ALAL30-3G	 Matt Black ALAL30-2B
--	--	---



10 YEARS
GUARANTEE




DURABLE
& STRONG



EASY
INSTALLATION

Y - PROFILE

COLOR RANGE OF Y-PROFILES

	 MATERIAL	Aluminum
	 THICKNESS	1.2 MM
	 AVAILABLE SIZES	W: 10X10 MM & W: 12.5X12.5 MM



Matt Black
ALY-2B



Matt Silver
ALY-2S



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

COLOR RANGE OF K-PROFILES

		MATERIAL	Aluminum
		THICKNESS	1.2 MM
		AVAILABLE SIZES	11.5H for 8 MM H Tile 14.5H for 10 MM H Tile



	Matt Black ALK-2B		Matt Silver ALK-2S
--	----------------------	--	-----------------------



10 YEARS
WARRANTY



DURABLE
& STRONG




EASY
INSTALLATION

SHOWER GLASS PROFILE

Aluminum F-Channel Profiles

- It is used to secure your shower glass with confidence, and it is a hidden frame to showcase the beauty.
- The profile has a rubber channel inside to hold the glass without silicon and makes the glass easy to be installed.



MATERIAL

Aluminum



THICKNESS

1.2 MM



AVAILABLE SIZES

W: 12 MM



AVAILABLE COLORS




Matt Black
ALFG12-2B



Matt Silver
ALFG12-2S



EXPANSION JOINTS



Expansion Joint Profile

- They allow materials to expand in hot weather and contract in cold weather without buckling or cracking.



T-SHAPE EXPANSION JOINTS



MATERIAL

Stainless Steel
Aluminum



THICKNESS

10 MM



L-SHAPE EXPANSION JOINTS



MATERIAL

Stainless Steel
Aluminum



THICKNESS

10 MM



U-SHAPE EXPANSION JOINTS



MATERIAL

Stainless Steel
Aluminum



THICKNESS

10 MM

COLOR RANGE OF EXPANSION JOINTS

Milky White

Alabaster

Light Beige

Linen

Sandstone

Light Smoke

Earth

Light Grey

Pewter

Charcoal



10 YEARS
WARRANTY




DURABLE
& STRONG



EASY
INSTALLATION

STAIR NOSING PROFILE



L-SHAPE STAIR NOSING



MATERIAL

Aluminum

CODE

AD746



L-SHAPE STAIR NOSING



MATERIAL

Aluminum

CODE

AD744



SQUARE STAIR NOSING



MATERIAL

Aluminum

CODE

AD739-10

AD739-12



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

INDEX

SNOWDEN PROFILES

SKIRTINGS

SKIRTINGS WITHOUT LED

- | | | |
|----|------------------------|---------------|
| 1. | F-Channel Profiles | Pages 48 - 49 |
| 2. | Skirtings | Pages 50 - 51 |
| 3. | S.S Skirtings | Pages 52 - 53 |
| 4. | Floating wall profiles | Pages 54 - 55 |

SKIRTINGS WITH LED

- | | | |
|----|-------------------------|---------------|
| 5. | Floating wall with LED | Pages 56 - 57 |
| 6. | Shadow Gap | Pages 58 - 59 |
| 7. | Skirtings with LED | Pages 60 |
| 8. | Skirting with Front LED | Pages 61 |
| 9. | LED Square profile | Pages 62 |

F-CHANNEL PROFILE

Aluminum F-Channel Profiles

- In modern interior design, F-channel profiles are used to create a "shadow gap" by creating a recessed space between the wall and the skirting board, it hides imperfections and eliminates the need for traditional protruding trim.

COLOR RANGE OF F-CHANNEL

		MATERIAL	Aluminum
		THICKNESS	1.2 MM
		AVAILABLE SIZES	WXH: 8X12 MM & WXH: 12X12 MM WXH: 20X12 MM



Matt Silver
Af763-2S



Matt Black
Af763-2B



Matt Gold
Af763-2B



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

SKIRTING



Aluminum Skirtings without LED

- Skirting add a refined and tidy appearance to any room, providing a visual transition between the wall and floor.



COLOR RANGE OF SKIRTINGS

		MATERIAL	Aluminum
		THICKNESS	1.2 MM
		AVAILABLE SIZES	10CM HEIGHT 3 METERS LONG



Matt Silver
ALSK10-2S



Matt Gold
ALSK10-2B



Matt Black
ALSK10-2B

SKIRTING'S JOINTS



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

S.S SKIRTING



COLOR RANGE OF S.S SKIRTINGS



Matt Silver
SY044B-1B-100H



Matt Champagne
SY044B-JC1016-
AFP-100H



Matt Black
SY044B-2B-100H



Matt Rose Gold
SY044B-3B-100H



10 YEARS
WARRANTY



DURABLE
& STRONG




EASY
INSTALLATION

FLOATING WALL PROFILE

Floating Wall Profile without LED

- This profile provides a clean elegant floating shadow gap effect for wall skirting. It separates the tile from the flooring, making the tiled surface appear to "float".

COLOR RANGE OF FLOATING WALL



MATERIAL

Aluminum



THICKNESS

1.2 MM


COLORS AVAILABLE



Matt Black
ALFL45-2B



Matt Silver
ALFL45-2S



MATERIAL

Aluminum



THICKNESS

1.2 MM

COLORS AVAILABLE



Matt Black
ALFL45N-2B



Matt Silver
ALFL45N-2S



10 YEARS
WARRANTY



DURABLE
& STRONG




EASY
INSTALLATION

FLOATING WALL WITH LED

Floating Wall Profile with LED

- This elegant profile provides soft lighting effect for wall skirting. It separates the tile from the flooring, making the tiled surface appear to "float".



MATERIAL

Aluminum




THICKNESS



1.2 MM



AVAILABLE COLOR



Matt Silver
ALFL55-2S
Matt Black
ALFL55-2B



10 YEARS
WARRANTY




DURABLE
& STRONG




EASY
INSTALLATION

SHADOW GAP PROFILE



Shadow Gap Profile without LED

- Shadow Gap profiles are used to achieve a modern, minimalist aesthetic and eliminate the need for traditional trim or molding.



MATERIAL

Aluminum



THICKNESS

1.2 MM



**AVAILABLE
COLOR**



Matt Black
LEDSH20-2B



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

SKIRTING WITH LED



MATERIAL

Aluminum



THICKNESS

1.2 MM



AVAILABLE SIZES

6 CM HEIGHT & 3 METERS LONG



AVAILABLE COLORS



Matt Silver
DJ2021-21SN



Matt Gold
DJ2021-21GP



Matt Black
DJ2021-21BK



10 YEARS
WARRANTY




DURABLE
& STRONG



EASY
INSTALLATION

SKIRTING WITH FRONT LED



MATERIAL

Aluminum



THICKNESS

1.2 MM



AVAILABLE SIZE

7.8CM HEIGHT &
3 METERS LONG



AVAILABLE COLOR

Matt Black
JM214BK



10 YEARS
WARRANTY




DURABLE
& STRONG



EASY
INSTALLATION

SQUARE LED PROFILE



MATERIAL

Aluminum



THICKNESS

1.2 MM



AVAILABLE COLORS



Matt Black
LEDSQ12-2B



Matt Silver
LEDSQ12-2S



10 YEARS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

INDEX

SNOWDEN PROFILES

PVC PROFILES

- | | | |
|----|------------------|---------------|
| 1. | Round Profiles | Pages 64 - 65 |
| 2. | Square Profiles | Pages 66 |
| 3. | L-Angle Profiles | Pages 67 |


LED PROFILES

- | | | |
|----|----------------------|---------------|
| 1. | Indoor LED Profiles | Pages 68 - 70 |
| 2. | Outdoor LED Profiles | Pages 71 |

ROUND PROFILE



COLOR RANGE OF ROUND PROFILES

		MATERIAL	PVC
		THICKNESS	1.2 MM
		AVAILABLE SIZES	WXH: 10X10, & 12X12 MM



Code: #132



Code: #019



Code: #116



Code: #171



Code: #037



Code: #100



Code: #024



Code: #500



Code: #303



Code: PURPLE



Code: #219



Code: #220



**DURABLE
& STRONG**



**EASY
INSTALLATION**

COLOR RANGE OF SQUARE PROFILES



Code: Black



Code: White



Code: Grey



Code: Beige



Code: Marvel



Code: Brown




**DURABLE
& STRONG**



**EASY
INSTALLATION**

L-ANGLE PROFILE



MATERIAL

PVC



THICKNESS

1.2 MM



AVAILABLE SIZES

20X20 MM
30X30 MM



Code: Black



Code: White



Code: Grey



DURABLE
& STRONG



EASY
INSTALLATION


LED PROFILES



LED PROFILES


INDOOR LED PROFILES

Indoor LED profile covers are thinner because they only need to diffuse light and protect the LED strip from dust. Since there is no exposure to harsh weather or impact, a thin cover provides clean, bright lighting without adding extra material.



OUTDOOR LED PROFILES

Outdoor LED profile covers are thicker to withstand sun, UV rays, heat, rain, and physical impact. The thicker plastic increases durability, waterproofing, and protection, ensuring the LED strip lasts longer in outdoor conditions.



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

INDOOR LED PROFILES



Code: PXG-2010A



Code: PXG-2010M



Code: 1616B



Code: 1616B-90



Code: 204-1B



Code: 1010-M



Code: 1010-A



Code: PXG-104



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

OUTDOOR LED PROFILES



Code: PXG-404



Code: PXG-400



Code: PXG-403



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION



YOUR BATHROOM. **OUR SANITARY WARE.** PERFECTLY FINISHED.

Every element is designed to elevate the modern bathroom — combining sophisticated design, practical functionality, and seamless finishing in every detail. From sleek drains and practical shattafs to elegant shower boxes, functional shower shelves, and smart W.C. niches.

INDEX

SNOWDEN PRODUCTS

SANITARY WARE

1. Drains

Pages 74 - 79

2. Shattaf

Pages 80 - 83

3. Shower Boxes

Pages 84 - 86

4. Shower Shelves

Pages 87 - 89

5. W.C Niche

Pages 90 - 91

6. Stone Bath Mat

Pages 92

DRAINS



SNOWDEN DECO DRAINS



MATERIAL

Stainless Steel 304



THICKNESS

3 MM



AVAILABLE SIZES

15X15 CM , 30X10 CM
60X10 CM , 80X10 CM



Matt Silver
FD1515 BR



Matt Black
FD1515 BK



Matt Gold
FD1515 GD



Matt Silver
FD1515 BR



Matt Black
FD1515 BK



Matt Gold
FD1515 GD



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

SNOWDEN MEDIUM DUTY DECO DRAINS



MATERIAL

Stainless Steel 304



THICKNESS

2 MM



AVAILABLE SIZES

15X15 CM ,
& 60X7 CM




Matt Silver
FDM6007 BR



Matt Black
FDM6007 BK



Matt Gold
FDM6007 GD



Matt Silver
FDM1515 BR



Matt Black
FDM1515 BK



Matt Gold
FDM1515 GD



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

COLOR RANGE OF SNOWDEN GRILL TYPE DRAINS



MATERIAL

Stainless Steel 304



THICKNESS

3 MM



AVAILABLE SIZES

15X15 CM ,
& 60X10 CM



Matt Silver
FDGS6010



Matt Black
FDGB6010



Matt Gold
FDGG6010



Matt Silver
FDGS1515



Matt Black
FDGB1515



Matt Gold
FDGG1515



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

COLOR RANGE OF SNOWDEN'S DESIGNED TYPE DECO DRAINS



MATERIAL

Stainless Steel 304



THICKNESS

3 MM



AVAILABLE SIZES

30X10 CM , & 60X10 CM

AVAILABLE COLORS



MATT
FINISH



MATERIAL

Stainless Steel 304



THICKNESS

3 MM



AVAILABLE SIZES

30X10 CM , & 60X10 CM

AVAILABLE COLORS



MATT
FINISH



MATERIAL

Stainless Steel 304



THICKNESS

3 MM



AVAILABLE SIZES

60X8 CM

AVAILABLE COLORS



MATT
FINISH



10 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

SNOWDEN FLOOR DECO DRAIN



MATERIAL

Stainless Steel 304
& Plastic



THICKNESS

1.5 MM



AVAILABLE SIZES

13X13 CM ,
& 10X10 CM



Matt Silver
FC050
Size: 10x10 cm



Matt Silver
FC053
Size: 13x13 cm

SNOWDEN CLEAN OUT - FLOOR TRAP



MATERIAL

Stainless Steel 304



THICKNESS

2 MM



AVAILABLE SIZES

10X10 CM , & 15X15 CM

AVAILABLE COLORS

MIRROR
FINISH

MATT
FINISH



MATERIAL

Stainless Steel 304



THICKNESS

2 MM



AVAILABLE SIZES

10X10 CM , & 15X15 CM

AVAILABLE COLORS

MIRROR
FINISH

MATT
FINISH



10 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION

SHATTAFS

ELEGANT SHATTAF

- ABS Plastic
- Has a single Speed



Press on handle for Turn
On and Off



Polish Silver
QE010




Matt Black
QE010-BL



Matt Gold
QE010-NGY

BLAST SHATTAF

- ABS Plastic
- Has a single Speed



Press on handle for Turn
On and Off



Matt Silver
QS010



Matt Black
QS010-BL



Matt Gold
QS010-NGY



3 YEARS
GUARANTEE




DURABLE
& STRONG



EASY
INSTALLATION




Matt Silver
PCA010-3-T




Matt Black
PCA010-3-T-BL

SWITCH SHATTAF

- ABS Plastic
- Turn the biddet sprayer head for Double speeds



Matt Silver
BP015-NK



Matt Black
BP015-BL

TEMPO SHATTAF

- Stainless Steel 304
- Turn the biddet sprayer head for Double speeds



Matt Silver
BP001-NK-4

QUADRO SHATTAF

- Stainless Steel 304
- Turn the biddet sprayer head for 4 speeds



3 YEARS
GUARANTEE



DURABLE
& STRONG




EASY
INSTALLATION



NERO SHATTAF

- ABS Plastic
- Has a single Speed
- Available in Black Only




Code: FR010-ML-T



BIANCA SHATTAF

- ABS Plastic
- Has a single Speed
- Available in White Only



Code: FR439-T



ARGENTO SHATTAF

- ABS Plastic
- Has a single Speed
- Available in Silver Only



Code: FR010-T



3 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

SHOWER BOXES




SHOWER NICHE BOX

Stainless Steel Shower Niche Box

- Durable and waterproof, recessed storage box built into a shower wall to hold toiletries, eliminating clutter from shelves and racks.
- They are easy to install and easy for maintenance.



Vertical Shower Boxes



Sizes Available:

WxH: 30x30, 30x90, & 30x120 cm

Horizontal Shower Boxes



Sizes Available:

WxH: 60x30, 90x30, & 120x30 cm



5 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION



W.C. NICHE



W.C NICHE

Stainless Steel W.C Niche Box

A WC niche is a recessed storage compartment integrated into the wall of a bathroom or toilet area, designed to organize toiletries, toilet accessories, and other essentials while saving space and enhancing aesthetics.



W.C. NICHE WITH **DOUBLE DOOR**



SBK322-1B-620H-180W-R



SBK322-4PM-620H-180W-R




W.C. NICHE WITH **SINGLE DOOR**



SBK325-1B-620H-180W-R



SBK325-4PM-620H-180W-R



5 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION



SHOWER SHELVES



SHOWER SHELVES

Stainless Steel Shower Shelves

- Keeps shampoo bottles, body wash, and conditioners off the shower floor or tub edge.
- They are easy to install and easy for maintenance.
- Utilizes corner designs or wall-mounted profiles to maximize usable room in compact showers.



Matt Silver
SHELF284-1B



Matt Black
SHELF284-4PM



Matt Gold
SHELF284-2B



Matt Silver
SHELF287-1B



Matt Black
SHELF287-4PM



Matt Gold
SHELF287-2B



Matt Silver
SHELF293-1B



Matt Black
SHELF293-4PM



Matt Gold
SHELF293-2B



5 YEARS
GUARANTEE



DURABLE
& STRONG



EASY
INSTALLATION

STONE BATH MAT

QUICK DRY | NATURAL LOOK | MODERN DESIGN

White

Light Grey

Dark Grey



**ABSORBS WATER
WITHIN SECONDS**



**GET RID OF
UNBEARABLE ODOR**



**LONG LASTING
AND ECO-FRIENDLY**





Precision and Power with Our **Tile Cutting Machines & Accessories**

Achieve flawless cuts and professional results every time with our top-of-the-line tile cutting machines and accessories. Whether you're tackling intricate mosaics or large-format tiles, our robust machines are engineered for accuracy, efficiency, and ease of use, making them the perfect companion for both seasoned professionals and passionate DIYers. Complemented by our range of high-quality accessories—from scoring wheels to replacement blades—our solutions empower you to work smarter, faster, and with absolute confidence. Elevate your projects with tools that deliver exceptional performance, transforming your creative visions into perfectly executed spaces.

INDEX

SHIJING

1. Tile Cutting Machines

Pages 95 - 99

- a. Automatic Tile Cutting Machines
- b. Manual Tile Cutting Machines

2. Tile Cutting Accessories

Pages 100 - 107

- a. Tile Tables
- b. Slab Trolley
- c. Leveling Laser Machine
- d. Tile Vibrators
- e. Vacuum Suction Cups
- f. Mini Grinder
- g. Tile Breaking Device
- h. Tile Cutting Discs
- i. Tile Leveling System



SHIJING

TILE CUTTING MACHINES



ELECTRICAL MACHINES

LIGHT WEIGHT LARGE PLATE CUTTING MACHINE

Cuts Up to 2.15meters

Code:9601

First machine Cuts in
90 degrees

Second machine Cuts
in 45 degrees



MANUAL MACHINES

SLAB CUTTING MACHINE

Cuts Up to 3.2 meters

Code:3500-3200



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

AUTOMATIC ELECTRIC TILE CUTTER

Equipped with a high-power 4.5kW brushless motor, offering 4 adjustable speed settings

Cutting Angle is 0 - 50 Degree

10-speed cutting grades

Cuts Up to 1.2 meters

Code:9201A



Automatic Electric Slab Cutter

3.2m waterjet cutting

Cuts in 90 and 45 degrees

Code:9510



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

Full Automatic Tile Cutting Machine

Cuts Up to 1.2 meters
90 & 45 Degree Cutting

Code:9033



Semi Automatic Tile Cutting Machine

Cuts Up to 1.2 meters
90 & 45 Degree Cutting

Code:9231



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

MANUAL TILE CUTTER MACHINES

Cuts Up to 0.6, 1.2
& 1.8 meters



Code:1352



Cuts Up to 1.2 meters



Code:3051



Shijing Angle Grinder Chamfering Stand

Fixed 45° bevel angle for
simple operation.

Code:9606



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION



TILE CUTTING ACCESSORIES



CUTTING TABLES

Spider Table

Carries Up to 300KG

Code:P706



Large Platform

Cutting Table

Load bearing: 500KG

Code:P703



TILE TROLLEY

Large Slab Trolley Transport

Size: Length X Width X Height:

1400 x 720 x 1500 mm

Load Size: 3200 x 1600 mm

Load Bearing: 200 kg



6 MONTHS
WARRANTY



DURABLE
& STRONG




EASY
INSTALLATION

LEVELING LASER MACHINE




12 LINES LASER LEVELING MACHINE



12 LINES

16 LINES LASER LEVELING MACHINE



16 LINES



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

TILE VIBRATORS

Suitable for below 1.2m ceramic tiles.

Vibration Intensity: 6 Speeds

Suction Diameter: 123mm

Code: 9393



Suitable for over 1.6 m ceramic tiles.

Vibration Intensity: 6 Speeds

Suction Diameter: 166mm

Code: 9392



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

VACUUM SUCTION CUPS

VACUUM SUCTION CUP WITH PRESSURE GAGE



Vertical Suction:
190kgs
Code: P611



VACUUM SUCTION CUP WITH AUTO AIR PUMP



Vertical Suction:
130kgs
Code: P618



Code: P612
Vertical Suction:
130kgs



Code: P610
Vertical Suction:
50Kgs



Code: P620
Vertical Suction:
130Kgs



CORNER VACUUM SUCTION



Code: P625A



DOUBLE SUCTION PLATE

Code: P622



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

Mini Grinder

Speed Gear: 6-speed adjustable

Output Thread Diameter: M5

Code:



Tile Breaking Device

Heavy Duty Tile Breaker

Code: 6638



Tile Support Device

Code: 6523S



Mobile Knee Pad

Plastic and Silica Gel

Code: 8111



Hole Saw Locator

Code: P615



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

Square Tooth Trowel


Code: 5100-110x280



Code: 5107-1248/1260



Tile Cutting Blades



- Very Sharp
- Won't Collapse
- Diamond and Alloy

Tile Cutting Disc



130x20x1.6mm



120x20x1.8mm

Tile Grinding



Top Diamond

Code: 6611



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

Scraper Knife



Code: 5109

1. Handle length: 30CM
2. Rubber handle with metal, can operate like hammer
3. Stronger knife rest

Anti-Slip Carborandum




Tile Leveling System

Clips available sizes

0.5mm, 1mm, 1.5mm and 2mm



Wedges
one size



6 MONTHS
WARRANTY



DURABLE
& STRONG



EASY
INSTALLATION

XPS BUILDING BOARD

SNOWDEN

BUILDING BOARD

الواح البناء

RESISTANT TO
FIRE . WATER . INSECT

مقاومة
الحشرات . الماء . النار

STRONG UNDERNEATH, PERFECT ABOVE
قوي من تحتها، مثالي من فوقها

XPS Building Board

A wedi building board is a 100% waterproof, lightweight, and insulating extruded polystyrene rigid foam panel used primarily as a tile backer, structural substrate, and moisture barrier in wet areas like showers, bathrooms, and spas.



HYGENIC

Protection against mould and fungal growth



RELIABLE

100% waterproof even at low thickness



FAST

Lightweight, easy to cut, installed over various substrates

SIZES


60 x 260 cm, Thickness: 2 cm

AVAILABLE:

60 x 260 cm, Thickness: 5 cm



SNOWDEN PROTECTION MAT



SNOWDEN Site Protection Mat

- It creates a temporary, durable physical barrier that shields underlying floors, turf, or ground surfaces from damage during construction, renovations, and events.
- It Blocks Liquids and Stains.



MAXIMUM TILE PROTECTION

– No cracks. No scratches. No regrets.



100% WATER + SPILL RESISTANT

– Built for the mess.



REUSABLE & RELIABLE

– Use it again and again



FAST INSTALLATION

– Rolls out in seconds. Works all day.



ANTI-SLIP TECH

– Stay steady. Stay safe.

The Roll's

Height: 1.15 Mtr

Width: 25 Mtr

Thickness: 2 mm
& 3 mm





Construct

Professional Tile Adhesives

INDEX

SNOWDEN PRODUCTS

TILE ADHESIVES

1. Tile Glue

a. CE Glue

Pages 114

b. C1TE Glue

Pages 114

c. C2TE-S1

Pages 115

d. C2TE-S2


Pages 115

2. Tile Grout

Pages 116

3. Waterproof

Pages 117



CE

GENERAL PURPOSE

KEY FEATURES

- Reliable adhesion for ceramic tiles.
- Easy mixing and application.
- Smooth troweling performance.
- Suitable for walls and floors.
- Ideal for residential interior projects.

RECOMMENDED APPLICATIONS

- Internal wall tiling.
- Internal floor tiling.
- Kitchens.
- Living areas.
- Bedrooms.
- Dry commercial spaces.



Interior use only



For ceramic tiles




Wall & floor application



Easy workability



Economical solution



C1TE

ENHANCED PERFORMANCE

KEY FEATURES

- High slip resistance.
- For laying porcelain ceramics.
- High setting time.

RECOMMENDED APPLICATIONS

- Interior walls and floors.
- Ceramic tiles.
- Easier installation due to longer working time.
- Swimming pools.



High slip resistance



For laying porcelain ceramics



High setting time



C2TE-S1

HIGH PERFORMANCE



KEY FEATURES

- High bond strength.
- Flexible.
- Reduced slip.
- Extended open time.
- Suitable for underfloor heating.
- Suitable for interior and exterior use.

RECOMMENDED APPLICATIONS

- Porcelain tiles.
- Large format tiles.
- Balconies.
- Facades.
- Heated floors.
- Exterior applications.
- Swimming pools.



Special adhesive for porcelain tiles



Flexible



Underfloor heating



Interior & Exterior use



Economical solution



C2TE-S2

PREMIUM FLEXIBLE ADHESION



KEY FEATURES

- Superior adhesion for porcelain & ceramic tiles.
- Highly flexible & deformation resistant.
- Suitable for structural movement areas.
- Excellent performance in extreme temperatures.

RECOMMENDED APPLICATIONS

- Porcelain tiles.
- Large format tiles.
- Balconies.
- Facades.
- Heated floors.
- Exterior applications.
- Swimming pools.



Special for facades



Very Flexible



Suitable for underfloor heating



Suitable for cold storage rooms




Heavy duty solution



CONSTRUCT TILE GROUT

DESCRIPTION:

- Cement-based colored grout.
- Contains special additives & pigments.
- For joints 0–15 mm wide.
- Suitable for ceramic & natural stone tiles.
- Waterproof, indoor & outdoor use.



WATERPROOF



EASY TO APPLY



**FOR INDOOR &
OUTDOOR USE**



STAIN RESISTANT

PUMAFLEX

FIBRE REINFORCED WATERPROOFING



APPLICATION PROCEDURE



Stir until evenly mixed.



Dilute the first coat by 5% with water.



Apply the second and subsequent coats undiluted, crosswise to the application of the previous coat.



For optimum performance and durability of the waterproofing, at least 1.5 l should be used per m² of surface.



• WATERPROOF EFFECT

Creates a waterproof barrier.



• MAXIMUM PROTECTION

Protects against water damage and leakage.



• PREVENTS FILTRATION

Prevents water penetration and seepage.



• HIGH DURABILITY

Long lasting performance in all conditions.



• IDEAL FOR ROOFS & WALLS

Cost effective solution.



• EASY APPLICATION & HIGH PERFORMANCE

Easy to apply with high coverage

