



MAZAYA

AL EMARATE CO. LLC



Technology & Elegance



MAZAYA AL EMARATE CO. LLC

Welcome to the company, which recognized for its astonishing products, extensive experience, significant knowledge and superior qualities with prompt services, all this proficiency represents us as a leading supplier of home appliances in GCC region.

The company also act as a top professional one stop service provider for different range of water coolers, glass door refrigerators, upright freezers, chest freezers, air conditioners, gas cookers, water dispensers, water chillers, washing machines etc.

In the modern competitive era, the company believes in healthy competition, team work and ethical business environment. The fundamental maxim of the company is to provide customer satisfaction, employee welfare and individual motivation.



DOMESTIC WATER TANK CHILLERS



MODELS	UNIT	GL-24WTC	GL-36WTC	GL-60WTC
Tank capacity to be cooled	Gallon	800-1000	1200-1500	2000-3000
Unit Capacity	HP	2	3	5
Unit Dimensions - L x D x H	mm	600x600x700	700x700x830	750x750x1080
Refrigerant		R410a	R410a	R410a
Refrigerant Quantity	grams	1000	1400	2000
Cooling Coil		Titanium	Titanium	Titanium
Compressor Brand		Panasonic	Panasonic	Panasonic
Compressor Type		Scroll	Scroll	Scroll
Power Supply	V/Ph/Hz	220-240/1/50	220-240/1/50	380-420/3/50
Power Input	Watts	1800	2400	4000
Water Circulation Pump		Stainless Steel	Stainless Steel	Stainless Steel
Rated Water Flow	M3/hour	6	6	9
Water Connections - Inlet/Outlet	mm	32	32	32
Ambient Temperature	°C	30-53	30-53	30-53
Outlet Water Temperature	°C	10-30	10-30	10-30
Weight	kg	55	75	115

WATER COOLER WITH BUILT IN RO SYSTEM



ME-45T3 RO

Cooling Capacity	: 45 US Gallons
No. of Taps	: Three
RO Capacity	: 100 GPD
Filtration	: RO 5 Stages + UV (Mineral/Alkaline Optional)
Dimensions (mm)	: 600(W) x 530(D) x 1280(H)
Cooling Temperature	: 25°C inlet water & 12° C outlet water temp
Compressor	: 1/4 hp



Cooling tank is covered with PVC profiles instead of aluminium tape ensuring maximum hygienic conditions



WATER COOLERS



ME-25T2

Cooling Capacity : 25 US Gallons
 No. of Taps : Two
 Dimensions (mm) : 550(W) x 530(D) x 1280(H)
 Cooling Temperature : 25°C inlet water & 12°C outlet water temp
 Compressor : 1/5 hp



ME-35T3

Cooling Capacity : 35 US Gallons
 No. of Taps : Three
 Dimensions (mm) : 580(W) x 530(D) x 1280(H)
 Cooling Temperature : 25°C inlet water & 12°C outlet water temp
 Compressor : 1/5 hp



ME-45T3

Cooling Capacity : 45 US Gallons
 No. of Taps : Three
 Dimensions (mm) : 600(W) x 530(D) x 1280(H)
 Cooling Temperature : 25°C inlet water & 12°C outlet water temp
 Compressor : 1/4 hp



ME-65T3

Cooling Capacity : 65 US Gallons
 No. of Taps : Three
 Dimensions (mm) : 660(W) x 530(D) x 1280(H)
 Cooling Temperature : 25°C inlet water & 12°C outlet water temp
 Compressor : 1/3 hp

WATER COOLERS



ME-85T4

Cooling Capacity : 85 US Gallons
No. of Taps : Four
Dimensions (mm) : 860(W) x 630(D) x 1280(H)
Cooling Temperature : 25°C inlet water & 12°C outlet water temp
Compressor : 1/3 hp



ME-100T5

Cooling Capacity : 100 US Gallons
No. of Taps : Five
Dimensions (mm) : 970(W) x 630(D) x 1280(H)
Cooling Temperature : 25°C inlet water & 12°C outlet water temp
Compressor : 1/2 hp



ME-125T5

Cooling Capacity : 125 US Gallons
No. of Taps : Five
Dimensions (mm) : 1110(W) x 630(D) x 1280(H)
Cooling Temperature : 25°C inlet water & 12°C outlet water temp
Compressor : 1/2 hp

WATER COOLERS

HEAVY DUTY MODELS



ME-150T5

Cooling Capacity	: 150US Gallons
No. of Taps	: Five
Dimensions (mm)	: 1100 (W) x 780 (D) x 1450 (H)
Cooling Temperature	: 25° C inlet water & 12°C outlet water temp
Compressor	: 3/4 hp HBP
Refrigerant	: R134a/R290a

ME-250T5

Cooling Capacity	: 250 US Gallons
No. of Taps	: Five
Dimensions (mm)	: 1200 (W) x 780 (D) x 1450 (H)
Cooling Temperature	: 25° C inlet water & 12°C outlet water temp
Compressor	: 3/4 hp HBP
Refrigerant	: R134a/R290a



GLASS DOOR REFRIGERATORS

made in
UAE
صنع في
الإمارات



TSB 1CF-13PRMB

Capacity : 400 Litres
Type of Door : Swing Door
Shelves : Five Adjustable (Food Safe)
Dimensions (mm) : 600(W) x 610(D) x 2000(H)
Working Temp : +2°C to +10°C



TSB 2CF-27PRMB

Capacity : 1000 Litres
Type of Door : Double Swing Door
Shelves : Ten Adjustable (Food Safe)
Dimensions (mm) : 1110(W) x 610(D) x 2000(H)
Working Temp : +2°C to +10°C



TSB 2CF-27PRMW

Capacity : 1000 Litres
Type of Door : Double Swing Door
Shelves : Ten Adjustable (Food Safe)
Dimensions (mm) : 1110(W) x 610(D) x 2000(H)
Working Temp : +2°C to +10°C

GLASS DOOR REFRIGERATORS

made in
UAE
صنع في
الإمارات



TSB 1CF-13

Capacity : 400 Litres
Type of Door : Swing Door
Shelves : Five Adjustable (Food Safe)
Dimensions (mm) : 600(W) x 610(D) x 2000(H)
Working Temp : +2°C to +10°C



TSB 2CF-27

Capacity : 1000 Litres
Type of Door : Double Swing Door
Shelves : Ten Adjustable (Food Safe)
Dimensions (mm) : 1110(W) x 610(D) x 2000(H)
Working Temp : +2°C to +10°C



TSB 2CF-29

Capacity : 1000 Litres
Type of Door : Double Swing Door
Shelves : Ten Adjustable (Food Safe)
Dimension (mm) : 1160(W) x 740(D) x 2000(H)
Working Temp : +2°C to +10°C



GLASS DOOR REFRIGERATORS

made in
UAE
صنع في
الإمارات



TSB 2CF-37

Capacity : 1050 Litres
Type of Door : Double Sliding Door
Shelves : Ten Adjustable (Food Safe)
Dimensions (mm) : 1160(W) x 740(D) x 2000(H)
Working Temp : +2°C to +10°C




لا صقيع
NO FROST

TST 3CF-57

Capacity : 1600 Litres
Type of Door : Tripple Swing Door
Shelves : Fifteen Adjustable (Food Safe)
Dimensions (mm) : 1750(W) x 680(D) x 2050(H)
Working Temp : +2°C to +10°C



GLASS DOOR REFRIGERATORS



**لا صقيع
NO FROST**



XLS-410SD

No. of Shelves : Five
Dimensions (mm) : 610 (W) X 665 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a

GL-420SDDLX

No. of Shelves : Five
Dimensions (mm) : 600 (W) x 600 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a
Glass Door : 2 Layer Tempered with LOWE



**لا التكثيف
No Condensation**



GL-1100DDDLXW

No. of Shelves : Five
Dimensions (mm) : 1100 (W) x 600 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a
Glass Door : 2 Layer Tempered with LOWE

GL-1100DDDLXB

No. of Shelves : Five
Dimensions (mm) : 1100 (W) x 600 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a
Glass Door : 2 Layer Tempered with LOWE



GLASS DOOR REFRIGERATORS



GL-1200DDSWDLX

No. of Shelves : Five
Dimensions (mm) : 1120 (W) X 700 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a



GL-1400DDSWDLX

No. of Shelves : Five
Dimensions (mm) : 1300 (W) X 700 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a

GL-1300DDSWDLX

No. of Shelves : Five
Dimensions (mm) : 1200 (W) X 705 (D) x 2000 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a

GL-1600TDSWDLX

No. of Shelves : Five
Dimensions (mm) : 1680 (W) X 700 (D) x 2050 (H)
Temperature Range : +2 to +10°C
Refrigerant : R290a



NO FROST REFRIGERATORS



GL-IN861NFR

Dimensions (mm) : 855(W) x 735(D) x 1835(H)
Type : Inverter
Refrigerant : R290a

GL-IN681NFR

Dimensions (mm) : 710(W) x 670(D) x 1845(H)
Type : Inverter
Refrigerant : R290a



UPRIGHT FREEZER



GL-INF520FR

Dimensions (mm) : 710(W) x 808(D) x 1730(H)
Type : Inverter
Refrigerant : R290a

ELECTRIC OVEN



GL- 100EO

Heating Element : Stainless Steel
Type : Convection
Function : Rotisserie
Dimensions (mm) : 699(W) x 495(D) x 432(H)



GL- 120EO

Outer Body : Stainless Steel
Type : Convection
Function : Rotisserie
Dimensions (mm) : 739(W) x 540(D) x 464(H)

GL- 150EO

Outer Body : Stainless Steel
Type : Convection
Function : Rotisserie
Dimensions (mm) : 856(W) x 610(D) x 464(H)



GAS COOKERS

- AUTO IGNITION
- OVEN LAMP+ ROTISSERIE
- GAS OVEN+ GAS GRILL
- ONE TRAY + ONE GRID
- TEMPERED GLASS COVER
- DOUBLE GLAZED OVEN DOOR



GL-GC6060SS
60 x 60

FULL SAFETY
WITH
CLOSED DOOR
GRILLING



GL-GC9060SS
90 x 60

TWIN TURBO FAN



GL-GC9060FS
90 x 60

CHEST FREEZERS

- QUICK & DEEP FREEZING
- LED INNER LIGHT
- LOW NOISE WITH ENERGY SAVING DESIGN
- HANDLE WITH LOCK
- WHITE INNER COMPARTMENT
- DIGITAL TEMPERATURE DISPLAY
- TWO/THREE BASKETS



GL-160CF

Dimensions (mm) : 664(W) x 560(D) x 840(H)



GL-275CF

Dimensions (mm) : 954(W) x 670(D) x 860(H)



GL-350CF

Dimensions (mm) : 1104(W) x 670(D) x 860(H)



GL-475CF

Dimensions (mm) : 1304(W) x 670(D) x 860(H)

CHEST FREEZERS

GL- 550CF

Dimensions (mm) : 1480(W) x 670(D) x 840(H)



GL- 700CF

Dimensions (mm) :
1600(W) x 760(D) x 840(H)

GL- 800CF

Dimensions (mm) :
1800(W) x 760(D) x 840(H)

GL- 900CF

Dimensions (mm) :
2030(W) x 790(D) x 843(H)

SEMI AUTOMATIC WASHING MACHINES



GL-WM80SA

Dimensions (mm) : 1104 (W) x 670 (D) x 860 (H)



GL-WM120SA

Dimensions (mm) : 880 (W) x 500 (D) x 1020 (H)



GL- WM150SA

Dimensions (mm) : 980 (W) x 560 (D) x 1000 (H)



GL-WM200SA

Dimensions (mm) : 1050(W) x 560 (D) x 1020 (H)

FREE STANDING AIR COOLERS



ME - 5000AC

Max Air Flow : 5000
Effective Area : 25-45 m²
Dimensions (mm) : 695(W) x 435(D) x 1160(H)
Water Tank Capacity : 55 Liters



ME - 7000AC

Max Air Flow : 7000
Effective Area : 35-60 m²
Dimensions (mm) : 854 (W) x 500(D) x 1385 (H)
Water Tank Capacity : 75 Liters



ME - 20000AC

Max Air Flow : 20000
Effective Area : 100-160 m²
Dimensions (mm) : 1140 (W) x 670 (D) x 1660 (H)
Water Tank Capacity : 180 Liters



ME - 10000AC

Max Air Flow : 10000
Effective Area : 80-100 m²
Dimensions (mm) : 865(W) x 630(D) x 1380(H)
Tank Capacity : 100 Liters



ME - 22000AC

Max Air Flow : 22000
Effective Area : 120-180 m²
Dimensions (mm) : 1130 (W) x 705 (D) x 1880 (H)
Water Tank Capacity : 200 Liters

FEROLI®

ICE CREAM FREEZERS



FE - ICF350CG

Dimensions (mm) : 1020 (W) x 690 (D) x 900 (H)

FE - ICF500CG

Dimensions (mm) : 1420 (W) x 690 (D) x 900 (H)

FE - ICF650CG

Dimensions (mm) : 1620 (W) x 690 (D) x 900 (H)


FE - 860FG

Dimensions (mm) : 1930 (W) x 900 (D) x 870 (H)



FE - ICF900CG

Dimensions (mm) : 2100 (W) x 860 (D) x 850 (H)



COMMERCIAL ICE CREAM FREEZERS



GL-ICF400CGX

Dimensions (mm) : 1205(W) x 606(D) x 842(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF450CGX

Dimensions (mm) : 1425(W) x 606(D) x 842(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF380FDX

Dimensions (mm) : 1165(W) x 605(D) x 784(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF560FDX

Dimensions (mm) : 1425(W) x 606(D) x 842(H)
No. of Baskets : 4
Refrigerant : R290a
Working Temperature : -22°C



GL-ICF360CGX

Dimensions (mm) : 990(W) x 715(D) x 875(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF460CGX

Dimensions (mm) : 1260(W) x 715(D) x 875(H)
No. of Baskets : 4
Refrigerant : R290a
Working Temperature : -22°C

COMMERCIAL ICE CREAM FREEZERS



GL-ICF350CGQ

Dimensions (mm) : 1030(W) x 680(D) x 850(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF450CGQ

Dimensions (mm) : 1270(W) x 680(D) x 850(H)
No. of Baskets : 4
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF350FDC

Dimensions (mm) : 1034(W) x 653(D) x 900(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C



GL-ICF500FDC

Dimensions (mm) : 1434(W) x 653(D) x 900(H)
No. of Baskets : 4
Refrigerant : R290a
Working Temperature : -22°C

GL-ICF350SDC

Dimensions (mm) : 1034(W) x 653(D) x 900(H)
No. of Baskets : 3
Refrigerant : R290a
Working Temperature : -22°C



GL-ICF450SDC

Dimensions (mm) : 1434(W) x 653(D) x 900(H)
No. of Baskets : 4
Refrigerant : R290a
Working Temperature : -22°C

GLASS DOOR UPRIGHT FREEZERS



لا صقيع
NO FROST



GL-430VNFF

Dimensions (mm) : 670(W) x 700(D) x 2010(H)
No. of Shelves : 5
Refrigerant : R290a
Working Temperature : -22°C
Glass Door : 2 Layers tempered glass
with heating system



GL-480VNFF

Dimensions (mm) : 670(W) x 800(D) x 2010(H)
No. of Shelves : 5
Refrigerant : R290a
Working Temperature : -22°C
Glass Door : 2 Layers tempered glass
with heating system



GL-1200VNFF

Dimensions (mm) : 1220(W) x 700(D) x 2010(H)
No. of Shelves : 5
Refrigerant : R290a
Working Temperature : -22°C
Glass Door : 2 Layers tempered glass
with heating system

Technology & Elegance



MAZAYA
AL EMARATE CO. LLC

P.O. Box: 61277, Sharjah - U.A.E., Tel.: +971 6 5355668, Fax: +971 6 5355279
E-mail: mazayaae@eim.ae, Website: www.mazayauae.com

