



**MSAFE Construction  
Equipment Trading L.L.C**



# WELCOME TO MSAFE GROUP

**Your Trusted Partner for  
Scaffolding Sales Solutions!**

Welcome to MSAFE Group, a trusted aluminium scaffolding manufacturer dedicated to providing high-quality scaffolding solutions for sale across Dubai and the UAE. Our range of durable, lightweight aluminium scaffolding is designed to meet the highest safety standards, making it ideal for construction, maintenance, and industrial projects.

With a commitment to quality, reliability, and customer satisfaction, we ensure that each scaffolding product meets the unique needs of our clients, delivering safe and efficient solutions for every job site.



# HISTORY

Our company was established in 2019 with focus on creating better and safer outputs for our customers.

Happy to share that in span of 3.5 years, despite of Pandemic and other inescapable factors company has outperformed and expanded the business across the country.



# VISION & MISSION



## Vision

---

To be a leading provider of high-quality aluminium scaffolding solutions in Dubai and the UAE, known for safety, innovation, and reliability.

## Mission

---

To deliver durable and efficient scaffolding products that meet the highest safety standards, ensuring customer satisfaction and supporting the success of construction and industrial projects.

# MEET OUR EXPERTS

---



1

**Pradeep Aggarwal**

Managing Director



2

**Ajay Kanoi**

Director

# OUR TOP CUSTOMERS



**SIEMENS**

**VOLTAS**





# OUR PRODUCTS



# Msafe Double Width Ladder Frame Version (MLF) 1.45m X 2.5m

Our Double Width Ladder Aluminium Scaffolding provides exceptional safety with a built-in staircase and handrails, ideal for heavy loads and high reaches. Available for rent and sale in Dubai, it's perfect for safe, repeated climbing on any project.

## Key Features:

- Durable aluminium frame for lasting performance.
- Quick and hassle-free setup.
- Wide Platform to increase productivity.
- Available in various heights from 2.2 meters to 15.4 meters.
- Adheres to stringent safety standards.
- Suitable for construction, maintenance, painting, and more.



# Msafe Single Width Ladder Frame Version (MLN) 0.85m X 1.80m

Our Single Width Ladder Frame Aluminium Scaffolding is perfect for Narrow spaces. It's strong and compact, making it great for maintenance, painting, and construction. Available for rent or sale in Dubai, it provides a safe and stable platform for your work.

## Key Features:

- Perfect for narrow spaces: corridors, doorways, and confined areas.
- Built with top-quality aluminum for long-lasting performance.
- Quick and Easy setup.
- Height Range: From 2.2 meters to 9.4 meters.
- Complies with rigorous safety standards.



# M Safe Fit Stairway Scaffolding (MST) (1.3m x 1.80m)

M safe Fit stairway version is a safe, comfortable modular mobile scaffold tower to reach the work area for frequent climbing and descent.

## Key Features:

- Scaffolding width : 1.3m, Scaffolding length : 1.80m
- Working heights can be extended from 4.4m to max 18.4m with standard parts.
- Comfortable entry into the scaffolding from outside through the wide entry frame.
- Anti-slip stairway steps.
- The free standing height for scaffold is 12.4m inside and 8.4m outside as per safety norms.



# M Safe Fit Narrow Scaffolding (MN) (0.72m x 1.80m)

Msafe Fit narrow version is a safe, comfortable mobile scaffold tower. It can be used to reach narrow and difficult work places.

## Key Features:

- Scaffolding width : 0.72m, Length: 1.8m.
- Working heights can be extended from 4.2m to max. 13.30m.
- 200 kg/m loading capacity, i.e. depending on platform size from 270kg to max 810kg.
- The free standing height for scaffold is 12.3m indoor and 8.3m outdoor as per safety norms.




# MSafe Fit Extra Reach Scaffolding (MSER) (1.35m x 1.80m)

Msafe Fit stairway version is a safe, modular mobile scaffold tower to reach extra height.

## Key Features:

- Scaffolding width : 1.35m, Scaffolding length : 1.80m
- Working heights can be extended from 14.4m to 30.40m with standards part.
- Comfortable entry into the scaffolding from outside through the wide entry frame.
- Anti-slip stairway steps.



# Bridge Section

## Key Features:

- MSafe Fit bridge Scaffold are used for bigger working platform and to work across obstructions.
- Available from width size 2.5m to 6.2m.



# Cantilever One/Both Sides

## Key Features:


- A cantilever section can be added to reach additional distance not reachable by straight access.
- Available in 0.75m and 1.35m options.



# CONTACT US

---

We look forward to  
working with you

 +971 567808315, +91 9859857100

 [www.msafegroup.com](http://www.msafegroup.com)

 [salesdubai@msafegroup.com](mailto:salesdubai@msafegroup.com)

 203, Al Bahar Building, Al Khabeesi, Deira,  
Dubai



# THANK YOU

---

We appreciate your time and look forward to supporting your projects with our reliable scaffolding solutions.  
Please feel free to reach out with any questions or for further information.  
Your safety is our priority!

W W W . M S A F E G R O U P . C O M





**MANUFACTURER OF  
ALUMINIUM SCAFFOLDINGS  
& ALUMINIUM LADDER**



EN-1004:2004  
Compliant

**MSAFE CONSTRUCTION EQUIPMENT TRADING L.L.C**

 **+971 567808315**  
**+91 985 985 7100**



**[www.msafegroup.com](http://www.msafegroup.com)**



**[salesdubai@msafegroup.com](mailto:salesdubai@msafegroup.com)**

# MSAFE

## DOUBLE WIDTH LADDER FRAME VERSION (MLF) 1.45m x 2.5m



MLF 043



MLF 073



MLF 123

### DOUBLE WIDTH LADDER FRAME VERSION (MLF) 1.45m x 2.5m

Item Description	DIMENSION	MLF023	MLF033	MLF043	MLF053	MLF063	MLF073	MLF083	MLF093	MLF103	MLF113	MLF123	MLF133	MLF143	MLF153
Push on frame 1.45mtr (2 Rungs)	1m	0	1	0	1	0	1	0	1	0	1	0	1	0	1
Push on frame 1.45mtr (4 Rungs)	2m	1	1	2	2	3	3	4	4	5	5	6	6	7	7
Ladder frame 1.45mtr (2 Rungs)	1m	0	1	0	1	0	1	0	1	0	1	0	1	0	1
Ladder frame 1.45mtr (4 Rungs)	2m	1	1	2	2	3	3	4	4	5	5	6	6	7	7
Wooden Plain Platform	2.5m	1	1	1	1	1	1	1	1	1	1	1	1	2	2
Wooden Trapdoor Platform	2.5m	1	1	1	1	1	1	2	2	2	2	2	2	2	2
Diagonal Brace	2.5m	2	2	6	8	10	12	14	16	18	20	22	24	26	28
Diagonal Brace 1-2	2.3m	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Horizontal Brace	2.5m	4	6	6	6	8	8	8	10	10	10	12	12	14	14
Triangular Stabiliser Fixed	2m	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Triangular Stabiliser Fixed	3m	0	0	0	4	4	4	4	0	0	0	0	0	0	0
Triangular Stabiliser Fixed	4.5m	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Triangular Stabiliser Adjustable	6m	0	0	0	0	0	0	0	4	4	4	4	4	4	4
Swivel castor wheel adjustable	200mm	0	0	0	0	4	4	4	4	4	4	4	4	4	4
Swivel castor Wheel with Steel Stem	200mm	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Swivel castor wheel Fixed Regular (Orange)	150mm	4	4	4	4	0	0	0	0	0	0	0	0	0	0
T-Bolt with Spring		4	8	8	12	8	12	12	16	16	20	20	24	24	28
<b>Total</b>		<b>18</b>	<b>26</b>	<b>30</b>	<b>42</b>	<b>42</b>	<b>50</b>	<b>53</b>	<b>63</b>	<b>65</b>	<b>73</b>	<b>77</b>	<b>85</b>	<b>90</b>	<b>98</b>

### DOUBLE WIDTH LADDER FRAME VERSION (MLF) 1.45m x 2.5m

Item Description	MLF023	MLF033	MLF043	MLF053	MLF063	MLF073	MLF083	MLF093	MLF103	MLF113	MLF123	MLF133	MLF143	MLF153
Platform Height (m)	1.2	2.2	3.2	4.2	5.4	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4	14.4
Tower Height (m)	2.2	3.2	4.2	5.2	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4	14.4	15.4
Working Height (m)	3.2	4.2	5.2	6.2	7.4	8.4	9.4	10.4	11.4	12.4	13.4	14.4	15.4	16.4

# MSAFE

## SINGLE WIDTH LADDER FRAME VERSION (MLN) 0.85m x 1.80m



MLN 033



MLN 043



MLN 073

### SINGLE WIDTH LADDER FRAME VERSION (MLN) 0.85m x 1.80m

Item Description	DIMENSION	MLN023	MLN033	MLN043	MLN053	MLN063	MLN073	MLN083	MLN093
Push on frame 0.85mtr (2 Rungs)	1m	0	1	0	1	0	1	0	1
Push on frame 0.85mtr (4 Rungs)	2m	1	1	2	2	3	3	4	4
Ladder frame 0.85mtr (2 Rungs)	1m	0	1	0	1	0	1	0	1
Ladder frame 0.85mtr (4 Rungs)	2m	1	1	2	2	3	3	4	4
Wooden Trapdoor Platform	1.8m	1	1	1	1	1	1	1	1
Diagonal Brace	1.8m	2	4	6	8	10	12	14	16
Diagonal Brace 1-4	1.8m	0	0	0	0	0	0	0	0
Horizontal Brace	1.8m	4	6	6	6	6	6	8	8
Triangular Stabiliser Fixed	3m	0	0	4	4	4	4	0	0
Triangular Stabiliser Adjustable	4.5m	0	0	0	0	0	0	4	4
Swivel Castor Wheel Adjustable	200mm	0	0	0	4	4	4	4	4
Swivel castor Wheel with Steel Stem	200mm	0	0	0	0	0	0	0	0
Swivel castor wheel Fixed Regular (Orange)	150mm	4	4	4	0	0	0	0	0
T-Bolt with Spring		4	8	8	8	8	12	12	14
<b>Total</b>		<b>17</b>	<b>27</b>	<b>33</b>	<b>37</b>	<b>39</b>	<b>47</b>	<b>51</b>	<b>57</b>

### SINGLE WIDTH LADDER FRAME VERSION (MLN) 0.85m x 1.80m

Item Description	MLN023	MLN033	MLN043	MLN053	MLN063	MLN073	MLN083	MLN093
Platform Height (m)	1.2	2.2	3.2	4.4	5.4	6.4	7.4	8.4
Tower Height (m)	2.2	3.2	4.2	5.4	6.4	7.4	8.4	9.4
Working Height (m)	3.2	4.2	5.2	6.4	7.4	8.4	9.4	10.4

# MSAFE

## STAIRWAY SCAFFOLDING (MST) (1.3m x 1.8m)

M Safe Fit Stairway version is a safe, comfortable modular mobile scaffold tower to reach the work area for frequent climbing and descent.


**MST 034**

**MST 052**

**MST 094**

### STANDARD FEATURES

- Scaffolding width: 1.3m. length: 1.8m.
- Working heights can be extended from 4.4 m to max 16.4 m with standard parts.
- Comfortable entry into the scaffolding from outside through the wide entry frame.
- Anti-slip stairway steps.
- 200 kg/m<sup>2</sup> loading capacity i.e. depending on platform size from 480 kg to max 810 kg.
- The free standing height for scaffold is 12.4m inside and 8.4m outside as per safety norms.

Scaffold Size 1.3m x 1.8m													
Model No.	MST034	MST045	MST054	MST065	MST074	MST085	MST094	MST105	MST114	MST125	MST134	MST145	MST154
Working Height (m)	4.4	5.5	6.4	7.5	8.4	9.5	10.4	11.5	12.4	13.5	14.4	15.5	16.4
Tower Height (m)	3.4	4.5	5.4	6.5	7.4	8.5	9.4	10.5	11.4	12.5	13.4	14.5	15.4
Platform Height (m)	2.4	3.5	4.4	5.5	6.4	7.5	8.4	9.5	10.4	11.5	12.4	13.5	14.4


**Entry Frame (1.3m) (H-2m)**

**Push on Frame (1.3m) (H-2m)**

**Stairway (1.8m)**

# MSAFE

## NARROW SCAFFOLDING (MN) (0.72m x 1.8m)

M Safe Fit narrow version is a safe, comfortable mobile scaffold tower, It can be used to reach narrow and difficult work places.


**MN 022**

**MN 032**

**MN 052**


### STANDARD FEATURES

- Scaffolding width :0.72m, Length :1.80 m.
- Working height can be extended from 3.2 m to max. 10.2m.
- 200 kg/m<sup>2</sup> loading capacity, i.e. depending on platform size from 270 kg to max 810 kg.
- The free standing height for scaffold is 8.3m indoor and 6.3m outdoor as per safety norms.

#### Scaffold Size 0.72m x 1.8m

Model No.	MN022	MN032	MN043	MN052	MN063	MN072	MN083	MN092
Working Height (m)	3.2	4.2	5.3	6.2	7.3	8.2	9.3	10.2
Tower Height (m)	2.2	3.2	4.3	5.2	6.3	7.2	8.3	9.2
Platform Height (m)	1.2	2.2	3.3	4.2	5.3	6.2	7.3	8.2



**Trapdoor Platform**

**Guard Rail**

**Push on Frame (0.72m) (H-2m)**

# MSAFE

## EXTRA REACH SCAFFOLDING (MSER) (1.3m x 1.80m)

Msafe Fit extra reach version is a safe, modular mobile scaffold tower to reach extra height. Working height can be extended from 14.4m to 30.4m with standard parts.



**MSER 194**

Scaffold Size						
Model No.	MSER134	MSER144	MSER154	MSER164	MSER174	MSER184
Working Height (m)	14.4	15.5	16.4	17.5	18.4	19.5
Tower Height (m)	13.4	14.5	15.4	16.5	17.4	18.5
Platform Height (m)	12.4	13.5	14.4	15.5	16.4	17.5

* Model No.	MSER194	MSER204	MSER214	MSER225	MSER234	MSER245
Working Height (m)	20.4	21.5	22.4	23.5	24.4	25.5
Tower Height (m)	19.4	20.5	21.4	22.5	23.4	24.5
Platform Height (m)	18.4	19.5	20.4	21.5	22.4	23.5

* Model No.	MSER254	MSER264	MSER274	MSER284	MSER294
Working Height (m)	26.4	27.5	28.4	29.5	30.4
Tower Height (m)	25.4	26.5	27.4	28.5	29.4
Platform Height (m)	24.4	25.5	26.4	27.5	28.4

**\*Tying the scaffolding at every 4 meters is recommended inside or outside.**

## Msafe Bridge Section



**Bridge Section**  
Available Width Sizes  
2.5m, 3m, 3.8m, 4.2m, 4.8m, 5.4m, 6m

## Msafe Cantilever



**1.3m Cantilever**  
One Side



**0.72m Cantilever**  
Both Sides

### OUR PRESENCE IN INDIA

**NOIDA, DELHI, KOLKATA, INDORE, AHMEDABAD, MUMBAI, PUNE, CHENNAI, HYDERABAD, BANGALORE, GOA, NAGPUR, GUWAHATI, BHUBANESWAR**