

# SAFETY SHOES COLLECTION OVERVIEW

PUMA SAFETY dealer

[www.puma-safety.com](http://www.puma-safety.com)



PUMA SAFETY is produced and distributed by ISM Heinrich Krämer GmbH & Co. KG, Lippstadt, Germany 06/2020

## S3

NEW



64.465.0  
**AIRTWIST BLACK LOW**  
S3 ESD HRO SRC

NEW



64.463.0  
**AIRTWIST BLK RED LOW**  
S3 ESD HRO SRC

## S3



64.073.0  
**SIERRA NEVADA LOW**  
S3 HRO SRC



63.022.0  
**SIERRA NEVADA MID**  
S3 WR HRO SRC

NEW



64.462.0  
**AIRTWIST BLUE LOW**  
S3 ESD HRO SRC



63.318.0  
**DASH WHEAT MID**  
S3 HRO SRC



64.271.0  
**AMSTERDAM LOW**  
S3 SRC



64.072.0  
**CASCADES LOW**  
S3 HRO SRC



63.021.0  
**CASCADES MID**  
S3 HRO SRC

NEW



63.074.0  
**CONQUEST STONE HIGH**  
S3 HRO SRC



63.224.0  
**AMSTERDAM MID**  
S3 SRC



64.275.0  
**RIO BLACK LOW**  
S3 SRC



63.225.0  
**RIO BLACK MID**  
S3 SRC



63.073.0  
**CONQUEST BLK CTX HIGH**  
S3 WR HRO SRC

NEW



63.550.0  
**RAPID GREEN MID**  
S3 ESD HRO SRC



64.262.0  
**DAYTONA LOW**  
S3 HRO SRC



63.216.0  
**DAYTONA MID**  
S3 HRO SRC



64.265.0  
**MONACO LOW**  
S3 HRO SRC



63.360.0  
**ATOMIC MID**  
S3 SRC



64.360.0  
**BORNEO BLACK LOW**  
S3 SRC



63.041.1  
**BORNEO BLACK MID**  
S3 HRO SRC



# S1



64.283.0  
**SPRING WNS LOW**  
S1 ESD HRO SRC



64.282.0  
**FUSE MOTION BLUE WNS LOW**  
S1 HRO SRC

# S1P



64.450.0  
**SPEED GREEN LOW**  
S1P ESD HRO SRC



64.380.0  
**PACE 2.0 YELLOW MID**  
S1P ESD HRO SRC

# S1P



64.263.0  
**SILVERSTONE LOW**  
S1P HRO SRC



64.268.0  
**DAKAR LOW**  
S1P HRO SRC

# S3



63.060.0  
**STEPPER WNS MID**  
S3 HRO SRC



64.285.0  
**VELOCITY WNS LOW**  
S3 HRO SRC



64.291.0  
**CELERITY KNIT PINK WNS LOW**  
S1 HRO SRC



64.388.0  
**FUSE MOTION 2.0 GREEN LOW**  
S1P ESD HRO SRC



64.389.0  
**FUSE MOTION 2.0 RED MID**  
S1P ESD HRO SRC



64.385.0  
**VELOCITY 2.0 BLUE LOW**  
S1P ESD HRO SRC



64.464.0  
**FRONTSIDE LOW**  
S1P ESD HRO SRC



64.362.0  
**OMNI ORANGE LOW**  
S1P SRC



64.361.0  
**OMNI BLUE LOW**  
S1P SRC



63.388.0  
**VELOCITY 2.0 YELLOW MID**  
S3 ESD HRO SRC



64.384.0  
**VELOCITY 2.0 BLACK LOW**  
S3 ESD HRO SRC



64.412.0  
**NIOBE BLUE WNS LOW**  
S3 ESD SRC

# S1P



64.290.0  
**CELERITY KNIT BLUE WNS LOW**  
S1P HRO SRC



64.306.0  
**BLAZE KNIT LOW**  
S1P HRO SRC



64.386.0  
**XCITE GREY LOW**  
S1P ESD HRO SRC



63.387.0  
**RUSH 2.0 MID**  
S1P ESD HRO SRC



64.411.0  
**FUSE TC PINK WNS LOW**  
S1P ESD SRC



64.422.0  
**ARGON BLUE LOW**  
S3 ESD SRC



63.420.0  
**KRYPTON BLUE MID**  
S3 ESD SRC



64.423.0  
**ARGON RX LOW**  
S3 ESD SRC



64.307.0  
**XELERATE KNIT LOW**  
S1P HRO SRC



64.316.0  
**ELEVATE KNIT BLACK LOW**  
S1P ESD HRO SRC



64.317.0  
**ELEVATE KNIT GREEN LOW**  
S1P ESD HRO SRC



64.420.0  
**FUSE TC RED LOW**  
S1P ESD SRC



64.421.0  
**FUSE TC GREEN LOW**  
S1P ESD SRC



64.410.0  
**FUSE TC GREEN WNS LOW**  
S1P ESD SRC

# S2



64.288.0  
**STEPPER WNS LOW**  
S2 HRO SRC



64.064.2  
**ABSOLUTE LOW**  
S2 SRC



64.054.2  
**CONDOR BROWN LOW**  
S3 ESD SRC



63.012.2  
**CONDOR BROWN MID**  
S3 ESD SRC



64.052.1  
**CONDOR BLACK LOW**  
S3 ESD SRC



64.452.0  
**CHARGE GREEN LOW**  
S1P ESD HRO SRC



64.454.0  
**CHARGE BLACK LOW**  
S1P ESD HRO SRC



64.455.0  
**CHARGE ORANGE LOW**  
S1P ESD HRO SRC



64.430.0  
**NEODYME GREEN LOW**  
S1P ESD SRC



64.089.1  
**AVIAT LOW**  
S1P ESD SRC



64.272.0  
**MILANO LOW**  
S1P SRC



63.018.2  
**ABSOLUTE MID**  
S2 SRC



64.062.2  
**CLARITY LOW**  
S2 SRC



63.010.1  
**CONDOR BLACK MID**  
S3 ESD SRC



64.310.0  
**CROSTWIT LOW**  
S3 HRO SRC




63.314.0  
**CROSTWIT MID**  
S3 HRO SRC



COLLECTION OVERVIEW

 **albatros**<sup>®</sup>  
MADE TO PROTECT



 **albatros**<sup>®</sup>

ALBATROS<sup>®</sup> ist eine der führenden deutschen Marken im Bereich Performance- Sicherheitsschuhe sowie Work- & Outdoorfashion.  
Alle ALBATROS<sup>®</sup> Artikel werden von einem internationalen PSA Expertenteam in Deutschland entworfen und entwickelt.  
Seit mehr als 40 Jahren verbessert ALBATROS<sup>®</sup> nachhaltig Qualität, Komfort, Funktionalität und Design,  
um Profis jeden Tag optimal bei ihren Herausforderungen zu unterstützen!

ALBATROS<sup>®</sup> is one of the leading German brands in the sector of performance safety footwear as well as work & outdoor fashion.  
All ALBATROS<sup>®</sup> products are designed and developed in Germany by an international team of PPE experts.  
For over 40 years ALBATROS<sup>®</sup> constantly improves quality, comfort, functionality and design of their  
products supporting professionals to successfully master their every day challenge!

ALBATROS<sup>®</sup> est une des marques allemandes leaders dans le domaine des chaussures de sécurité performantes ainsi que de la mode vêtement de travail et de la mode "outdoor". Tous les articles ALBATROS<sup>®</sup> sont étudiés et développés par une équipe internationale de spécialistes EPI.  
Depuis plus de 40 ans ALBATROS<sup>®</sup> améliore durablement la qualité, le confort, la fonctionnalité et le design pour assister de manière optimale les professionnels dans leurs défis quotidiens!

# WORK & OUTDOORFASHION



**RASMUSSEN //**  
Art. Nr. 27.042.0



**ALLROUNDER //**  
Art. Nr. 27.200.0  
Viele weitere Farben!



**AVERY //**  
Art. Nr. 26.463.0



**BRADLEY //**  
Art. Nr. 26.704.0



**PARRY //**  
Art. Nr. 26.705.0



**HIVIS THERMO //**  
Art. Nr. 25.525.0



**HUSKY //**  
Art. Nr. 25.526.0



**POWER //**  
Art. Nr. 25.423.0



**ICEBREAKER //**  
Art. Nr. 25.066.0



**MITCHELL //**  
Art. Nr. 26.448.0



**KINGSLEY //**  
Art. Nr. 26.471.0



**STRUCTURE //**  
Art. Nr. 26.232.0



**STIRLING //**  
Art. Nr. 26.459.0



**PILE //**  
Art. Nr. 26.234.0



**COOPER //**  
Art. Nr. 27.704.0



**SKILL 4D TRS //**  
Art. Nr. 28.105.0



**EDISON //**  
Art. Nr. 27.931.0



**FITTER //**  
Art. Nr. 26.011.0



**MISSION //**  
Art. Nr. 26.421.0



**PROTECT //**  
Art. Nr. 26.420.0



**CLIMA //**  
Art. Nr. 29.782.0



**ELLIPSE //**  
Art. Nr. 29.800.0



**PADDOCK FLEX //**  
Art. Nr. 23.106.0



**WORK ESD //**  
Art. Nr. 24.038.0



# WORKWEAR

## PROFI LINE



PROFI LINE //  
Art. Nr. 28.635.0



PROFI LINE //  
Art. Nr. 28.638.0



PROFI LINE //  
Art. Nr. 28.636.0



PROFI LINE //  
Art. Nr. 28.637.0

## FREESTYLE SR



FREESTYLE SR //  
Art. Nr. 27.043.0



FREESTYLE SR //  
Art. Nr. 26.439.0

## ALLROUND BLACK



ALLROUND BLACK //  
Art. Nr. 28.625.0



ALLROUND BLACK //  
Art. Nr. 27.987.0



ALLROUND BLACK //  
Art. Nr. 28.628.0



ALLROUND BLACK //  
Art. Nr. 28.627.0



ALLROUND BLACK //  
Art. Nr. 28.626.0



FREESTYLE SR //  
Art. Nr. 28.632.0



## EXPERT 360°



EXPERT 360° //  
Art. Nr. 28.660.0



EXPERT 360° //  
Art. Nr. 28.666.0



EXPERT 360° //  
Art. Nr. 28.665.0



EXPERT 360° //  
Art. Nr. 28.663.0



EXPERT 360° //  
Art. Nr. 28.662.0

## ALLROUND GREEN



ALLROUND GREEN //  
Art. Nr. 26.435.0



ALLROUND GREEN //  
Art. Nr. 27.991.0



ALLROUND GREEN //  
Art. Nr. 28.624.0



ALLROUND GREEN //  
Art. Nr. 28.630.0



# RAINWEAR



**CLIMATE JKT //**  
Art. Nr. 27.477.0



**FREEZE JKT //**  
Art. Nr. 27.473.0



**FAHRENHEIT JKT //**  
Art. Nr. 27.449.0



**FORECAST JKT //**  
Art. Nr. 27.450.0



**FAHRENHEIT  
LATZHOSE //**  
Art. Nr. 27.445.0



**METEO //**  
Art. Nr. 27.486.0



**WRAP ME CTX //**  
Art. Nr. 27.547.0



**CYCLONE //**  
Art. Nr. 27.544.0



**ATMOSPHERE //**  
Art. Nr. 27.485.0



**DRIZZLE //**  
Art. Nr. 27.995.0



**TWISTER TRS //**  
Art. Nr. 27.463.0



**FAHRENHEIT TRS //**  
Art. Nr. 27.446.0



**FORECAST TRS //**  
Art. Nr. 27.452.0



**FAHRENHEIT  
OVERALL //**  
Art. Nr. 27.453.0



**SUPERCCELL //**  
Art. Nr. 27.543.0



**PASCAL //**  
Art. Nr. 27.476.0



**DELISLE //**  
Art. Nr. 27.475.0





# SAFETY SHOES

## S1



**JETSTREAM IMPULSE LOW**  
DUAL IMPULSE // S1 ESD HRO SRA  
Art. Nr. 64.753.0



**FREESTYLE BLACK LOW**  
FREESTYLE SR // S1P ESD SRC  
Art. Nr. 64.196.0



**ULTIMATE IMPULSE OLIVE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.673.0



**LIFT BLUE IMPULSE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.661.0



**MARATHON XTS LOW**  
SPORT XTS // S1P HRO SRC  
Art. Nr. 64.155.0



**ULTIMATE IMPULSE BLACK LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.672.0



**LIFT GREY IMPULSE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.670.0

## S1P



**BLUETECH AIR LOW**  
PROFI LINE CSL // S1P ESD SRC  
Art. Nr. 64.111.0



**BREEZE IMPULSE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.752.0



**ENERGY IMPULSE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.662.0



**LIFT BLUE IMPULSE S04 LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.659.0



**SILVER RACER XTS LOW**  
SPORT XTS // S1P HRO SRC  
Art. Nr. 64.139.0



**AER55 IMPULSE BLACK BLUE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.750.0



**ENERGY IMPULSE GREY LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.666.0



**WORKOUT LOW**  
XTS TRAIL // S1P ESD HRO SRC  
Art. Nr. 64.624.0



**ENERGY IMPULSE OLIVE LOW**  
DUAL IMPULSE // S1P ESD HRO SRA  
Art. Nr. 64.665.0



**SKYRUNNER LOW**  
XTS TRAIL // S1P ESD HRO SRC  
Art. Nr. 64.625.0





**S3**



**BLUETECH LOW**  
PROFI LINE CSL // S3 ESD SRC  
Art. Nr. 64.110.0



**BLUETECH MID**  
PROFI LINE CSL // S3 ESD SRC  
Art. Nr. 63.115.0



**GRAVEL LOW**  
TREKSTAR WORK // S3 SRC  
Art. Nr. 64.134.0



**TIMBER MID**  
TREKSTAR WORK // S3 SRC  
Art. Nr. 63.134.0



**TIMBER LOW**  
TREKSTAR WORK // S3 SRC  
Art. Nr. 64.133.0



**TOFANE BLACK QL CTX MID**  
TREKSTAR XP // S3 WR ESD HRO SRC  
Art. Nr. 63.850.0



**TOFANE BLACK QL LOW**  
TREKSTAR XP // S3 ESD HRO SRC  
Art. Nr. 64.851.0



**BUSINESS CSL LOW**  
CASUAL SAFETY // S3 ESD SRC  
Art. Nr. 64.610.0



**RUNNER XTS MID**  
SPORT XTS // S3 HRO SRC  
Art. Nr. 63.169.0



**RUNNER XTS LOW**  
SPORT XTS // S3 HRO SRC  
Art. Nr. 64.146.0



**ANTELAO QL LOW**  
TREKSTAR XP // S3 ESD HRO SRC  
Art. Nr. 64.852.0



**GRAVITATION S04 MID**  
CLEAR TPU // S3 SRC  
Art. Nr. 63.104.0



**GRAVITY CTX MID**  
CLEAR TPU // S3 WR SRC  
Art. Nr. 63.112.0



**GRAVITATION LOW**  
CLEAR TPU // S3 SRC  
Art. Nr. 64.108.0



**GRAVITATION MID**  
CLEAR TPU // S3 SRC  
Art. Nr. 63.108.0



**ENDURANCE LOW**  
CRAFT™ // S3 SRC  
Art. Nr. 64.135.0



**ENDURANCE MID**  
CRAFT™ // S3 SRC  
Art. Nr. 63.132.0



**FUNCTION LOW**  
CRAFT™ // S3 SRC  
Art. Nr. 64.170.0



**VIGOR IMPULSE LOW**  
DUAL IMPULSE // S3 ESD HRO SRA  
Art. Nr. 64.650.0



**VIGOR IMPULSE MID**  
DUAL IMPULSE // S3 ESD HRO SRA  
Art. Nr. 63.655.0



**ULTRATRAIL OLIVE CTX MID**  
XTS TRAIL // S3 ESD WR HRO SRC  
Art. Nr. 63.622.0



**ULTRATRAIL BLACK MID**  
XTS TRAIL // S3 ESD HRO SRC  
Art. Nr. 63.620.0



**ULTRATRAIL BLACK LOW**  
XTS TRAIL // S3 ESD HRO SRC  
Art. Nr. 64.620.0



**FUNCTION MID**  
CRAFT™ // S3 SRC  
Art. Nr. 63.165.0



**X-TREME CTX MID**  
X-TREME // S3 WR HRO SRC  
Art. Nr. 63.175.0



**GRAVEL MID**  
TREKSTAR WORK // S3 SRC  
Art. Nr. 63.133.0



**ULTRATRAIL GREY LOW**  
XTS TRAIL // S3 ESD HRO SRC  
Art. Nr. 64.621.0

**LADIES**



**TWIST RED WNS LOW**  
LADIES LINE // S1P ESD HRO SRC  
Art. Nr. 64.521.0



**TWIST PINK WNS LOW**  
LADIES LINE // S1P ESD HRO SRC  
Art. Nr. 64.520.0

♀ + alle Modelle mit diesem Symbol sind unisex  
♀ + all styles with this symbol are unisex

# WORK & HIKE, TREKKING

BERUFS- & TREKKINGSCHUHE OHNE ZEHENSCHUTZKAPPE

01

EN ISO 20347



**SKYRUNNER BLUE S04 LOW**  
WORK & HIKE XTS // O1 HRO SRC  
Art. Nr. 65.456.0



**SKYRUNNER BLACK LOW**  
WORK & HIKE XTS // O1 HRO SRC  
Art. Nr. 65.455.0



**VIALE BLACK LOW**  
WORK & HIKE XTS // O1 HRO SRC  
Art. Nr. 65.443.0



**BRIONE CTX MID**  
WORK & HIKE XTS // O2 WR HRO SRC  
Art. Nr. 67.777.0



**BRIONE CTX LOW**  
WORK & HIKE XTS // O2 WR HRO SRC  
Art. Nr. 65.447.0



**ISCHGL CTX MID**  
WORK & HIKE XTS // O2 WR HRO SRC  
Art. Nr. 67.758.0



**ISCHGL CTX MID**  
WORK & HIKE XTS // O2 WR HRO SRC  
Art. Nr. 67.758.0



**VANTAGE CTX LOW**  
WORK & HIKE XTS // O2 WR HRO SRC  
Art. Nr. 65.441.0

02

EN ISO 20347



**SENSA GREEN CTX WNS MID**  
WORK & HIKE LDS // O2 WR HRO SRC  
Art. Nr. 67.255.0



**ACADIA CTX WNS LOW**  
WORK & HIKE LDS // O2 WR HRO SRC  
Art. Nr. 65.251.0



+ alle Modelle mit diesem Symbol sind unisex  
+ all styles with this symbol are unisex

♀

LADIES  
EN ISO 20347

NON  
SAFETY



**MONT BLANC CTX MID**  
Art. Nr. 67.644.0



**EIGER CTX LOW**  
Art. Nr. 65.865.0



**BONVIN CTX MID**  
Art. Nr. 67.335.0



**HIGHLANDS CTX MID**  
Art. Nr. 67.752.0



**PRATO OLIVE CTX LOW**  
Art. Nr. 65.462.0



**LISSABON CTX LOW**  
Art. Nr. 65.925.0



**LOFOTEN CTX LOW**  
Art. Nr. 65.860.0



**LOFOTEN CTX MID**  
Art. Nr. 67.851.0



# BOOTS

## SAFETY EN ISO 20345



**TITAN** // S5 CI SRC  
Art. Nr. 59.088.0



**TITAN RIGGER** // S5 CI SRC  
Art. Nr. 59.089.0



**PROTECTOR PLUS** //  
S5 SRC  
Art. Nr. 59.025.0

## OCCUPATIONAL EN ISO 20347



**GUARDIAN  
HIGH GREEN** //  
Art. Nr. 56.401.0



**GUARDIAN  
MID GREEN** //  
Art. Nr. 56.402.0



**GUARDIAN  
HIGH BLACK** //  
Art. Nr. 56.403.0



**GUARDIAN  
MID BLACK** //  
Art. Nr. 56.404.0



**THE RANCHER** //  
Art. Nr. 59.308.0



## PROFESSIONAL, LEISURE & GARDEN



**ARAGON** //  
Art. Nr. 57.605.0



**FOREST ISO** //  
Art. Nr. 57.553.0



**AURORA** //  
Art. Nr. 57.603.0



**TISDALE BROWN** //  
Art. Nr. 58.139.0



**CALGARY** //  
Art. Nr. 58.402.0



**PURCEL PROFI** //  
Art. Nr. 55.025.0



Ihr ALBATROS® Fachhändler / your ALBATROS® specialist dealer / concessionaire ALBATROS®:

## PE chemicals cabinet FD 3

**Robust, stackable PE cabinets**  
for all applications requiring high  
resistance to the storage of corrosive  
media such as acids and lyes.

- colour in grey with finished  
surface finish.
- door opens to right or left
- integral collection tray in floor assembly,  
two shelves can be used
- assembly in five minutes completely  
without tools, disassembly just as fast
- locking by means of padlock
- hanging to wall possible
- made from high-quality polyethylene  
(HDPE)
- option to connect mechanical ventilation  
via 2" thread
- parts for mounting single cabinet (5/10)  
to double and quadruple cabinet  
(10/20, 5/20, 10/20) are inclusive



PE chemicals cabinet 5/10



PE chemicals cabinet 10/20



PE chemicals cabinet 5/20



PE chemicals cabinet 10/20

Description	Overall dimensions cm (l x d x h)	Collection volume L	Weight approx. kg	Order no.
PE chemicals cabinet 5/10	46 x 50 x 91.5	1 x 12	21	11018
PE chemicals cabinet 10/20	92 x 50 x 91.5	2 x 12	42	11020
PE chemicals cabinet 5/20	46 x 96 x 181	2 x 12	42	11021
PE chemicals cabinet 10/20	92 x 96 x 181	4 x 12	84	11022

## Petrol trolley 60 L and 95 L

- suitable for use under ADR 1 (1.3.1 e) for single site refuelling by a person in the course of their main business
- container constructed from high density electrically conductive polyethylene to eliminate static
- flashback arrester
- integral grip and carry handles
- filling cap with integral breather valve
- delivery hose with stop valve
- handpump 25 L/min and nozzle
- with pump 12V, 25 L/min, automatic nozzle, 4.1 m cable with battery terminals
- Trolley 95 L: 300 mm diameter pneumatic tyres, air-filled, all-terrain, 3.2 m delivery hose
- Trolley 60 L: 240 mm diameter plastic tyres, 2.7 m delivery hose
- internal baffle
- integral nozzle holder
- trolley 95 L, included recesses for strapping during transport



60 L, with hand pump



95 L, with hand pump



95 L, with electric pump



Flashback arrester



## Petrol trolley 53 L

- UN approved for the transport of fuel
- HD-PE container 53 L with wheel and handle for maneuverability
- container constructed from high density electrically conductive polyethylene to eliminate static (optional)
- dispensing nozzle pump, 7.5 L/min, with 3 m delivery hose and locking catch for the trigger guard
- baffle
- filling nozzles with integrated vent
- 2 shut-off valves for problem-free removal of the delivery hose
- integrated recesses for securing the trolley with ratchet lashing strap during transport



Explosion-suppressing inert (patent protected) hence no explosive atmosphere inside the container (Ex0 model only)



Description / Capacity	Dimensions in cm (l x w x h)	Weight approx. kg	Order no.
Petrol trolley 53 L	67 x 42 x 33	8	10047
Petrol trolley Ex0 <sup>inert</sup> 53 L	67 x 42 x 33	11	10421
Petrol trolley Ex0 <sup>inert</sup> 60 L, with hand pump	90 x 53 x 38	13	10907
Petrol trolley Ex0 <sup>inert</sup> 60 L, with hand pump	100 x 59 x 43	20	10162
Petrol trolley Ex0 <sup>inert</sup> 95 L, with electric pump	90 x 53 x 38	30	10908
Petrol trolley Ex0 <sup>inert</sup> 95 L, with electric pump	100 x 59 x 43	32	10646

<sup>inert</sup> explosion-suppressing inert    <sup>inert</sup> with flashback arrester

# CEMO diesel trolley PG 4

Diesel

## Diesel trolley 60 L and 100 L

- suitable for use under ADR T 1 (3.1) for single-site refuelling by a person in the course of their primary business
- polyethylene container with integral hand grip and carry handles
- filler cap with integral vent and breather valve
- outlet connection with isolation valve
- trolley 100 L: 300 mm diameter pneumatic tyres, all-terrain trolley 60 L: 240 mm diameter plastic tyres
- internal baffle
- integral nozzle holder
- trolley 100 L: moulded recesses enabling strapping during transport

### Mounted pump

- crank pump 0.38 L per revolution with 3 m delivery hose DN 19 and nozzle
- self-priming pump CENTRI SP30, 12 V, 30 L/min, extremely quiet, with 3 m delivery hose DN 19 and 4 m fly leads or battery

Accessory: digital flow meter #24 for assembly between filling hose and automatic nozzle for the version with electric pump, see page 138



CENTRI SP30  
EXTREMELY  
QUIET



Diesel trolley 60 L with 12 V pump CENTRI SP30 and battery



Diesel trolley 100 L with 12 V pump CENTRI SP30



Diesel trolley 100 L with crank pump



Charge for versions with battery



Weight distribution at handle while moving 60 L and 100 L trolley

## CEMO diesel trolley

### Description / Capacity

- | Description / Capacity  | Dimensions in cm (l x w x h) | Weight approx. kg | Order no. |
|---|------------------------------|-------------------|-----------|
| 60L, with crank pump and manual nozzle  | 90 x 52 x 37                 | 15                | 11100     |
| 60L, with automatic pump 12 V CENTRI SP30 and automatic nozzle                            | 90 x 52 x 37                 | 15                | 11133     |
| 100L, with automatic pump 12 V CENTRI SP30, LiFePO4 battery, charger and automatic nozzle | 90 x 52 x 37                 | 15                | 11134     |
| 100L, with crank pump and manual nozzle   | 100 x 58 x 43                | 20                | 11101     |
| 100L, with automatic pump 12 V CENTRI SP30 and automatic nozzle                           | 100 x 58 x 43                | 20                | 11102     |
| 100L, with automatic pump 12 V CENTRI SP30, LiFePO4 battery, charger and automatic nozzle | 100 x 58 x 43                | 20                | 11110     |

Accessory: additional battery (10002), see page 50.



## Battery secure cabinet FWF90 PG 9

FOR THE STORAGE OF LITHIUM BATTERIES

These fireproof secure cabinets are well suited to storing lithium batteries. The proven quality is reflected in the 90-minute fire resistance pursuant to DIN EN 14470-1 on both the outside and the inside. In addition, the cabinet's unique design using non-combustible materials provides good fire protection from both the inside and the outside, even in the event that the stored lithium batteries suddenly ignite. This period is normally sufficient until further action can be taken. The risk of the fire spreading and accelerating is significantly reduced with this cabinet and consequential damage to the environment is effectively reduced in the event of flame formation caused by the lithium batteries inside the cabinet.



Battery secure cabinet 12/20

Cable duct accessory see page 187



These secure cabinets achieve a high level of safety, thereby providing strong support when conducting risk analyses for on-site storage. The safety cabinets are based on the current guidelines issued by the German Insurance Association (GDV) for the storage of undamaged lithium batteries (leaflet „VdS 3103“). We therefore recommend that you consult your property insurance company.

Note: With grey doors (similar to RAL 7035) as standard; zinc yellow (similar to RAL 1018) also available on request.

Description	External dimensions cm (l x d x h)	Internal dimensions cm (l x d x h)	Storage levels	Weight approx. kg	Order no.
Battery secure cabinet 11/6	110 x 57 x 63	87 x 43 x 46.6	1 drawer	235	11051
Battery secure cabinet 5/20	60 x 59.5 x 196	51.6 x 48.3 x 160.3	4 storage levels	340	11052
Battery secure cabinet 12/20	120 x 58.5 x 196	111.6 x 48.3 x 160.3	4 storage levels	600	11053

## Battery secure cabinet PRO FWF90 PG 9

FOR STORAGE OF LITHIUM BATTERIES

This EN 14470-1-compliant secure cabinet has sophisticated protective mechanisms that provide excellent protection against fires within the cabinet caused by lithium batteries. As soon as a fire breaks out on one of the storage levels, the doors close. Then, the special locking technology that has been installed is deployed, ensuring that the doors remain closed even when the escaping gases ignite. In this case, the system also ensures that the doors can only be opened again by authorised experts. In addition, the cabinet can also be adapted to various requirements.

Talk to us; we'd be pleased to assist.



Talk to us about compartment subdivision, cable ducts, power supply, sensor-controlled temperature monitoring and other additional sizes.

Description	External dimensions cm (l x d x h)	Internal dimensions cm (l x d x h)	Storage levels	Weight approx. kg	Order no.
Battery secure cabinet Pro	119.5 x 69.5 x 208	110 x 48.5 x 163	4	465	11214