


ALLURE BLACK

TIMELESS DESIGN



Specifications

Material
Polycarbonate

Color
Black

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



ELECTRICAL SOCKETS




COMBINATION SWITCHES



ALLURE GREY

TIMELESS DESIGN



Specifications

Material Polycarbonate
Color Grey



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



ELECTRICAL SOCKETS




COMBINATION SWITCHES



ALLURE WHITE

TIMELESS DESIGN



Specifications

Material
Polycarbonate

Color
White



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V 1 Gang Bell Press Switch

10AX 250V 1 Gang 1 Way Switch

10AX 250V 1 Gang 2 Way Switch

10AX 250V 2 Gang 1 Way Switch

10AX 250V 2 Gang 2 Way Switch



10AX 250V 3 Gang 1 Way Switch

10AX 250V 3 Gang 2 Way Switch

10AX 250V 4 Gang 1 Way Switch

10AX 250V 4 Gang 2 Way Switch

10AX 250V 6 Gang 1 Way Switch



10AX 250V 6 Gang 2 Way Switch

10AX 250V 8 Gang 1 Way Switch

10AX 250V 8 Gang 2 Way Switch

COMBINATION SWITCHES



FAN DIMMER 250W 230V

LIGHT DIMMER 1000W 230V

ELECTRICAL SOCKETS



13A 250V 1 Gang 3Pin Switched Universal Socket Shuttered with Earth

13A 250V 1 Gang Switched Socket with Shuttered Earth

16A 250V 1 Gang Switched Socket with Shutter & Earth

13A 250V 1Gang DP Switched Socket with Shutter & Earth USB + C TYPE



13A 250V 2 Gang Socket with Shutter & Earth USB + TYPE C

13A 250V 2 Gang BS Switched Socket with Shutter & Earth

32A 250V 1 Gang Double Pole Switch with Neon & Earth



13A 250V 2 Gang Switched Socket with Shutter & Earth


TV Socket

Data Socket

Telephone Socket

INCLINE BLACK

SLEEK POWER



Specifications

Material
Acrylic

Color
Black



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V Bell Press Switch
10AX 250V 1 Gang 1 Way Switch
10AX 250V 1 Gang 2 Way Switch
10AX 250V 2 Gang 1 Way Switch



10AX 250V 2 Gang 2 Way Switch
10AX 250V 3 Gang 1 Way Switch
10AX 250V 3 Gang 2Way Switch
10AX 250V 4 Gang 1 Way Switch



10AX 250V 4 Gang 2 Way Switch
45A 250 V Outlet Connector
20 A 250V DP Switch

COMBINATION SWITCHES



630W Fan Dimmer
1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V Switched Universal Socket Shuttered with Earth
16A 250V Switched Socket with Shuttered & Earth
16A 250V Switched Socket with Shutter & Earth
16A 250V Switched Socket with Shuttered & Earth USB with type C-Port
13A 250V 1 Gang 3Pin Universal Socket Shuttered with Earth & 2A 240V USB with type C-Port



13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang MF Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang + 2 USB Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang USB+ Type C Switched Socket with Shutter & Neon with Earth




3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)
TV Socket
13A Outlet with Fuse
Telephone Outlet with Shutter
Telephone + Data Outlet with Shutter
Data Outlet with Shutter



Double Data Outlet with Shutter
Blank Panel
45A 250V DP Switch with Neon & Earth
7X14 - 45A 250V DP Switch with Neon & Earth

INCLINE PURPLE

MODERN ELEGANCE



Specifications

Material
Acrylic

Color
Purple



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V Bell Press Switch
10AX 250V 1 Gang 1 Way Switch
10AX 250V 1 Gang 2 Way Switch
10AX 250V 2 Gang 1 Way Switch



10AX 250V 2 Gang 2 Way Switch
10AX 250V 3 Gang 1 Way Switch
10AX 250V 3 Gang 2 Way Switch
10AX 250V 4 Gang 1 Way Switch



10AX 250V 4 Gang 2 Way Switch
45A 250V Outlet Connector
20 A 250V DP Switch

COMBINATION SWITCHES



630W Fan Dimmer
1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V Switched Universal Socket Shuttered with Earth
16A 250V Switched Socket with Shuttered & Earth
16A 250V Switched Socket with Shutter & Earth
16A 250V Switched Socket with Shuttered & Earth
13A 250V 1 Gang 3Pin Universal Socket Shuttered with Earth & 2A 240V USB with type C-Port
USB with type C-Port
USB with type C-Port



13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang MF Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang + 2 USB Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang USB+ Type C Switched Socket with Shutter & Neon with Earth




3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)
TV Socket
13A Outlet with Fuse
Telephone Outlet with Shutter
Telephone + Data Outlet with Shutter
Data Outlet with Shutter



Double Data Outlet with Shutter
Blank Panel
45A 250V DP Switch with Neon & Earth
7X14 - 45A 250V DP Switch with Neon & Earth

ST

STYLING PARTNER



Specifications

Material
Polycarbonate

Color
White



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V Bell Press Switch
10AX 250V 1 Gang 1 Way Switch
10AX 250V 1 Gang 2 Way Switch
10AX 250V 2 Gang 1 Way Switch



10AX 250V 3 Gang 1 Way Switch
10AX 250V 3 Gang 2 Way Switch
10AX 250V 4 Gang 1 Way Switch
10AX 250V 4 Gang 2 Way Switch



10AX 250V 6 Gang 1 Way Switch
10AX 250V 8 Gang 1 Way Switch

COMBINATION SWITCHES



630W Fan Dimmer
1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V 1 Gang 3Pin Switched Universal Socket Shuttered with Earth
16A 250V Switched Socket with Shuttered & Earth
16A 250V Switched Socket with Shutter & Earth
16A 250V 1 Gang Switched Socket with Shutter & Earth 2 A 250V USB Port
20A 250V 1 Gang Double Pole Switch with Neon & Earth
45A 250V 1 Gang Double Pole Switch with Neon & Earth




13A 250V 1 Gang 5 Pin Switched Universal Socket Shuttered with Earth
13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth
13A 250V 1 Gang DP Switched Socket with Shutter & Earth 45A DP Switched (Cooker Unit)
7X14 - 45A 250V DP Switch with Neon & Earth



1 Gang TV Co-Axial Outlet & 1 Gang Telephone Outlet with Shutter
1 Gang Telephone Outlet with Shutter & 1 Gang Category & Data Outlet with Shutter
16A 250V 1 Gang Schuko Socket with Shutter & Earth
1 Gang TV Co-Axial Outlet
45A 250V Outlet Connector
Blank Panel

V1 GOLD

BOLDLY AT THE TOP



Specifications

Material
Polycarbonate

Color
Gold




MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



16AX 250V 1 Gang Bell Press Switch 16AX 250V 1 Gang 1 Way Switch 16AX 250V 1 Gang 2 Way Switch 16AX 250V 2 Gang 1 Way Switch 16AX 250V 2 Gang 2 Way Switch



16AX 250V 3 Gang 1 Way Switch 16AX 250V 3 Gang 2 Way Switch 16AX 250V 4 Gang 1 Way Switch 16AX 250V 4 Gang 2 Way Switch




16AX 250V 6 Gang 1 Way Switch 16AX 250V 6 Gang 2 Way Switch



16AX 250A 8 Gang 1 Way Switch 16AX 250A 8 Gang 2 Way Switch

ELECTRICAL SOCKETS



13A 250V Switched Socket with Shutter & Earth 16A 250V Switched Socket with Shutter & Earth 13A 250V 1 Gang 3Pin Switched Universal Socket Shuttered with Earth 13A 250V 1 Gang 3Pin Universal Socket Shuttered with Earth & Double USB




13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth 20A 250V 1 Gang DP Switch 45A 250V 1 Gang DP A/C Switch 1 Gang TV Co-Axial Outlet & 1 Gang Telephone Outlet with Shutter



1 Gang Category 6 Data Outlet with Shutter Telephone Outlet with Shutter 1 Gang Telephone Outlet with Shutter & 1 Gang Category & 5 Data Outlet with Shutter Data Socket

V2 WHITE

MODERN ABSTRACTION



Specifications

Material
Polycarbonate

Color
White

MATEL BASE | PURE COPPER CONTACTS


LIGHT SWITCHES



COMBINATION SWITCHES



ELECTRICAL SOCKETS




V6 BLACK

ELEGANCE UNVEILED



Specifications

Material	Color
Polycarbonate	Black



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



16AX 250V
1 Gang Bell
Press Switch



16AX 250V
1 Gang 1 Way
Switch



16AX 250V
1 Gang 2 Way
Switch



16AX 250V
2 Gang 1 Way
Switch



16AX 250V
2 Gang 2 Way
Switch



16AX 250V
3 Gang 1 Way
Switch



16AX 250V
3 Gang 2 Way
Switch



16AX 250V
4 Gang 1 Way
Switch



16AX 250V
4 Gang 2 Way
Switch

COMBINATION SWITCHES



630W
Fan Dimmer



1000W
Light Dimmer

ELECTRICAL SOCKETS



13A 250V
1 Gang 3Pin
Switched
Universal Socket
Shuttered with
Earth



16A 250V
Switched
Socket with
Shuttered & Earth



13A 250V
1 Gang Switched
Socket with Shutter
2A 250V
USB + Type C



7X14 - 45A 250V
DP Switch
with Neon & Earth



13A 250V Twin
Gang Socket with Shutter & Earth
& 2A 250V USB
with Type C



13A 250V 2
Gang Switched Socket
with Shutter & Earth



3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



45A 250V
1 Gang DP
A/C Switch



20A 250V
1 Gang DP
Switch



Telephone Outlet
with Shutter



1 Gang
Telephone Outlet
with Shutter &
1 Gang Category &
6 Data Outlet
with Shutter



Data Socket



45A 250V
Outlet
Connection Unit



TV Socket




1 Gang TV
Co-Axial Outlet &
1 Gang Telephone Outlet
with Shutter



Blank Panel

V6 GREY


ELEGANCE UNVEILED



Specifications

Material	Color
Polycarbonate	Grey

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



COMBINATION SWITCHES




ELECTRICAL SOCKETS



V6 PEARL

ELEGANCE UNVEILED



Specifications

Material
Polycarbonate

Color
Pearl

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



16AX 250V 1 Gang Bell Press Switch

16AX 250V 1 Gang 1 Way Switch

16AX 250V 1 Gang 2 Way Switch

16AX 250V 2 Gang 1 Way Switch

16AX 250V 2 Gang 2 Way Switch



16AX 250V 3 Gang 1 Way Switch

16AX 250V 3 Gang 2 Way Switch

16AX 250V 4 Gang 1 Way Switch

16AX 250V 4 Gang 2 Way Switch

COMBINATION SWITCHES



250W Fan Dimmer

1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V 1 Gang 3Pin Switched Universal Socket Shuttered with Earth

16A 250V Switched Socket with Shuttered & Earth

13A 250V 1 Gang Switched Socket with Shutter 2A 250V USB + Type C

7X14-45A 250V DP Switch with Neon & Earth



13A 250V 2 Gang Switched Socket with Shutter & Earth

13A 250V Twin Gang Socket with Shutter & Earth & 2A 250V USB with Type C

3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)

13A 250V 2 Gang BS Switched Socket with Shutter & Earth



20A 250V 1 Gang DP Switch

45A 250V 1 Gang DP A/C Switch

Data Socket

Telephone Outlet with Shutter

1 Gang Telephone Outlet with Shutter & 1 Gang Category & 6 Data Outlet with Shutter

1 Gang TV Co-Axial Outlet & 1 Gang Telephone Outlet with Shutter




TV Socket

45A 250V Outlet Connection Unit

Blank Panel

V8 WHITE

THE CHANGE YOU NEED



Specifications

Material
Polycarbonate

Color
White



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



COMBINATION SWITCHES



ELECTRICAL SOCKETS



V10 WHITE

THE CHANGE YOU NEED



Specifications

Material
Polycarbonate

Color
White

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



10AX 250V 1 Gang Bell Press Switch

10AX 250V 1 Gang 1 Way Switch

10AX 250V 1 Gang 2 Way Switch

10AX 250V 2 Gang 1 Way Switch

10AX 250V 2 Gang 2 Way Switch

10AX 250V 3 Gang 1 Way Switch

10AX 250V 3 Gang 2 Way Switch

10AX 250V 4 Gang 1 Way Switch

10AX 250V 4 Gang 2 Way Switch


COMBINATION SWITCHES



630W Fan Dimmer

1000W Light Dimmer

ELECTRICAL SOCKETS



10A 250V Switched Universal Socket Shuttered with Earth

13A 250V Switched Socket with Shutter & Earth

15A 250V Switched Socket with Shutter & Earth

16A 250V 1 Gang Schuko Socket with Shutter & Earth

7X14 - 45A 250V DP A/C Switch with Earth

45A 250V Outlet Connection Unit

10A 250V 2 Gang MF Switched Socket with Shutter & Neon with Earth

13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth

16A 250V 2 Gang MF + 2 USB Switched Socket with Shutter & Neon with Earth

13A 250V 2 Gang + 2 USB Switched Socket with Shutter & Neon with Earth

TV Socket

1 Gang TV Co-Axial Outlet & 1 Gang Telephone Outlet with Shutter

Data Socket

1 Gang Telephone Outlet with Shutter & 1 Gang Category & 6 Data Outlet with Shutter

3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)

20 A 250 V 1 Gang DP Switch with Neon & Earth

45 A 250 V 1 Gang DP Switch with Neon & Earth


3A Outlet with Fuse

20 A 250 V Outlet Socket

Blank Panel

V11 GREY

COLLECTING MEMORIES



Specifications

Material
Polycarbonate

Color
Grey

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V 1 Gang Bell Press Switch
10AX 250V 1 Gang 1 Way Switch
10AX 250V 1 Gang 2 Way Switch
10AX 250V 2 Gang 1 Way Switch



10AX 250V 2 Gang 2 Way Switch
10AX 250V 3 Gang 1 Way Switch
10AX 250V 3 Gang 2 Way Switch
10AX 250V 4 Gang 1 Way Switch



10AX 250V 4 Gang 2 Way Switch

COMBINATION SWITCHES



630W Fan Dimmer
1000W Light Dimmer

ELECTRICAL SOCKETS



16A 250V Switched Universal Socket with Shutter & Earth
13A 250V Switched Socket with Shutter & Earth
16A 250V 1 Gang Schuko Socket with Shutter & Earth
7X14-45A 250V DP A/C Switch with Earth
45A 250V Outlet Connection Unit



16A 250V 2 Gang MF Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang Switched Socket with Shutter & Neon with Earth
16A 250V 2 Gang MF + 2 USB Switched Socket with Shutter & Neon with Earth
13A 250V 2 Gang + 2 USB Switched Socket with Shutter & Neon with Earth




TV Socket
1 Gang TV Co-Axial Outlet & 1 Gang Telephone Outlet with Shutter
Data Socket
1 Gang Telephone Outlet with Shutter & 1 Gang Category & 6 Data Outlet with Shutter
3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)



3A Outlet with Fuse
20 A 250 V Outlet Socket
Blank Panel
20 A 250 V 1 Gang DP Switch with Neon & Earth
45 A 250 V 1 Gang DP Switch with Neon & Earth

V12 GLASS BLACK

EFFORTLESS ELEGANCE



Specifications

Material
Tempered
Glass

Color
Black

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V Bell Press Switch 10AX 250V 1 Gang 1 Way Switch 10AX 250V 1 Gang 2 Way Switch 10AX 250V 2 Gang 1 Way Switch 10AX 250V 2 Gang 2 Way Switch



10AX 250V 3 Gang 1 Way Switch 10AX 250V 3 Gang 2 Way Switch 10AX 250V 4 Gang 1 Way Switch 10AX 250V 4 Gang 2 Way Switch

COMBINATION SWITCHES



250W Fan Dimmer 1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V MF 1 Gang Switched Socket with Shutter & Earth 13A 250V 1 Gang Switched Socket with Shutter & Earth 13A 250V 1 Gang Switched Socket with Shutter & Earth 13A 250V 1 Gang Switched Socket with Shutter & Earth



13A 250V 2 Gang Switched Socket with Shutter & Earth 13A 250V Twin Gang Socket with Shutter & Earth & 2A 250V USB with Type C 45A 250V DP Switch With Neon




20A 250V DP Switch With Neon Telephone Outlet with Shutter Data Socket TV Socket



Blank Panel

V12 GLASS GREY

EFFORTLESS
ELEGANCE



Specifications

Material	Color
Tempered Glass	Grey

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



10AX 250V Bell Press Switch 10AX 250V 1 Gang 1 Way Switch 10AX 250V 1 Gang 2 Way Switch 10AX 250V 2 Gang 1 Way Switch 10AX 250V 2 Gang 2 Way Switch



10AX 250V 3 Gang 1 Way Switch 10AX 250V 3 Gang 2 Way Switch 10AX 250V 4 Gang 1 Way Switch 10AX 250V 4 Gang 2 Way Switch

COMBINATION SWITCHES



250W Fan Dimmer 1000W Light Dimmer

ELECTRICAL SOCKETS



13A 250V MF 1 Gang Switched Socket with Shutter & Earth 13A 250V 1 Gang Switched Socket with Shutter 13A 250V 1 Gang Switched Socket with Shutter & Earth 13A 250V 1 Gang Switched Socket with Shutter & Earth



13A 250V Twin Gang Switched Socket with Shutter & Earth 13A 250V Twin Gang Socket with Shutter & Earth & 2A 250V USB with Type C 20A 250V DP Switch With Neon




45A 250V DP Switch With Neon Telephone Outlet with Shutter Data Socket TV Socket



Blank Panel

V12 MATTE BLACK

MATTE PERFECTION



Specifications

Material	Color
Tempered Glass	Matte Black

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



ELECTRICAL SOCKETS




COMBINATION SWITCHES



V12 MATTE GREY

MATTE PERFECTION




Specifications


Material	Color
Tempered Glass	Matte Grey

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



COMBINATION SWITCHES





ELECTRICAL SOCKETS



VL WHITE

ELEGANCE UNVEILED



Specifications

Material Polycarbonate
Color White

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



16AX 250V 1 Gang Bell Press Switch
16AX 250V 1 Gang 1 Way Switch
16AX 250V 1 Gang 2 Way Switch
16AX 250V 2 Gang 1 Way Switch
16AX 250V 2 Gang 2 Way Switch



16AX 250V 3 Gang 1 Way Switch
16AX 250V 3 Gang 2 Way Switch
16AX 250V 4 Gang 1 Way Switch
16AX 250V 4 Gang 2 Way Switch

COMBINATION SWITCHES



630W Fan Dimmer
1000W Light Dimmer

VLS LIGHT SWITCHES



16AX 250V 1 Gang 1 Way Switch
16AX 250V 2 Gang 1 Way Switch
16AX 250V 3 Gang 1 Way Switch
16AX 250V 4 Gang 1 Way Switch

ELECTRICAL SOCKETS



13A 250V 1 Gang 3Pin Switched Universal Socket Shuttered with Earth
16A 250V Switched Socket with Shuttered & Earth
16A 250V Switched Socket with Shutter & Earth
16A 250V 1 Gang Schuko Socket with Shutter & Earth
13A 250V 1 Gang 3Pin Universal Socket Shuttered with Earth & 2A 240V USB
45A 250V Outlet Connection Unit




13A 250V Twin Gang 3Pin Switched Universal Socket Shuttered with Earth
13A 250V 2 Gang Switched Socket with Shutter & Earth
3Pin Switched Socket With Shutter & Earth & 45A DP Switch (Cooker Unit)
45A 250V DP Switch with Neon & Earth
20A 250V DP Switch with Neon & Earth



Data Socket
Telephone Outlet with Shutter
1 Gang Telephone Outlet with Shutter & 1 Gang Category & 6 Data Outlet with Shutter
1 Gang TV Co-Axial Outlet & 1 Gang Data Outlet with Shutter
TV Socket
Blank Panel

TITAN BLACK

MODERN ELEGANCE



Specifications

Material **Color**
Stainless Steel Black

MATEL BASE | PURE COPPER CONTACTS

SWITCHES



10AX 250V
1 Gang Bell
Press Switch



10AX 250V
1 Gang 2 Way
Switch



10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch



10AX 250V
4 Gang 2 Way
Switch



Blank Panel



20A 250V
DP Switch



45A 250V
DP Switch

ELECTRICAL SOCKETS



15A 250V
1 Gang Switched
Socket with
Shuttered
Earth



13A 250V 2
Gang BS Switched
Socket with
Shutter & Earth



13A 250V 1 Gang DP
Switched Socket With
Shutter & Earth 45A
DP Switch
(Cooker Unit)



10AX 250V
4 Gang 2 Way
Switch



Data Socket



Telephone Outlet
with Shutter



Telephone + Data
Outlet with
Shutter



Fan Dimmer
500W 230V
TS-250W




Light Dimmer
1000W 230V
TS-250W



20W
Fast Charge
USB + Type C


TITAN SILVER

MODERN ELEGANCE



Specifications

Material Stainless Steel
Color Silver



MATEL BASE | PURE COPPER CONTACTS

SWITCHES



10AX 250V
1 Gang Bell
Press Switch

10AX 250V
1 Gang 2 Way
Switch

10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch

10AX 250V
4 Gang 2 Way
Switch



Blank Panel

20 A 250V
DP Switch

45 A 250V
DP Switch

ELECTRICAL SOCKETS



15A 250V
1 Gang Switched
Socket with
Shuttered
Earth

13A 250V 2
Gang BS Switched
Socket with
Shutter & Earth

13A 250V 1 Gang DP
Switched Socket with
Shutter & Earth 45A
DP Switch
(Cooker Unit)



Data Socket

Telephone Outlet
with Shutter

Telephone + Data
Outlet with
Shutter

Fan Dimmer
500W 230V
TS- 250W



Light Dimmer
1000W 230V
TS- 250W



20W
Fast Charge
USB + Type C

TITAN GOLD

MODERN ELEGANCE



Specifications

Material
Stainless Steel

Color
Gold

MATEL BASE | PURE COPPER CONTACTS

SWITCHES



10AX 250V
1 Gang Bell
Press Switch

10AX 250V
1 Gang 2 Way
Switch

10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch

10AX 250V
4 Gang 2 Way
Switch



Blank Panel

20A 250V
DP Switch

45A 250V
DP Switch

ELECTRICAL SOCKETS



15A 250V
1 Gang Switched
Socket with
Shuttered
Earth

13A 250V 2
Gang BS Switched
Socket with
Shutter & Earth

13A 250V 1 Gang DP
Switched Socket With
Shutter & Earth 45A
DP Switch
(Cooker Unit)



Data Socket

Telephone Outlet
with Shutter

Telephone + Data
Outlet with
Shutter

Fan Dimmer
500W 230V
TS- 250W

Light Dimmer
1000W 230V
TS- 250W

20W
Fast Charge
USB + Type C




10AX 250V
2 Gang 2 Way
Switch

10AX 250V
4 Gang 2 Way
Switch

13A 250V 2
Gang BS Switched
Socket with
Shutter & Earth

SERENE BLACK

TIMELESS DESIGN



Specifications

Material
Stainless Steel

Color
Black

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V
1 Gang Bell
Press Switch



10AX 250V
1 Gang 2 Way
Switch



10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch



10AX 250V
4 Gang 2 Way
Switch

COMBINATION SWITCHES



FAN DIMMER
500W 230V
TS-250W



LIGHT DIMMER
1000W 230V
TS-250W

ELECTRICAL SOCKETS



13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth



13A 250V 2
Gang Switched Socket
with Shutter & Earth



3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



20 A 250V
DP Switch



45 A 250V
DP Switch



Data Socket



Telephone Outlet
with Shutter



1 Gang
Telephone Outlet
with Shutter &
1 Gang Category &
6 Data Outlet
with Shutter





Blank Panel



20W
Fast Charge
USB + Type C

SERENE BRONZE

TIMELESS DESIGN



Specifications

Material	Color
Stainless Steel	Bronze

MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V
1 Gang Bell
Press Switch



10AX 250V
1 Gang 2 Way
Switch



10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch



10AX 250V
4 Gang 2 Way
Switch

ELECTRICAL SOCKETS



13A 250V 2
Gang Switched Socket
with Shutter & Earth



3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth



20 A 250V
DP Switch



45 A 250V
DP Switch



Telephone Outlet
with Shutter



Data Socket



1 Gang
Telephone Outlet
with Shutter &
1 Gang Category &
6 Data Outlet
with Shutter



20W
Fast Charge
USB + Type C



Blank Panel

COMBINATION SWITCHES




FAN DIMMER
500W 230V
TS-250W



LIGHT DIMMER
1000W 230V
TS-250W

SERENE CHROME

TIMELESS DESIGN



Specifications

Material	Color
Stainless Steel	Chrome

MATEL BASE | PURE COPPER CONTACTS



LIGHT SWITCHES



10AX 250V
1 Gang Bell
Press Switch



10AX 250V
1 Gang 2 Way
Switch



10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch



10AX 250V
4 Gang 2 Way
Switch

ELECTRICAL SOCKETS



13A 250V 2
Gang Switched Socket
with Shutter & Earth



3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth



20 A 250V
DP Switch



45 A 250V
DP Switch



Telephone Outlet
with Shutter



Data Socket



1 Gang
Telephone Outlet
with Shutter &
1 Gang Category 6
Data Outlet
with Shutter



20W
Fast Charge
USB + Type C



Blank Panel

COMBINATION SWITCHES




FAN DIMMER
500W 230V
TS- 250W



LIGHT DIMMER
1000W 230V
TS- 250W

SERENE ROSE GOLD

TIMELESS DESIGN



Specifications

Material	Color
Stainless Steel	Rose Gold



MATEL BASE | PURE COPPER CONTACTS

LIGHT SWITCHES



10AX 250V
1 Gang Bell
Press Switch



10AX 250V
1 Gang 2 Way
Switch



10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch



10AX 250V
4 Gang 2 Way
Switch

COMBINATION SWITCHES



FAN DIMMER
500W 230V
TS- 250W



LIGHT DIMMER
1000W 230V
TS- 250W



Blank Panel

ELECTRICAL SOCKETS



13A 250V 2
Gang Switched Socket
with Shutter & Earth



3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth



20 A 250V
DP Switch



45 A 250V
DP Switch



Telephone Outlet
with Shutter



Data Socket



1 Gang
Telephone Outlet
with Shutter &
1 Gang Category &
6 Data Outlet
with Shutter




20W
Fast Charge
USB + Type C



13A 250V 2
Gang Switched Socket
with Shutter & Earth





3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)



13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth

SERENE WHITE


TIMELESS DESIGN



Specifications

Material
Stainless Steel

Color
White



MATEL BASE | PURE COPPER CONTACTS


LIGHT SWITCHES



10AX 250V
1 Gang Bell
Press Switch

10AX 250V
1 Gang 2 Way
Switch

10AX 250V
2 Gang 2 Way
Switch



10AX 250V
3 Gang 2 Way
Switch

10AX 250V
4 Gang 2 Way
Switch

ELECTRICAL SOCKETS



13A 250V 2
Gang Switched Socket
with Shutter & Earth

3Pin Switched Socket
With Shutter & Earth
& 45A DP Switch
(Cooker Unit)

13A 250V 1
Gang BS Switched
Socket with
Shutter & Earth

20A 250V
DP Switch

45A 250V
DP Switch



Telephone Outlet
with Shutter

Data Socket

1 Gang
Telephone Outlet
with Shutter &
1 Gang Category &
6 Data Outlet
with Shutter

20W
Fast Charge
USB + Type C

Blank Panel

COMBINATION SWITCHES



FAN DIMMER
500W 230V
TS- 250W

LIGHT DIMMER
1000W 230V
TS- 250W



SMART WIFI SWITCHES

WHITE

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Fan Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC



SMART WIFI SWITCHES

GREY

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Fan Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

SMART WIFI SWITCHES WHITE PUSH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

SMART WIFI SWITCHES BLACK PUSH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC



SMART WIFI SWITCHES GREY PUSH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital
Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC



SMART WIFI SWITCHES

WHITE TOUCH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital Dimmer



20A 250V DP Switch



45A 250V DP Switch



10A 250V
1 Gang Switched
Socket With Shutter
& Earth 2A 250V
USB with
type C-Port



13A 250V
1Gang
DP Switched
Socket with
Shutter & Earth



13A 250V
1Gang
DP Switched
Socket with
Shutter & Earth



Telephone Socket



Data Socket



TV Socket

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

SMART WIFI SWITCHES

BLACK TOUCH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital Dimmer



20A 250V DP Switch



45A 250V DP Switch



10A 250V 1 Gang Switched Socket With Shutter & Earth 2A 250V USB with type C-Port



13A 250V 1Gang DP Switched Socket with Shutter & Earth



Data Socket



Telephone Socket



TV Socket

Specifications

LOAD POWER: 600W/GANG
 WIRELESS CONSUMPTION: <0.2W
 INPUT POWER: 110V-240V(AC) 50/60HZ
 RATED POWER LED: 300W
 WORKING HUMIDITY: 10% - 95%
 WORKING TEMPERATURE: -20°C-70°C
 WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
 WIFI STANDARD: IEEE 802.11B/G/N
 APP: TUYA/SMART LIFE
 COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
 VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
 WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
 STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
 WIRELESS CONSUMPTION: <0.2W
 INPUT POWER: 90V-250V(AC) 50/60HZ
 RATED POWER LED: 150W
 WORKING HUMIDITY: 10% - 95%
 WORKING TEMPERATURE: -20°C-70°C
 WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
 WIFI STANDARD: IEEE 802.11B/G/N
 APP: TUYA/SMART LIFE
 COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
 VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
 WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

SMART WIFI SWITCHES

GREY TOUCH

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Smart Digital Dimmer



20A 250V DP Switch



45A 250V DP Switch



10A 250V 1 Gang Switched Socket With Shutter & Earth 2A 250V USB with type C-Port



13A 250V 1Gang DP Switched Socket with Shutter & Earth



Data Socket



Telephone Socket



TV Socket

Specifications

LOAD POWER: 600W/GANG
 WIRELESS CONSUMPTION: <0.2W
 INPUT POWER: 110V-240V(AC) 50/60HZ
 RATED POWER LED: 300W
 WORKING HUMIDITY: 10% - 95%
 WORKING TEMPERATURE: -20°C-70°C
 WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
 WIFI STANDARD: IEEE 802.11B/G/N
 APP: TUYA/SMART LIFE
 COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
 VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
 WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
 STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
 WIRELESS CONSUMPTION: <0.2W
 INPUT POWER: 90V-250V(AC) 50/60HZ
 RATED POWER LED: 150W
 WORKING HUMIDITY: 10% - 95%
 WORKING TEMPERATURE: -20°C-70°C
 WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
 WIFI STANDARD: IEEE 802.11B/G/N
 APP: TUYA/SMART LIFE
 COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
 VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
 WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC



SMART WIFI SWITCHES

BLACK

TOUCH SENSOR - SMART SWITCHES



1 Gang



2 Gang



3 Gang



4 Gang



Fan Dimmer

Specifications

LOAD POWER: 600W/GANG
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 110V-240V(AC) 50/60HZ
RATED POWER LED: 300W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC

OUTPUT POWER: 10A
STANDARD: GB2099.1
CERTIFICATION: CE, BS, ROHS, GCC, FCC

LOAD POWER: 500W/GANG, FAN300W
WIRELESS CONSUMPTION: <0.2W
INPUT POWER: 90V-250V(AC) 50/60HZ
RATED POWER LED: 150W
WORKING HUMIDITY: 10% - 95%
WORKING TEMPERATURE: -20°C-70°C
WIFI FREQUENCY: WIFI 2.4 GHZ B/G/N
WIFI STANDARD: IEEE 802.11B/G/N
APP: TUYA/SMART LIFE
COMPATIBLE OPERATION SYSTEM:IOS/ANDROID
VOICE CONTROL: GOOGLE ASSISTANT/AMAZON ALEXA
WIRE:NEED NEUTRAL WIRE
CERTIFICATION: CE, BS, ROHS, GCC, FCC